

OSTPRE

Kuopio Osteoporosis Risk Factor and Prevention Study

Luukadon Vaaratekijät ja Ehkäisy –projekti

Publications 2010

Kärkkäinen M, Tuppurainen M, Salovaara K, Sandini L, Rikkonen T, Sirola J, Honkanen R, Jurvelin J, Alhava E, Kröger H: **Effect of calcium and vitamin D supplementation on bone mineral density in women aged 65-71 years: a 3-year randomized population-based trial (OSTPRE-FPS).** *Osteoporos Int.* 2010 Dec;21(12):2047-55. *Epub 2010 Mar 4.*

Kärkkäinen MK, Tuppurainen M, Salovaara K, Sandini L, Rikkonen T, Sirola J, Honkanen R, Arokoski J, Alhava E, Kröger H: **Does daily vitamin D 800 IU and calcium 1000 mg supplementation decrease the risk of falling in ambulatory women aged 65-71 years? A 3-year randomized population-based trial (OSTPRE-FPS).** *Maturitas.* 2010 Apr;65(4):359-65. *Epub 2010 Jan 8.*

Rikkonen T, Salovaara K, Sirola J, Kärkkäinen M, Tuppurainen M, Jurvelin J, Honkanen R, Alhava E, Kröger H: **Physical activity slows femoral bone loss but promotes wrist fractures in postmenopausal women - a 15 -year follow-up of ostpre study.** *J Bone Miner Res.* 2010 Nov;25(11):2332-40. *Epub 2010 Jun 7.*

Salovaara K, Tuppurainen M, Kärkkäinen M, Rikkonen T, Sandini L, Sirola J, Honkanen R, Alhava E, Kröger H: **Effect of vitamin D(3) and calcium on fracture risk in 65- to 71-year-old women: a population-based 3-year randomized, controlled trial--the OSTPRE-FPS.** *J Bone Miner Res.* 2010 Jul;25(7):1487-95.

Sirola J, Koistinen AK, Salovaara K, Rikkonen T, Tuppurainen M, Jurvelin JS, Honkanen R, Alhava E, Kröger H. **Bone Loss Rate May Interact with Other Risk Factors for Fractures among Elderly Women: A 15-Year Population-Based Study.** *J Osteoporos.* 2010 Feb 22;2010:736391.

Sirola J, Salovaara K, Rikkonen T, Kärkkäinen M, Tuppurainen M, Jurvelin JS, Honkanen R, Kröger: **Bone health-related factors and the use of bisphosphonates in community setting-15-year follow-up study.** *Osteoporos Int.* 2011 Jan;22(1):255-64. *Epub 2010 Apr 27.*

Sirola J, Tuppurainen M, Rikkonen T, Honkanen R, Koivumaa-Honkanen H, Kröger H: **Correlates and predictors of self-rated health and ambulatory status among elderly women - Cross-sectional and 10 years population-based cohort study.** *Maturitas.* 2010 Mar;65(3):244-52. *Epub 2009 Dec 16.*

Tuppurainen M, Härmä K, Komulainen M, Kiviniemi V, Kröger H, Honkanen R, Alhava E, Jurvelin J, Saarikoski S: **Effects of continuous combined hormone replacement therapy and clodronate on bone mineral density in osteoporotic postmenopausal women: a 5-year follow-up.** *Maturitas.* 2010 Aug;66(4):423-30. *Epub 2010 May 23*

Väänänen SP, Isaksson H, Julkunen P, Sirola J, Kröger H, Jurvelin JS: **Assessment of the 3-D shape and mechanics of the proximal femur using a shape template and a bone mineral density image.** *Biomech Model Mechanobiol.* 2010 Sep 1.[*Epub ahead of print*].

Publications 2009

Sirola J, Salovaara,K, Tuppurainen M, Jurvelin J.S, Alhava E, Kroger H: **Sister's fracture history may be associated with perimenopausal bone fragility and modifies the predictability of fracture risk.** *Osteoporosis Int* 2009 Apr;20(4):557-65. [Epub 2008 Jul 26]

Kärkkäinen M, Rikkonen T, Kröger H, Sirola J, Tuppurainen M, Salovaara K, Arokoski J, Jurvelin J, Honkanen R, Alhava E.: **Physical tests for patient selection for bone mineral density measurements in postmenopausal women.** *Bone*. 2009 Apr;44(4):660-5. [Epub 2008 Dec 24.]

Pentti K, Tuppurainen M, Honkanen R, Sandini L, Kroger H, Alhava E, Saarikoski S. **Hormone therapy protects from diabetes: the Kuopio Osteoporosis Risk Factor and Prevention Study.** *Eur J Endocrinol*. 2009 Mar 25. [Epub ahead of print]

Pentti K, Tuppurainen MT, Honkanen R, Sandini L, Kröger H, Alhava E, Saarikoski S. **Use of calcium supplements and the risk of coronary heart disease in 52-62-year-old women: The Kuopio Osteoporosis Risk Factor and Prevention Study.** *Maturitas*. 2009 Apr 23. [Epub ahead of print]

Publications 2008

Kärkkäinen M, Rikkonen T, Kröger H, Sirola J, Tuppurainen MT, Salovaara K, Arokoski J, Jurvelin J, Honkanen R, Alhava E: **Association between functional capacity tests and fractures - 8 year prospective population based cohort study.** *Osteoporos Int*. 2008 Aug;19(8):1203-10. [Epub Osteoporosis Int. 2008 Jan 31]

Sandini L, Pentti K, Tuppurainen M, Kröger H, Honkanen R: **Agreement of self-reported estrogen use with prescription data. An analysis of women from the Kuopio Osteoporosis Risk Factor and Prevention Study (OSTPRE).** *Menopause* 2008 March/April;15(2):282-289 [Epub Menopause 2007, Nov 7]

Sirola J, Rikkonen T, Tuppurainen M, Jurvelin JS, Alhava E, Kröger H: **Grip Strength May Facilitate Fracture Prediction in Perimenopausal Women with Normal BMD: A 15-Year Population-Based Study.** *Calcif Tissue Int*. 2008 Aug;83(2):93-100 [Epub 2008 Jul 19]

Publications 2007

Saarelainen J, Rikkonen T, Honkanen R, Kröger H, Tuppurainen M, Niskanen L, Jurvelin JS: **Is Discordance in Bone Measurements Affected by Body Composition or Anthropometry? A Comparative Study Between Peripheral and Central Devices.** *Clin Densitom*. 2007 Jul-Sep;10(3):312-8. Epub 2007 Apr 23.

Sandini L, Pentti K, Tuppurainen M, Kröger H, Honkanen R: **Agreement of self-reported estrogen use with prescription data. An analysis of women from the Kuopio Osteoporosis Risk Factor and Prevention Study (OSTPRE).** *Menopause* 2007, Nov 7 [Epub ahead of print]

Publications 2006

Kanis JA, Johnell O, Oden A, Johansson H, Eisman JA, Fujiwara S, Kröger H, Honkanen R, Melton LJ III, O'Neill O, Reeve J, Silman A, Tenenhouse A. **The use of multiple sites for the diagnosis of osteoporosis.** *Osteoporos Int*. 2006;17(4):527-536.

Pentti K, Honkanen R, Tuppurainen MT, Sandini L, Kroger H, Saarikoski S: **Hormone replacement therapy and mortality in 52- to 70-year-old women: the Kuopio Osteoporosis Risk Factor and Prevention Study.** *Eur J Endocrinol* 2006 Jan;154(1):101-7.

Randell KM, Honkanen RJ, Tuppurainen MT, Kroger H, Jurvelin JS, Saarikoski S: **Fracture risk and bone density of peri- and early postmenopausal women with uterine leiomyomas.** *Maturitas* 2006 Feb 20;53(3):333-42. [Epub 2005 Jul 12].

Rikkonen T, Tuppurainen M, Kroger H, Jurvelin J, Honkanen R: **Distance of walking in childhood and femoral bone density in perimenopausal women.** *Eur J Appl Physiol. 2006 Jul;97(5):509-15. Epub 2006 May 23.*

Sirola J, Kiviniemi V, Tuppurainen M, Waris V, Waris P: **Kustannustehokkuutta osteoporoosin diagnostiikkaan. Mikkelin osteoporoosi-indeksi MOI** [in Finnish]. *Erikoislääkäri 2006;16(3):101-4*

Sirola J, Rikkonen T, Tuppurainen M, Honkanen R, Jurvelin JS, Kroger: **Maintenance of muscle strength may counteract weight-loss-related postmenopausal bone loss-a population-based approach.** *Osteoporos Int 2006;17:775-782 [Epub 2006 Feb 26].*

Sirola J, Rikkonen T, Tuppurainen M, Jurvelin JS, Kroger H: **Association of grip strength change with menopausal bone loss and related fractures: a population-based follow-up study.** *Calcif Tissue Int. 2006 Apr;78(4):218-26. [Epub 2006 Apr 13].*

Sirola J, Waris V, Tuppurainen M, Kiviniemi V, Waris P: **Mikkelin Osteoporoosi-indeksi (MOI) ennustaa osteoporotisia murtumia** [in Finnish]. *Suomen Ortopedia ja Traumatologia 2006;29(3):310-312*

Tuppurainen M, Kröger H, Mahonen A: **Periytyvätkö osteoporoosi ja luunmurtumat?** [in Finnish] *Duodecim 2006;122(2):133-4*

Publications 2005

Huopio J, Honkanen R, Jurvelin J, Saarikoski S, Alhava E, Kröger H: **Role of chronic health disorders in perimenopausal fractures.** *Osteoporos Int. 2005 Mar 1; DOI:10.1007/s00198-005-1851-2 [Epub ahead of print]*

Kanis JA, Johnell O, Oden A, Johansson H, De Laet C, Eisman JA, Fujiwara S, Kroger H, McCloskey EV, Mellstrom D, Melton LJ, Pols H, Reeve J, Silman A, Tenenhouse A: **Smoking and fracture risk: a meta-analysis.** *Osteoporos Int 2005;16(2):155-62.*

Pesonen J, Sirola J, Tuppurainen M, Jurvelin J, Alhava E, Honkanen R, Kröger H: **High bone mineral density among perimenopausal women.** *Osteoporos Int. 2005 Jun 16; DOI: 10:1007/s00198-005-1958-5 [Epub ahead of print]*

Randell KM, Honkanen RJ, Tuppurainen MT, Kröger H, Jurvelin JS, Saarikoski S: **Fracture risk and bone density of peri- and postmenopausal women with uterine leiomyomas.** *Maturitas, in press; Maturitas 2005 Jul 11, DOI: 10:1016/j.maturitas.2005.06.002 [Epub ahead of print]*

Saarelainen J, Honkanen R, Vanninen E et al. **Cross-calibration of lunar DPX-IQ and DPX dual-energy X-ray densitometers for bone mineral measurements in women: Effect of body anthropometry.** *J Clin Densitom. 2005;8:320-329*

Sandini L, Arokoski JPA, Jurvelin JS, Kröger H: **Increased bone mineral content but not bone mineral density in the hip in surgically treated knee and hip osteoarthritis.** *Journal of Rheumatology 2005;32(10):1951-1957.*

Sirola J, Rikkonen T: **Muscle performance after the menopause - Review.** *Journal of the British Menopause Society 2005;11(2):45-50.*

Sirola J, Tuppurainen M, Honkanen R, Jurvelin JS, Kröger H: **Associations between grip strength change and axial postmenopausal bone loss - a 10-year population-based follow-up study.** *Osteoporos Int. 2005 Jul 28; DOI: 10:1007/s00198-005-1944-y [Epub ahead of print]*

Publications 2004

Heikkilä AM, Niskanen LK, Salmi JA, Koulu M, Pesonen U, Uusitupa MI, Komulainen MH, Tuppurainen MT, Kroger H, Jurvelin J, Saarikoski S: **Leucine 7 to proline 7 polymorphism in prepro-NPY gene and femoral neck bone mineral density in postmenopausal women.** *Bone 2004;35(3):589-94*

Huopio J, Kroger H, Honkanen R, Jurvelin J, Saarikoski S, Alhava E: **Calcaneal ultrasound predicts early postmenopausal fractures as well as axial BMD. A prospective study of 422 women.** *Osteoporos Int. 2004 Mar;15(3):190-5. Epub 2004 Jan 16.*

Kanis JA, Johnell O, De Laet C, Johansson H, Oden A, Delmas P, Eisman J, Fujiwara S, Garnero P, Kroger H, McCloskey EV, Mellstrom D, Melton LJ, Pols H, Reeve J, Silman A, Tenenhouse A. **A meta-analysis of previous fracture and subsequent fracture risk.** *Bone* 2004;35:375-82

Sirola J, Rikkonen T, Kroger H, Honkanen R, Tuppurainen M, Airaksinen O, Saarikoski S. **Factors related to postmenopausal muscle performance: a cross-sectional population-based study.** *Eur J Appl Physiol.* 2004 Aug 14 [Epub ahead of print]

Publications 2003

Juntunen M, Niskanen L, Saarelainen J, Tuppurainen M, Saarikoski S, Honkanen R: **Changes in body weight and onset of hypertension in perimenopausal women.** *Journal of human hypertension* 2003;17(11):775-9

Komulainen M, Tuppurainen M, Kroger H. **Bones are breaking without estrogen [Review in Finnish].** *Duodecim* 2003;119:2183-9

Salmén T, Heikkilä AM, Mahonen A, Kröger H, Komulainen M, Pallonen H, Saarikoski S, Honkanen R, Mäenpää PH: **Relation of androgen receptor gene polymorphism to bone mineral density and fracture risk in early postmenopausal women during a 5-year randomized hormone replacement therapy trial.** *J Bone Miner Res* 2003;18(2):319-24

Salmén T, Heikkilä AM, Mahonen A, Kröger H, Komulainen M, Pallonen H, Saarikoski S, Honkanen R, Mäenpää PH: **Relation of aromatase gene polymorphism and hormone replacement therapy to serum estradiol levels, bone mineral density, and fracture risk in early postmenopausal women.** *Ann Med* 2003;35:282-288

Sirola J, Kröger H, Honkanen R, Jurvelin JS, Sandini L, Tuppurainen M, Saarikoski S: **Factors affecting bone loss around menopause in women without HRT: a prospective study.** *Maturitas* 2003;45:159-167

Sirola J, Kröger H, Honkanen R, Sandini L, Tuppurainen M, Jurvelin JS, Saarikoski S: **Risk factors associated with peri- and postmenopausal bone loss: does HRT prevent weight loss-related bone loss?** *Osteoporos Int.* 2003;14(1):27-33

Sirola J, Kröger H, Sandini L, Tuppurainen M, Jurvelin JS, Saarikoski S, Honkanen R: **Interaction of nutritional calcium and HRT in prevention of postmenopausal bone loss: A prospective study.** *Calcified Tissue International* 2003;DOI 10.1007/s00223-002-2069-3 (epub ahead of print).

Sirola J, Kröger H, Honkanen R, Sandini L, Tuppurainen M, Jurvelin JS, Saarikoski S: **Smoking may impair the bone protective effects of nutritional calcium: a population-based approach.** *J Bone Miner Res* 2003;18(6):1036-42

Tuppurainen M, Saarikoski S: **Estrogens and ageing.** Review. *Adv Neurol* 2003;91:101-6.

Tuppurainen M: **When and how should bone mineral density be measured.** *Acta Obstet Gynecol Scand* 2003;82(5):395-7

Publications 2002

Niskanen L, Laitinen T, Tuppurainen M, Saarikoski S, Kroger H, Alhava E et al. **Does postmenopausal hormone replacement therapy affect cardiac autonomic regulation in osteoporotic women?** *Menopause* 2002;9:52-7.

Randell KM, Honkanen RJ, Kroger H, Saarikoski S. **Does hormone-replacement therapy prevent fractures in early postmenopausal women?** *J.Bone Miner.Res.* 2002;17(3):528-33

Salmen T, Heikkilä AM, Mahonen A et al. **Relation of estrogen receptor-alpha gene polymorphism and hormone replacement therapy to fall risk and muscle strength in early postmenopausal women.** *Ann Med* 2002;34:64-72

Sirola,J.; Honkanen,R.; Kroger,H.; Jurvelin,J.S.; Maenpaa,P.; Saarikoski,S. **Relation of statin use and bone loss: a prospective population-based cohort study in early postmenopausal women.** *Osteoporos Int.* 2002;13(7):537-541

Valtola A, Honkanen R, Kroger H, Tuppurainen M, Saarikoski S, Alhava E. **Lifestyle and other factors predict ankle fractures in perimenopausal women: a population-based prospective cohort study.** *Bone* 2002;30:238-42.

Publications 2001

Effect of calcium on bone loss and fractures according to estrogen repletion status. In: Burckhardt P, Dawson-Hughes B, Heaney RP, eds. *Nutritional aspects of osteoporosis*, pp 51-64. San Diego, CA: Academic Press, 2001.

Puntila E, Kroger H, Lakka T, Tuppurainen M, Jurvelin J, Honkanen R. **Leisure-time physical activity and rate of bone loss among peri- and postmenopausal women: a longitudinal study.** *Bone* 2001;29:442-6.

Randell KM, Honkanen RJ, Komulainen MH, Tuppurainen MT, Kroger H, Saarikoski S. **Hormone replacement therapy and risk of falling in early postmenopausal women - a population-based study.** *Clin.Endocrinol.(Oxf)* 2001;154:769-74.

Salmen T, Heikkilä AM, Mahonen A, Kröger H, Komulainen M, Saarikoski S et al. **Estrogeenireseptori alfa-geenin polymorfia vaikuttaa hormonikorvaushoidon luustolle antamaan suojaan.** [Finnish]. *Duodecim* 2001;117:738-9.

Publications 2000

Heikkilä AM, Kroger H, Niskanen L, Komulainen MH, Ryynänen M, Parviainen MT et al. **Does apolipoprotein E genotype relate to BMD and bone markers in postmenopausal women?** *Maturitas* 2000;34:33-41

Honkanen,R.J.; Honkanen,K.; Kroger,H.; Alhava,E.; Tuppurainen,M.; Saarikoski,S. **Risk factors for perimenopausal distal forearm fracture.** *Osteoporos.Int.* 2000;11:265-270.

Huopio J, Kroger H, Honkanen R, Saarikoski S, Alhava E. **Risk factors for perimenopausal fractures: a prospective study.** *Osteoporos.Int.* 2000;11:219-27.

Komulainen M, Kroger H, Tuppurainen MT, Heikkilä AM, Honkanen R, Saarikoski S. **Identification of early postmenopausal women with no bone response to HRT: results of a five-year clinical trial.** *Osteoporos.Int.* 2000;11:211-8.

Salmen T, Heikkilä AM, Mahonen A, Kroger H, Komulainen M, Saarikoski S et al. **Early postmenopausal bone loss is associated with PvuII estrogen receptor gene polymorphism in Finnish women: effect of hormone replacement therapy.** *J Bone Miner Res* 2000;15:315-21.

Salmen T, Heikkilä AM, Mahonen A et al. **The protective effect of hormone-replacement therapy on fracture risk is modulated by estrogen receptor alpha genotype in early postmenopausal women.** *J Bone Miner Res* 2000;15:2479-2486.

Salmen T, Mahonen A, Maenpää P, Heikkilä AM, Komulainen M, Saarikoski S et al. **Estrogeeni-reseptoriteenin polymorfia vaikuttaa luun menetyksen nopeuteen ja hormonikorvaushoidon tehoon menopaussin jälkeen.** [Finnish]. *Duodecim* 2000;116:844-.

Publications 1999

Heikkilä AM, Niskanen L, Ryynänen M, Komulainen MH, Tuppurainen MT, Parviainen M et al. **Is the response of serum lipids and lipoproteins to postmenopausal hormone replacement therapy modified by ApoE genotype?** *Arterioscler.Thromb.Vasc.Biol.* 1999;19:402-7.

Honkanen K, Honkanen R, Heikkilä L, Kroger H, Saarikoski S. **Validity of self-reports of fractures in perimenopausal women.** *Am.J Epidemiol.* 1999;150:511-6.

Honkanen R.,Lamberg-Allardt C. **The role of calcium and vitamin D in osteoporosis.** [Finnish]. *Sosiaalilääketieteellinen Aikakauslehti* 1999;43-9.

Komulainen M, Kroger H, Tuppurainen MT, Heikkilä AM, Alhava E, Honkanen R et al. **Prevention of femoral and lumbar bone loss with hormone replacement therapy and vitamin D3 in early**

postmenopausal women: a population- based 5-year randomized trial. *J Clin.Endocrinol.Metab* 1999;84:546-52.

Laatikainen AK, Kroger HP, Tukiainen HO, Honkanen RJ, Saarikoski SV. **Bone mineral density in perimenopausal women with asthma: a population- based cross-sectional study.** *Am.J Respir.Crit Care Med.* 1999;159:1179-85.

Publications 1998

Heikkinen AM, Niskanen L, Yla-Herttuala S, Luoma J, Tuppurainen MT, Komulainen M et al. **Postmenopausal hormone replacement therapy and autoantibodies against oxidized LDL.** *Maturitas* 1998;29:155-61.

Heikkinen A, Parviainen MT, Tuppurainen MT, Niskanen L, Komulainen MH, Saarikoski S. **Effects of postmenopausal hormone replacement therapy with and without vitamin D3 on circulating levels of 25-hydroxyvitamin D and 1,25- dihydroxyvitamin D.** *Calcif.Tissue Int.* 1998;62:26-30.

Honkanen R, Tuppurainen M, Kroger H, Alhava E, Saarikoski S. **Relationships between risk factors and fractures differ by type of fracture: a population-based study of 12,192 perimenopausal women.** *Osteoporos.Int.* 1998;8:25-31.

Komulainen MH, Kroger H, Tuppurainen MT, Heikkinen AM, Alhava E, Honkanen R et al. **HRT and Vit D in prevention of non-vertebral fractures in postmenopausal women; a 5 year randomized trial.** *Maturitas* 1998;31:45-54.

Tuppurainen MT, Komulainen M, Kroger H, Honkanen R, Jurvelin J, Punttila E et al. **Does vitamin D strengthen the increase in femoral neck BMD in osteoporotic women treated with estrogen?** *Osteoporos.Int.* 1998;8:32-8.

Publications 1997

Heikkinen AM, Parviainen M, Niskanen L, Komulainen M, Tuppurainen MT, Kroger H et al. **Biochemical bone markers and bone mineral density during postmenopausal hormone replacement therapy with and without vitamin D3: a prospective, controlled, randomized study.** *J Clin.Endocrinol.Metab* 1997; 82:2476-82.

Heikkinen AM, Tuppurainen MT, Niskanen L, Komulainen M, Penttila I, Saarikoski S. **Long-term vitamin D3 supplementation may have adverse effects on serum lipids during postmenopausal hormone replacement therapy.** *Eur.J Endocrinol.* 1997;137:495-502.

Honkanen R, Kroger H, Alhava E, Turpeinen P, Tuppurainen M, Saarikoski S. **Lactose intolerance associated with fractures of weight-bearing bones in Finnish women aged 38-57 years.** *Bone* 1997;21:473-7.

Honkanen R, Tuppurainen M, Kroger H, Alhava E, Punttila E. **Associations of early premenopausal fractures with subsequent fractures vary by sites and mechanisms of fractures.** *Calcif.Tissue Int.* 1997;60:327-31

Komulainen M, Tuppurainen MT, Kroger H, Heikkinen AM, Punttila E, Alhava E et al. **Vitamin D and HRT: no benefit additional to that of HRT alone in prevention of bone loss in early postmenopausal women. A 2.5-year randomized placebo-controlled study.** *Osteoporos.Int.* 1997;7:126-32.

Punttila E, Kroger H, Lakka T, Honkanen R, Tuppurainen M. **Physical activity in adolescence and bone density in peri- and postmenopausal women. A population-based study.** *Bone* 1997;21:363-7.

Publications 1995 - 1996

Honkanen R, Kröger H, Tuppurainen M, Alhava E, Saarikoski S. **Fractures and low axial bone density in perimenopausal women.** *J Clin.Epidemiol.* 1995;48:881-8.

Honkanen R, Pulkkinen P, Jarvinen R, Kroger H, Lindstedt K, Tuppurainen M et al. **Does lactose intolerance predispose to low bone density? A population- based study of perimenopausal Finnish women.** *Bone* 1996;19:23-8.

Kröger H, Huopio J, Honkanen R, Tuppurainen M, Puntila E, Alhava E et al. **Prediction of fracture risk using axial bone mineral density in a perimenopausal population: a prospective study.** *J Bone Miner Res* 1995;10:302-6

Kröger H, Mahonen A, Ryhanen S, Turunen AM, Alhava E, Maenpaa P. **Vitamin D receptor genotypes and bone mineral density [letter; comment].** *Lancet* 1995;345:1238.

Saarikoski S. **Osteoporosin hoito.** [Finnish]. *Käytännön Lääkäri* 1995;1:9-13

Tuppurainen M, Heikkilä AM, Penttilä I, Saarikoski S. **Does vitamin D₃ have negative effects on serum levels of lipids? A follow-up study with a sequential combination of estradiol valerate and cyproterone acetate and/or vitamin D₃.** *Maturitas* 1995;22:55-61.

Tuppurainen M, Kröger H, Honkanen R, Puntila E, Huopio J, Saarikoski S et al. **Risks of perimenopausal fractures--a prospective population-based study.** *Acta Obstet.Gynecol.Scand.* 1995;74:624-8.

Tuppurainen M, Kröger H, Saarikoski S, Honkanen R, Alhava E. **The effect of gynecological risk factors on lumbar and femoral bone mineral density in peri- and postmenopausal women.** *Maturitas* 1995;21:137-45.

Publications 1993 - 1994

Kröger H, Alhava E, Honkanen R, Tuppurainen M, Saarikoski S. **The effect of fluoridated drinking water on axial bone mineral density-- a population-based study.** *Bone Miner* 1994; 27:33-41.

Kröger H, Honkanen R, Saarikoski S, Alhava E. **Decreased axial bone mineral density in perimenopausal women with rheumatoid arthritis--a population based study.** *Ann.Rheum.Dis.* 1994;53:18-23.

Kröger H, Huopio J, Honkanen R, Tuppurainen M, Puntila E, Saarikoski S, Alhava E: **Lannerangan ja reisiluun kaulan luun tiheysmittauksen merkitys murtumariskin arvioimisessa** [In Finnish]. *Suomen ortopedia ja traumatologia* 1994;17:358-360.

Kröger H, Tuppurainen M, Honkanen R, Alhava E, Saarikoski S. **Bone mineral density and risk factors for osteoporosis - a population- based study of 1600 perimenopausal women.** *Calcif.Tissue Int.* 1994;55:1-7.

Tuppurainen M, Honkanen R, Kroger H, Saarikoski S, Alhava E. **Osteoporosis risk factors, gynaecological history and fractures in perimenopausal women--the results of the baseline postal enquiry of the Kuopio Osteoporosis Risk Factor and Prevention Study.** *Maturitas* 1993;17:89-100.

Tuppurainen M, Kroger H, Saarikoski S, Honkanen R, Alhava E. **The effect of previous oral contraceptive use on bone mineral density in perimenopausal women.** *Osteoporos.Int.* 1994;4:93-8.

Publications 1990 - 1992

Honkanen R. **Osteoporosin komplikaatioihin liittyvät terveydelliset ja terveydenhuollolliset seuraamukset. Osteoporosin ehkäisy ja hoito.** [Finnish]. *Konsensuskokous 30.3.-1.4.1992 Hanasaaressa, Suomen Akatemia, Suomalainen Lääkäriseura Duodecim ja Sosiaali- ja terveysministeriö, Helsinki 1992.*

Honkanen R, Alhava EM, Saarikoski S, Tuppurainen M. **Osteoporosis risk factors in perimenopausal women.** *Calcif.Tissue Int.* 1991;49 Suppl:S74-S75

Honkanen, R., Alhava, E., Saarikoski, S., Tuppurainen, M. **Kuopio Osteoporosis Study. Baseline postal enquiry.** [Abstract] *VII Medical Symposium of the Yrjö Jahnsson Foundation, Porvoo, Finland, June 6-8, 1990.*

Honkanen R, Tuppurainen M, Alhava E, Saarikoski S. **Kuopio Osteoporosis Risk Factor and Prevention Study. Baseline postal enquiry in 1989.** *Publications of the University of kuopio. Community Health. Statistics and Reviews* 3/1991, Kuopio 1991.

Saarikoski S. **Osteoporosin riskitekijät. Osteoporosin ehkäisy ja hoito.** [Finnish] *Konsensuskokous 30.3.-1.4.1992 Hanasaaressa, Suomen Akatemia, Suomalainen Lääkäriseura Duodecim ja Sosiaali- ja terveysministeriö, Helsinki 1992.*