
Neurologian yksikkö

Department of Neurology

Julkaisut 1994-1994

Publications 1994-1994

Lisätietoja julkaisusta saa klikkaamalla sen numeroa.
For full details, please click the number in front of the publication.

- [1](#) Riekkinen P Jr. 5-HT_{1A} and muscarinic acetylcholine receptors jointly regulate passive avoidance behavior. *Eur J Pharmacol* 1994;**262**:77-90.
- [2](#) Sivenius J. Aivohalvauksen yleisyys ja sen muutokset Suomessa. *Afasia* 1994;**3**:7-8.
- [3](#) Sarti C, Immonen-Räihä P, Sivenius J, Kaarsalo E, Narva EV, Salmi K, Torppa J, Salomaa V, Mähönen M, Tuomilehto J. Aivohalvaukset vähenivät Suomessa 1980-luvulla. *Suomen Lääkärilehti* 1994;**49**:3691-3696.
- [4](#) Kälviäinen R. Aivojen magneettikuvaus on muuttanut epilepsian hoitoa. *Epilepsia-lehti* 1994:6-7.
- [5](#) Mähönen M, Sarti Z, Brommels M, Molarius A, Salomaa V, Sivenius J, Immonen-Räihä P. Aivoverisuonisairauksien sairaalahoidot Suomessa vuosina 1981-1990. *Suomen Lääkärilehti* 1994;**49**:1616-1619.
- [6](#) Soinin H. Alzheimerin taudin tutkimus nousussa. *Vanhustyö* 1994;**2**:20-22.
- [7](#) Kuusisto J, Koivisto K, Kervinen K, Mykkänen L, Helkala E-L, Vanhanen M, Hänninen T, Pyörälä K, Kesäniemi A, Riekkinen P, Laakso M. Association of apolipoprotein E phenotypes with late onset Alzheimer's disease: population based study. *BMJ (Compact)* 1994;**309**:636-638.
- [8](#) Pekkonen E, Jousmäki V, Könönen M, Reinikainen K, Partanen J. Auditory sensory memory impairment in Alzheimer's disease: an event-related potential study. *Neuroreport* 1994;**5**:2537-2540.
- [9](#) Vanninen R, Manninen H, Koivisto K, Tulla H. The best method to quantitate angiographic carotid artery stenosis? *Stroke* 1994;**25**:708-709.
- [10](#) Vanninen R, Manninen H, Koivisto K, Tulla H, Partanen K, Puranen M. Carotid stenosis by digital subtraction angiography: Reproducibility of the European Carotid Surgery Trial and the North American Symptomatic Carotid Endarterectomy Trial and the measurement methods and visual Interpretation. *Am J Neuroradiol* 1994;**15**:1635-1641.
- [11](#) Pitkänen M, Sirviö J, Lahtinen H, Koivisto E, Riekkinen P. D-cycloserine, a partial agonist at the glycine site, enhances the excitability of dentate granule cells in vivo in rats. *Eur J Pharmacol* 1994;**253**:125-129.
- [12](#) Sarti C, Tuomilehto J, Sivenius J, Kaarsalo E, Narva EV, Salmi K, Torppa J, Salomaa V. Declining trends in incidence, case-fatality and mortality of stroke in three geographic areas of Finland during 1983-1989. *J Clin Epidemiol* 1994;**47**:1259-1269.

- [13](#) Kuhmonen J, Sivenius J, Riekkinen PJ Sr, Kauppinen RA. Decrease in brain Choline-containing compounds following a short period of global ischemia in gerbils as detected by ¹H NMR spectroscopy in vivo. *NMR Biomed* 1994;**7**:231-236.
- [14](#) Soinen H, Partanen J. Dementiat. Kirjassa: Lang H, Häkkinen V, Larsen TA, Partanen J, Tolonen U, toim. *Sähköiset aivomme*, s. 291-297. Turku: Suomen kliinisen neurofysiologian yhdistys ry, 1994.
- [15](#) Pitkänen A, Amaral DG. The distribution of GABAergic cells, fibers, and terminals in the monkey amygdaloid complex: An immunohistochemical and in situ hybridization study. *J Neurosci* 1994;**14**(4):2200-2224.
- [16](#) Saukkonen AM, Kälviäinen R, Partanen K, Vainio P, Riekkinen P, Pitkänen A. Do seizures cause neuronal damage? A MRI study in newly diagnosed and chronic epilepsy. *Neuroreport* 1994;**6**:219-223.
- [17](#) Kuikka JT, Mervaala E, Vanninen E, Kälviäinen R. Does technetium-99m bicisate image global brain metabolism in late ictal temporal lobe epilepsy? *Eur J Nucl Med* 1994;**21**:1247-1251.
- [18](#) Sirviö J, Mazurkiewicz M, Haapalinna A, Riekkinen P Jr, Lahtinen H, Riekkinen PJ Sr. The effects of selective alpha-2 adrenergic agents on the performance of rats in a 5-choice serial reaction time task. *Brain Res Bull* 1994;**35**:451-455.
- [19](#) Riekkinen M, Riekkinen P Jr. Effects of THA and physostigmine on spatial navigation and avoidance performance in mecamylamine and PCPA-treated rats. *Exp Neurol* 1994;**125**:111-118.
- [20](#) Rothwell PM, Gibson RJ, Slattery J, Sellar RJ. Equivalence of measurements of carotid stenosis. A comparison of three methods on 1001 angiograms. *Stroke* 1994;**25**:2435-2439.
- [21](#) Sirviö J, Riekkinen P Jr, Jäkälä P, Riekkinen PJ. Experimental studies on the role of serotonin in cognition. *Prog Neurobiol* 1994;**43**:363-379.
- [22](#) Lowenthal A, Sivenius J. From European stroke prevention study 1 to European stroke prevention study 2. *Biomedical Reviews* 1994;**2**:5-8.
- [23](#) Jolkkonen J, Jenner P, Marsden CD. GABAergic modulation of striatal peptide expression in rats and the alterations induced by dopamine antagonist treatment. *Neurosci Lett* 1994;**180**:273-276.
- [24](#) Halonen T. Glukoosi ja aivojen energia-aineenvaihdunta. *Sokeri elämässä* 1994;**1**:2-5.
- [25](#) Li XG, Somogyi P, Ylinen A, Buzsáki G. The hippocampal CA3 network: An in vivo intracellular labeling study. *J Comp Neurol* 1994;**339**:181-208.
- [26](#) Soinen H, Lehtovirta M, Laakso M, Partanen K, Helisalme S, Mannermaa A, Hänninen T, Pitkänen A, Koivisto K, Ryyänen M, Riekkinen PJ Sr. Hippocampal volume loss on MRI scans in Alzheimer patients and nondemented elderly subjects with apolipoprotein E. Abstract. *Abstr - Soc Neurosci* 1994;**20**(1):1032.
- [27](#) Riekkinen P. Ihmisaivojen mysteeri tutkimusaiheena. *Tieteen kuvalehti* 1994;**7**:73,86.
- [28](#) Laulumaa V, Kuikka JT, Soinen H, Bergström K, Länsimies E, Riekkinen P. Imaging of D2 dopamine receptors of patients with Parkinson's disease using single photon emission computed tomography and iodobenzamide I 123. In: Hoffer PB et al, eds. *The Year Book of Nuclear Medicine*, p. 293-294. Mosby: 1994.
- [29](#) Tuomisto L, Yamatodani A, Jolkkonen J, Sainio E-L, Airaksinen MM. Inhibition of brain histamine synthesis increases food intake and attenuates vasopressin response to salt loading in

rats. *Methods Find Exp Clin Pharmacol* 1994;**16**:355-359.

- [30](#) Sik A, Ylinen A, Penttonen M, Buzsaki G. Inhibitory CA1-CA3-hilar region feedback in the hippocampus. *Science* 1994;**265**:1722-1724.
- [31](#) Riekkinen M, Tolonen R, Riekkinen P Jr. Interaction between 5-HT1A and nicotinic cholinergic receptors in the regulation of water maze navigation behavior. *Brain Res* 1994;**649**:174-180.
- [32](#) Van Duijn CM, Clayton DG, Chandra V, Fratiglioni L, Graves AB, Heyman A, Jorm AF, Kokmen E, Kondo K, Mortimer JA, Rocca WA, Shalat SL, Soininen H, Hofman A for the EURODEM Risk Factors Research Group. Interaction between genetic and environmental risk factors for Alzheimer's disease: A reanalysis of case-control studies. *Genet Epidemiol* 1994;**11**:539-551.
- [33](#) Riekkinen M. *The interactions between cholinergic and serotonergic systems in the modulation of spatial navigation and passive avoidance behavior - An experimental neuropsychopharmacological study*. Doctoral dissertation. 1994. University of Kuopio. Department of Neurology. Series of Reports 32. 125 p.
- [34](#) Soininen H, Hallikainen M, Hänninen T, Koivisto K, Partanen K, Partanen J, Helkala E-L, Riekkinen PJ Sr. Is age-associated memory impairment an early sign of Alzheimer's disease? Abstract. In: *Neuroscience 1994*, Kuopio. 1994.
- [35](#) Sivenius J, Ylinen A, Kälviäinen R, Riekkinen PJ Sr. Long-term study with gabapentin in patients with drug-resistant epileptic seizures. *Arch Neurol* 1994;**51**:1047-1050.
- [36](#) Sirviö J, Soininen H, Riekkinen P. Miksi muistamme, miksi unohdamme. Kirjassa: *Mitä missä milloin - kansalaisen vuosikirja 1994*, s. 388-393. Helsinki: Otava, 1994.
- [37](#) Riekkinen P Jr. Muisti ja glukoosi. *Sokeri elämässä* 1994;**1**:10-11.
- [38](#) Heinonen O. *Neuropathologic and peripheral markers of Alzheimer's disease with special emphasis on β -amyloid accumulation*. Doctoral dissertation. 1994. University of Kuopio. Department of Neurology. Series of Reports 31. 89 p.
- [39](#) Kauppinen R, Pitkänen A, eds. *Neuroscience 1994 Finland, Kuopio June 17-18, 1994. Abstracts*. 1994. Kuopio University Publications D. Medical Sciences 48. 124 p.
- [40](#) Hartikainen P. *Normal aging - A neurochemical, neurophysiological and neuropsychological study with special reference to Alzheimer's disease, Parkinson's disease and amyotrophic lateral sclerosis*. Doctoral dissertation. 1994. University of Kuopio. Department of Neurology. Series of Reports 30. 116 p.
- [41](#) Buzsáki G, Bragin A, Chrobak JJ, Nádasdy Z, Sik A, Hsu M, Ylinen A. Oscillatory and intermittent synchrony in the hippocampus: relevance to memory trace formation. In: Buzsaki G, Llinas R, Sing W, Berthoz M, Christian Y, eds. *Temporal Coding in the Brain*, p. 145-172. Berlin: Springer-Verlag, 1994.
- [42](#) Halonen T, Tortorella A, Zrebet H, Gale K. Posterior piriform and perirhinal cortex relay seizures evoked from the area tempestas: role of excitatory and inhibitory amino acid receptors. *Brain Res* 1994;**652**:145-148.
- [43](#) Tuunainen A, Nousiainen U, Mervaala E, Pilke A, Vapalahti M, Leinonen E, Paljärvi L, Riekkinen P. Postoperative EEG and electrocorticography: relation to clinical outcome in patients with temporal lobe surgery. *Epilepsia (NY)* 1994;**35**:1165-1173.
- [44](#) Viinamäki H, Koivisto K. Poststroke depression in clinical practice: The ability of staff to recognize depressive mood. *Nord J Psychiatry* 1994;**48**:241-245.

- 45 Rothewll PM, Gibson RJ, Slattery J, Sellar RJ. Prognostic value and reproducibility of measurements of carotid stenosis. A comparison of three methods on 1001 angiograms. *Stroke* 1994;**25**:2440-2444.
- 46 Partanen J, Hartikainen P, Könönen P, Jousmäki V, Soininen H, Riekkinen P Sr. Prolonged latencies of pattern reversal visual evoked early potentials in Alzheimer disease. *Alzheimer Dis Assoc Disord* 1994;**8**(4):250-258.
- 47 Vainio P, Usenius JP, Vapalahti M, Partanen K, Kälviäinen R, Rinne J, Kauppinen RA. Reduced N-acetylaspartate concentration in temporal lobe epilepsy by quantitative 1H MRS in vivo. *Neuroreport* 1994;**5**:1733-1736.
- 48 Riekkinen P Jr, Sirviö J, Riekkinen M. Serotonin depletion decreases the therapeutic effect of nicotine, but not THA, in medial septal-lesioned rats. *Brain Res* 1994;**662**:95-102.
- 49 Riekkinen PJ Jr, Riekkinen MK, Sirviö JS. Serotonin depletion decreases therapeutic effect of THA and nicotine. In: Ciacobini E, Becker R, eds. *Alzheimer Disease: Therapeutic Strategies*, p. 212-216. Boston: Birkhäuser, 1994.
- 50 Sirviö J, Lahtinen H, Riekkinen P Jr, Riekkinen PJ. Spatial learning and noradrenaline content in the brain and periphery of young and aged rats. *Exp Neurol* 1994;**125**:312-315.
- 51 Grönblad M, Lukinmaa A, Jolkkonen J, Schugk P, Seitsalo S, Korkala O. Straight leg raising test and lumbar cerebrospinal fluid levels of vasoactive intestinal peptide and somatostatin in patients with low back pain. *Spine* 1994;**19**:1462-1466.
- 52 Suzuki K, Sarti C, Tuomilehto J, Kutsuzowa T, Narva EV, Sivenius J, Salmi K, Kaaarsalo E, Torppa J, Kuulasmaa K. Stroke incidence and case fatality in Finland and in Akita, Japan: A comparative study. *Neuroepidemiology* 1994;**13**:236-244.
- 53 Hänninen T, Reinikainen KJ, Helkala E-L, Koivisto K, Mykkänen L, Laakso M, Pyörälä K, Riekkinen PJ. Subjective memory complaints and personality traits in normal elderly subjects. *J Am Geriatr Soc* 1994;**42**:1-4.
- 54 Cochius J, Carpenter S, Andermann E, Rouleau G, Nousiainen U, Kälviäinen R, Farrell K, Andermann F. Sweat gland vacuoles in Unverricht-Lundborg disease: A clue to diagnosis? *Neurology* 1994;**44**:2372-2375.
- 55 Heinonen O, Kurvinen K, Soininen H, Koponen H, Syrjänen S, Riekkinen PJ. Testing for mutations in exon 17 of the β -amyloid precursor protein gene in Finnish Alzheimer patients and normal subjects. *J Neural Transm Park Dis Dement Sect* 1994;**7**:211-215.
- 56 Riekkinen P. Tohtorikoulutus uusiutumassa. *Korkeakoulutieto* 1994;**3**:38-40.
- 57 Kälviäinen R, Äikiä M, Riekkinen PJ. Vigabatriin und kognitive Funktionen. In: Krämer G, Schmidt D, eds. *Vigabatriin*, p. 159-166. Berlin: Springer-Verlag, 1994.
- 58 Riekkinen P Jr. Vireystaso ja sen säätely vuorokauden eri aikoina. *Sokeri elämässä* 1994;**1**:6-9.
- 59 Partanen K, Soininen H, Laakso M, Vainio P, Hänninen T, Hallikainen M, Pitkänen A, Koivisto K, Riekkinen P, Soimakallio S. Volumes of amygdala, hippocampus and frontal lobes correlated with tests assessing frontal functions in age-associated memory. Abstract. In: *ICR 94, 18th International Congress of Radiology*, Singapore, 23-28 January 1994, p. 132. Singapore: 1994.
- 60 Lehtovirta M, Laakso MP, Soininen H, Helisalmi S, Mannermaa A, Helkala E-L, Partanen K, Ryyänänen M, Vainio P, Hartikainen P, Riekkinen PJ Sr. Volumes of hippocampus, amygdala and frontal lobe in Alzheimer patients with different apolipoprotein e genotypes. Abstract. *Neurobiol Aging Suppl* 1994;**15**:134.

- [61](#) Soininen HS, Partanen K, Pitkänen A, Vainio P, Hänninen T, Hallikainen M, Koivisto K, Riekkinen PJ Sr. Volumetric MRI analysis of the amygdala and the hippocampus in subjects with age-associated memory impairment: Correlation to visual and verbal memory. *Neurology* 1994;**44**:1660-1668.
- [62](#) Heinonen O, Soininen H, Syrjänen S, Neittaanmäki H, Paljärvi L, Kosunen O, Syrjänen K, Riekkinen P Sr. β -amyloid protein immunoreactivity in skin is not a reliable marker of Alzheimer's disease. An autopsy-controlled study. *Arch Neurol* 1994;**51**:799-804.
-

[Neurologian yksikkö](#)

[Julkaisutietokanta](#) 24.1.2013

[Department of Neurology](#)

[Publications Data Base](#) 24.1.2013