
Neurologian yksikkö

Department of Neurology

Julkaisut 1995-1995

Publications 1995-1995

Lisätietoja julkaisusta saa klikkaamalla sen numeroa.
For full details, please click the number in front of the publication.

- [1](#) Vainio P, Partanen K, Kälviäinen R, Vapalahti M, Soimakallio S. 1H MRS in temporal lobe epilepsy patients with good seizure control. Abstract. In: *Proceedings of the Society of Magnetic Resonance Third Scientific Meeting And Exhibition and the European Society For Magnetic resonance In Medicine And Biology Twelfth Annual Meeting And Exhibition*, Nice, France, August 19-25, 1995, p. 1828. 1995.
- [2](#) Kuikka JT, Pitkänen A, Lepola U, Partanen K, Vainio P, Bergström KA, Wieler HJ, Kaiser KP, Mittelbach L, Koponen H, Leinonen E, Riekkinen PJ. Abnormal regional benzodiazepine receptor uptake in the prefrontal cortex in patients with panic disorder. *Nucl Med Commun* 1995;**16**:273-280.
- [3](#) Dagerlind Å, Pelto-Huikko M, Diez M, Hökfelt T. Adrenal medullary ganglion neurons project into the splanchnic nerve. *Neuroscience* 1995;**69**(4):1019-1023.
- [4](#) Halonen T, Kotti T, Tuunanen J, Toppinen A, Miettinen R, Riekkinen PJ. Alfa2-adrenoceptor agonist, dexmedetomidine, protects against kainic acid-induced convulsions and neuronal damage. *Brain Res* 1995;**693**:217-224.
- [5](#) Heinonen O, Lehtovirta M, Soininen H, Helisalmi S, Mannermaa A, Sorvari H, Kosunen O, Paljärvi L, Ryyänänen M, Riekkinen PJ Sr. Alzheimer pathology of patients carrying apolipoprotein E epsilon4 allele. *Neurobiol Aging* 1995;**16**(4):505-513.
- [6](#) Soininen H. Alzheimerin taudin tutkimus etenee. *Muisti* 1995(4):13-.
- [7](#) Sivenius J. Antiplatelet therapy in elderly people with transient ischemic attack or ischemic stroke. *Riv Neurobiol Suppl* 1995;**41**:139-146.
- [8](#) Sivenius J, Riekkinen PJ Sr, Laakso M. Antiplatelet treatment in elderly people with transient ischaemic attacks or ischaemic strokes. *BMJ (Compact)* 1995;**310**:25-26.
- [9](#) Heinonen O, Soininen H, Ylä-Herttuala S, Riekkinen P Sr. Apolipoprotein E allelic variation and receptor interaction in Alzheimer disease. Abstract. *Alzheim Res. Suppl* 1995;**1**:49.
- [10](#) Heinonen O, Soininen H, Ylä-Herttuala S, Kosunen O, Paljärvi L, Riekkinen P Sr. Apolipoprotein E, alpha2MR/LRP- and LDL-receptor interactions in Alzheimer's disease. In: Abstracts of the 18th Annual Meeting of the European Neuroscience Association in association with the European Brain and Behaviour Society, Amsterdam, September 3-7, 1995, p. 125. 1995.
- [11](#) Heinonen O, Soininen H, Kosunen O, Helisalmi S, Mannermaa A, Paljärvi L, Ryyänänen M, Riekkinen P Sr. Apolipoprotein E immunoreactive plaques in neocortex of Alzheimer patients carrying epsilon4 allele. Abstract. In: *Abstracts of the Fifth Meeting of the European Neurological Society*, Munich, Germany, June 17-21, 1995. 1995.

- [12](#) Lehtovirta M, Helisalml S, Mannermaa A, Soininen H, Koivisto K, Ryyänänen M, Riekkinen P Sr. Apolipoprotein E polymorphism and Alzheimer's disease in Eastern Finland. *Neurosci Lett* 1995;**185**:13-15.
- [13](#) Soininen H, Heinonen O, Ylä-Herttua S, Riekkinen P Sr. Apolipoprotein E polymorphism and receptor interaction in Alzheimer disease. Abstract. In: *Abstracts. Society for Neuroscience. 25th Annual Meeting.*, San Diego, California, November 11-16, 1995, p. 1714. 1995. Vol. 21.
- [14](#) Lehtovirta M, Soininen H, Laakso MP, Partanen K, Helisalml S, Mannermaa A, Kuikka J, Ryyänänen M, Riekkinen P Sr. Apolipoprotein Epsilon4 and early Alzheimer's disease: a MRI and SPECT study. Abstract. *Alzheim Res. Suppl* 1995;**1**:48.
- [15](#) Helkala E-L, Koivisto K, Hänninen T, Vanhanen M, Kervinen K, Kuusisto J, Mykkänen L, Kesäniemi YA, Laakso M, Riekkinen P Sr. The association of apolipoprotein E polymorphism with memory: a population based study. *Neurosci Lett* 1995;**191**:141-144.
- [16](#) Pekkonen E, Jousmäki V, Reinikainen K, Partanen J. Automatic auditory discrimination is impaired in Parkinson's disease. *Electroencephalogr Clin Neurophysiol* 1995;**95**:47-52.
- [17](#) Raumanni T, Ruotsalainen S, Riekkinen P Jr, Sirviö J. Behavioural, pharmacological and physiological studies on the validation of a new animal model for attention deficit hyperactivity disorder. Abstract. In: *Abstract Book. The Meeting of European Neuroscience.*, Amsterdam, the Netherlands, 3-7 September, 1995, p. 139. EBBS, 1995.
- [18](#) Heinonen O, Soininen H, Syrjänen S, Neittaanmäki H, Paljärvi L, Kosunen O, Talasniemi S, Syrjänen K, Riekkinen P Sr. Beta-amyloid-protein immunoreactivity in skin is not a reliable marker of Alzheimer's disease: an autopsy controlled study. In: Hanin I, Yoshida M, Fisher A, eds. *Alzheimer's and Parkinson's Diseases*, p. 157-163. New York: Plenum Press, 1995. Vol. 44.
- [19](#) Vanninen R. *Carotid Artery Stenosis. Assesment Using Magnetic Resonance Angiography and Magnetic Resonance Flow Quantification, with Correlation to Digital Subtraction Angiography and Doppler Ultrasound.* Doctoral dissertation. 1995. Kuopio University Publications D. Medical Sciences 86. 69 p., append.
- [20](#) Vanninen R, Manninen H, Koivisto K, Tulla H, Partanen K, Puranen M. Carotid stenosis by digital subtraction angiography: Reproducibility of the European Carotid Surgery Trial and North American Symptomatic Carotid Endarterectomy Trial measurement methods and visual interpretation. In: Osborn AG, Eskridge JM, Grossman RI, Hudgins PA, Ross JS, eds. *The Year Book of Neuroradiology 1995*, p. 261-265. St Louis: Mosby, 1995.
- [21](#) Rimon R, Lepola U, Jolkkonen J, Halonen T, Riekkinen P. Cerebrospinal fluid gamma-aminobutyric acid in patients with panic disorder. *Biol Psychiatry* 1995;**38**(11):737-741.
- [22](#) Repo LP, Suhonen MT, Teräsvirta ME, Koivisto KJ. Color doppler imaging of the ophthalmic artery blood flow spectra of patients who have had a transient ischemic attack. *Ophthalmology* 1995;**102**(8):1199-1205.
- [23](#) Riekkinen M, Riekkinen P Jr. Combined nicotinic and muscarinic cholinergic and serotonergic blockade selectively impair acquisition of spatial navigation. In: Hanin I, ed. *Alzheimer's and Parkinson's Diseases*, p. 359-369. New York: Plenum Press, 1995.
- [24](#) Riekkinen M, Sirviö J, Toivanen T, Riekkinen P Jr. Combined treatment with a 5HT1A receptor agonist and a muscarinic acetylcholine receptor antagonist disrupts water maze navigation behavior. *Psychopharmacology* 1995;**122**:137-146.
- [25](#) Tuunanen J, Halonen T, Pitkänen A. Damage of the amygdaloid complex in experimental status epilepticus. Abstract. *Epilepsia Suppl* 1995;**36**(3):34.

- [26](#) Hallikainen M, Hänninen T, Soininen H, Koivisto K, Riekkinen PJ Sr. Decline of frontal lobe functions in subjects with age-associated memory impairment. Abstract. *Neurology* 1995;**45**(4):A171-172.
- [27](#) Hallikainen M, Hänninen T, Soininen H, Koivisto K, Riekkinen P. Decline of frontal lobe functions in subjects with age-associated memory impairment. Abstract. *Eur J Neurol* 1995;**2**:32.
- [28](#) Soininen H, Partanen K, Pitkänen A, Hallikainen M, Hänninen T, Helisalmi S, Mannermaa A, Ryyänänen M, Koivisto K, Riekkinen P Sr. Decreased hippocampal volume asymmetry on MRIs in nondemented elderly subjects carrying the apolipoprotein E epsilon 4 allele. *Neurology* 1995;**45**:391-392.
- [29](#) Soininen H, Kosunen O, Paljärvi L, Heinonen O, Talasniemi S, Riekkinen PJ. Diagnostic accuracy of Alzheimer's disease: a neuropathologic study. Abstract. *Eur J Neurol* 1995;**2**:62.
- [30](#) Kainu T, Gustafsson J-Å, Peltö-Huikko M. The dioxin receptor and its nuclear translocator (Arnt) in the rat brain. *Neuroreport* 1995;**6**:2557-2560.
- [31](#) Sorvari H, Soininen H, Pitkänen A. Distribution of calretin immunoreactive cells and fibers in the human amygdaloid complex. Abstract. In: *Abstract book. The Meeting of European Neuroscience.*, Amsterdam - the Netherlands, 3-7 September 1995. 1995.
- [32](#) Sorvari H, Soininen H, Pitkänen A. Distribution of calretinin immunoreactive cells and fibers in the human amygdaloid complex. Abstract. In: *Abstract Book, ENA Annual Meeting EBBS, The Meeting of European Neuroscience*, Amsterdam - the Netherlands, 3-7 September, 1995. 1995.
- [33](#) Sorvari H, Soininen H, Paljärvi L, Karkola K, Pitkänen A. Distribution of parvalbumin-immunoreactive cells and fibers in the human amygdaloid complex. *J Comp Neurol* 1995;**360**:185-212.
- [34](#) Salmenperä T, Kälviäinen R, Riekkinen PJ Sr. Economic evaluation of vigabatrin versus carbamazepine as first-line monotherapy. Abstract. *Epilepsia (NY)* 1995;**36**(4):54.
- [35](#) Ylinen A, Salmenperä T, Clark T, Mumford J, Riekkinen PJ Sr. Effect of 10 years of Vigabatrin therapy on socioeconomic status. Abstract. *Epilepsia Suppl* 1995;**36**(3):107.
- [36](#) Valtonen P, Haapalinna A, Riekkinen P Sr, Halonen T. Effect of alfa2-adrenergic drugs dexmedetomidine and atipamezole on extracellular amino acid levels in vivo. *Eur J Pharmacol* 1995;**285**:239-246.
- [37](#) Koivisto K, Helkala EL, Hänninen T, Vanhanen M, Kilkku O, Reinikainen K, Heinonen E, Riekkinen PJ Sr. The effect of apolipoprotein epsilon4 allele on clinical progression of Alzheimer's disease. Abstract. *Neurology* 1995;**45**(4):A373.
- [38](#) Keränen T, Möbius H-J, Schurr-Eisinger S, Peltola J, Isojärvi J, Murros K, Saano V, Andersson P, Menge G, Ezzet F, Schwabe S. Effect of carbazepine on hepatic clearance of antipyrine in patients with previously untreated epilepsy. Abstract. *Epilepsia Suppl* 1995;**36**:161.
- [39](#) Sivenius J, Kuhmonen J, Miettinen R, Riekkinen PJ Sr, Pokorny J, Haapalinna A. Effect of dexmedetomidine on hippocampal structures following transient ischemia in gerbil. Abstract. In: *Abstracts of the 25th Annual Meeting, Society for Neuroscience*, San Diego, California, November 11-16, 1995, p. 1000. Society for Neuroscience, 1995. Vol. 21.
- [40](#) Jolkkonen E, Jolkkonen J, Pitkänen A. Effect of fimbria-fornix transection on mossy fiber sprouting in experimental status epilepticus. Abstract. In: *Abstract Book. The Meeting of European Neuroscience*, 3-7 September, 1995, Amsterdam, the Netherlands, p. 127. EBBS, 1995.

- [41](#) Kononen J, Hökfelt T, Pelto-Huikko M. Effects of ageing on the expression of neurotrophins and their receptors in the rat pituitary gland. *Neuroreport* 1995;**6**(17):2430-2434.
- [42](#) Pitkänen M, Sirviö J, Macdonald E, Ekonsalo T, Riekkinen P Sr. The effects of d-cycloserine, a partial agonist at the glycine binding site, on spatial learning and working memory in scopolamine-treated rats. *J Neural Transm Park Dis Dement Sect* 1995;**9**:133-144.
- [43](#) Pitkänen M, Sirviö J, MacDonald E, Niemi S, Ekonsalo T, Riekkinen P Sr. The effects of D-cycloserine and MK-801 on the performance of rats in two spatial learning and memory tasks. *Eur Neuropsychopharmacology* 1995;**5**:457-463.
- [44](#) Ylinen A, Pitkänen M, Sirviö J, Hartikainen T, Sivenius J, Koivisto E, Riekkinen PJ Sr. The effects of NMDA receptor antagonists at anticonvulsive doses on the performance of rats in the water maze task. *Eur J Pharmacol* 1995;**274**:159-165.
- [45](#) Pitkänen M, Sirviö J, Ylinen A, Koivisto E, Riekkinen P Sr. Effects of NMDA receptor modulation on hippocampal type 2 theta activity in rats. *Gen Pharmacol* 1995;**26**(5):1065-1070.
- [46](#) Riekkinen P Jr, Kuitunen J, Riekkinen M. Effects of scopolamine infusions into the anterior and posterior cingulate on passive avoidance and water maze navigation. *Brain Res* 1995;**685**:46-54.
- [47](#) Riekkinen P Jr, Riekkinen M. Effects of tetrahydroaminoacride and nicotine in nucleus basalis and serotonin-lesioned rats. *Eur J Pharmacol* 1995;**279**:65-73.
- [48](#) Riekkinen P Jr, Kuitunen J, Riekkinen M. Effects of thalamic and nucleus basalis infusions of nicotine on cortical EEG. *Neuroreport* 1995;**6**(12):1625-1628.
- [49](#) Mervaala E, Koivisto K, Hänninen T, Pääkkönen A, Könönen M, Partanen J, Kälviäinen R, Lahti T, Riekkinen P Sr. Electrophysiological and neuropsychological profiles of lamotrigine in young and age-associated memory impairment (aami) subjects. Abstract. *Neurology* 1995;**45**(4):A259.
- [50](#) Kälviäinen R, Laakso MP, Partanen K, Soininen H, Riekkinen PJ Sr, Pitkänen A. Elevated magnetic resonance T2 relaxation time as a marker of hippocampal pathology in temporal lobe epilepsy: a comparison to Alzheimer's disease. Abstract. *Neurology* 1995;**45**(4):A403.
- [51](#) Bertrand-Hardy JM, Cunha L, Forbes C, Hoeven C, Hogenhuis L, Lowenthal A, Pathy J, Sivenius J, Smets P, Welbers I. European Stroke Prevention Study 2: baseline data. *J Neurol Sci Suppl* 1995;**131**:1-58.
- [52](#) Tuunainen A. *Evaluation of Epileptic Patients for Temporal Lobe Surgery and Postoperative Follow-up. An Electrophysiological Study with Neuropsychological, Psychiatric and Clinical Correlates*. Doctoral dissertation. 1995. University of Kuopio. Department of Neurology. Series of Reports 34. 91 p.
- [53](#) Schultz R, Penttilä T-L, Parvinen M, Persson H, Hökfelt T, Pelto-Huikko M. Expression of immediate early genes in tubular cells of rat testis. *Biol Reprod* 1995;**52**:1215-1226.
- [54](#) Junttila T, Rechartd L, Hietala OA, Pelto-Huikko M. The expression of ornithine decarboxylase antizyme mRNA and protein in rat motoneurons. *Neurosci Lett* 1995;**197**:187-190.
- [55](#) Hänninen T, Hallikainen M, Koivisto K, Helkala E-L, Reinikainen KJ, Soininen H, Mykkänen L, Laakso M, Pyörälä K, Riekkinen PJ Sr. A follow-up study of age-associated memory impairment: neuropsychological predictors of dementia. *J Am Geriatr Soc* 1995;**43**:1007-1015.
- [56](#) Helkala E-L, Laulumaa V, Järvinen J, Riekkinen P. Frontal dysfunction and memory deficit in depression and Parkinson's disease. In: Hanin I, Yoshida M, Fisher A, eds. *Alzheimer's and Parkinson's Diseases*, p. 55-61. New York: Plenum Press, 1995. Vol. 44.

- [57](#) Soininen HS, Karhu J, Partanen J, Pääkkönen A, Jousmäki V, Hänninen T, Hallikainen M, Partanen K, Laakso MP, Koivisto K, Riekkinen PJ Sr. Habituation of auditory N100 correlates with amygdaloid volumes and frontal functions in age-associated memory impairment. *Physiol Behav* 1995;**57**(5):927-935.
- [58](#) Vanninen R, Koivisto K, Tulla H, Manninen H, Partanen K. Hemodynamic effects of carotid endarterectomy by magnetic resonance flow quantification. *Stroke* 1995;**26**:84-89.
- [59](#) Vanninen R, Koivisto K, Tulla H, Manninen H, Partanen K, Vainio P, Oksala I, Soimakallio S. Hemodynamic effects of carotid endarterectomy by MR flow quantification. Abstract. In: *European Radiology*, Vienna, Austria, March 5-10,1995, p. 386. 1995. Vol. 5.
- [60](#) Riekkinen P Jr, Soininen H, Helkala E-L, Partanen K, Laakso M, Vanhanen M, Riekkinen P. Hippocampal atrophy, acute THA treatment and memory in Alzheimer's disease. *Neuroreport* 1995;**6**:1297-1300.
- [61](#) Sik A, Penttonen M, Ylinen A, Buzsaki G. Hippocampal CA1 interneurons: an in vivo intracellular labeling study. *J Neurosci* 1995;**15**(10):6651-6665.
- [62](#) Kuikka JT, Tiihonen J, Bergström KA, Karhu J, Hartikainen P, Viinamäki H, Länsimies E, Lehtonen J, Hakola P. Imaging of serotonin and dopamine transporters in the living human brain. *Eur J Nucl Med* 1995;**22**(4):346-350.
- [63](#) Helkala EL, Koivisto K, Hänninen T, Vanhanen M. Impairment of memory functions in subjects with different apolipoprotein E phenotypes during a follow-up of 3 years: population based study. Abstract. *Alzheim Res. Suppl* 1995;**1**:49.
- [64](#) Soininen H, Lehtovirta M, Helisalmi S, Linnaranta K, Heinonen O, Riekkinen P Sr. Increased acetylcholinesterase activity in the CSF of Alzheimer patients carrying apolipoprotein epsilon4 allele. *Neuroreport* 1995;**6**(18):2518-2520.
- [65](#) Pirttilä T, Mehta PD, Wisniewski HM, Soininen H, Paljärvi L, Heinonen O, Kosunen O, Bogdanovich N, Winblad B. Increased concentrations of soluble intercellular adhesion molecule-1 (sICAM-1) and IL-1beta in frontal cortex but not in cerebrospinal fluid (CSF) from patients with Alzheimer's disease. Abstract. *Neurology* 1995;**45**(4):A472-473.
- [66](#) Laakso M, Soininen H, Partanen K, Hallikainen M, Lehtovirta M, Hänninen T, Vainio P, Riekkinen PJ Sr. The interuncal distance in Alzheimer disease and age-associated memory impairment. *AJNR Am J Neuroradiol* 1995;**16**:727-734.
- [67](#) Ylinen A, Soltész I, Bragin A, Penttonen M, Sik A, Buzsáki G. Intracellular correlates of hippocampal theta rhythm in identified pyramidal cells, granule cells, and basket cells. *Hippocampus* 1995;**5**:78-90.
- [68](#) The European Cooperative Acute Stroke Study (ECASS). Intravenous thrombolysis with recombinant tissue plasminogen activator for acute hemispheric stroke. *JAMA* 1995;**274**(13):1017-1025.
- [69](#) Pitkänen A, Stefanacci L, Farb CR, Go GG, LeDoux JE, Amaral DG. Intrinsic connections of the rat amygdaloid complex: projections originating in the lateral nucleus. *J Comp Neurol* 1995;**356**:288-310.
- [70](#) Vanninen E, Vanninen R, Äikiä M, Tulla H, Könönen M, Koivisto K, Partanen J, Partanen K, Hippeläinen M, Kuikka JT, Oksala I. Karotisendarterektomiaan liittyvät subkliiniset komplikaatiot. Abstrakti. Kirjassa: *Kirurgiyhdistyksen kotimainen julkaisusarja, 14. Kirurgipäivät*, Helsinki, Suomi, 23-24.11., s. 91. 1995. Vol. 16.

- [71](#) Mäkinen T, Puranen M, Koivisto K. Keskushermoston pinnallinen sideroosi. *Duodecim* 1995;**111**:630-632.
- [72](#) Keränen T. Lamotrigiini - uusi epilepsialääke partiaalisen epilepsian hoitoon. *Suomen Lääkärilehti* 1995;**50**:2209-2213.
- [73](#) Tuunainen A, Nousiainen U, Pilke A, Mervaala E, Riekkinen P. Lateralization of event-related potentials during discontinuation of antiepileptic medication. *Epilepsia (NY)* 1995;**36**(3):262-269.
- [74](#) Jolkkonen J, Jenner P, Marsden CD. L-DOPA reverses altered gene expression of substance P but not enkephalin in the caudate-putamen of common marmosets treated with MPTP. *Mol Brain Res* 1995;**32**:297-307.
- [75](#) Kälviäinen R, Äikiä M, Mervaala E, Riekkinen PJ Sr. Long-term cognitive effects of Tiagabine. Abstract. *Epilepsia (NY)* 1995;**36**:S149.
- [76](#) Ylinen A, Kälviäinen R, Riekkinen PJ Sr. Long-term efficacy and cognitive effects of vigabatrin. *Acta Neurol Scand Suppl* 1995(162):47-50.
- [77](#) Koivisto K, Helkala EL, Hänninen T, Vanhanen M, Reinikainen K, Kilkku O, Aaltonen H, Heinonen E, Riekkinen P Sr. Long-term selegiline treatment reduces the progression of Alzheimer's disease: results after three years follow-up. Abstract. *Alzheimer's Research* 1995;**1**:28.
- [78](#) Heinonen O, Soininen H, Sorvari H, Kosunen O, Paljärvi L, Koivisto E, Riekkinen PJ Sr. Loss of synaptophysin-like immunoreactivity in the hippocampal formation is an early phenomenon in Alzheimer's disease. *Neuroscience* 1995;**64**(2):375-384.
- [79](#) Kälviäinen R, Partanen K, Äikiä M, Vainio P, Riekkinen PJ Sr, Pitkänen A. Magnetic resonance image-based hippocampal volumetry and T2 relaxometry: correlation of verbal memory performance in newly diagnosed epilepsy patients with temporal lobe epilepsy. Abstract. *Epilepsia (NY)* 1995;**36**:S248.
- [80](#) Jäkälä P, Sirviö J, Koivisto E, Björklund M, Kaukua J, Riekkinen P Jr. Modulation of rat neocortical high-voltage spindle activity by 5-HT 1 /5-HT 2 receptor subtype specific drugs. *Eur J Pharmacol* 1995;**282**:39-55.
- [81](#) Turner DA, Li X-G, Pyapali GK, Ylinen A, Buzsaki G. Morphometric and electrical properties of reconstructed hippocampal CA3 neurons recorded in vivo. *J Comp Neurol* 1995;**356**:580-594.
- [82](#) Laakso MP, Partanen K, Lehtovirta M, Hallikainen M, Hänninen T, Vainio P, Riekkinen P Sr, Soininen H. MRI of amygdala fails to diagnose early Alzheimer's disease. *Neuroreport* 1995;**6**:2414-2418.
- [83](#) Laakso MP, Lehtovirta M, Hallikainen M, Hänninen T, Soininen H, Partanen K, Vainio P, Koivisto K, Riekkinen PJ Sr. MRI volumetry of hippocampus in early Alzheimer's disease and age-associated memory impairment. Abstract. *Neurology* 1995;**45**(4):A322.
- [84](#) Riekkinen P. Muistilääkkeen tutkiminen alkoi keksimisen ilosta. *Aesculapius* 1995;**5**:29.
- [85](#) Asplund K, Bonita R, Kuulasmaa K, Rajakangas A-M, Feigin V, Schaedlich H, Suzuki K, Thorvaldsen P, Tuomilehto J. Multinational comparisons of stroke epidemiology. Evaluation of case ascertainment in the WHO MONICA stroke study. *Stroke* 1995;**26**:355-360.
- [86](#) Kälviäinen R, Riekkinen PJ Sr. New anti-epileptic drugs. *Expert Opin Invest Drugs* 1995;**4**(10):955-962.

- [87](#) Ylinen A, Sirviö J, Pitkänen M, Hartikainen T, Riekkinen PJ Sr. New competitive NMDA antagonists, CGP 39551 and CGP 37849, do not impair spatial memory at antiepileptic doses in rats. Abstract. *J Neurochem Suppl* 1995;**65**:170.
- [88](#) Jäkälä P, Björklund M, Riekkinen P Jr. Nicotinic acetylcholine and 5-HT receptor activation jointly suppress neocortical high-voltage spindling in aged and adult rats. Abstract. *Alzheimer's Research* 1995;**1**(1):52.
- [89](#) Valtonen P, Haapalinna A, Riekkinen P Sr, Halonen T. Noradrenergic modulation of kainic acid-induced generalized convulsions in rats. Abstract. In: *Abstract Book. The Meeting of European Neuroscience*, Amsterdam, the Netherlands, 3-7 September, 1995, p. 175. EBBS, 1995.
- [90](#) Sivenius J, Sarti C, Torppa J. One-year follow-up of first strokes in Finland during 1983-1992. Abstract. In: *Cerebrovascular Diseases. Abstracts of the Fourth European Stroke Conference.*, Bordeaux, France, June 1-3, 1995, p. 267. Karger, 1995.
- [91](#) Kälviäinen R. *Opas aikuisen epilepsiasta*. Epilepsialiiton julkaisema opas
- [92](#) Teboul M, Enmark E, Li Q, Wikström AC, Pelto-Huikko M, Gustafsson J-Å. OR-1, a member of the nuclear receptor superfamily that interacts with the 9-cis-retinoic acid receptor. *Proc Natl Acad Sci U S A* 1995;**92**:2096-2100.
- [93](#) Leppänen T. *Osastonhoitaja sairaanhoitajan ammatillisen kasvun edistäjänä*. Pro gradu. Kuopion yliopisto, Hoitotieteen laitos: 1995.
- [94](#) Koivisto K. *Population-Based Dementia Screening Program in the City of Kuopio, Eastern Finland: Evaluation of Screening Methods, Prevalence of Dementia and Dementia Subtypes*. Doctoral dissertation. 1995. University of Kuopio. Department of Neurology. Series of Reports 33. 140 p.
- [95](#) Tuunainen A, Nousiainen U, Hurskainen H, Leinonen E, Pilke A, Mervaala E, Vapalahti M, Partanen J, Riekkinen P. Preoperative EEG predicts memory and selective cognitive functions after temporal lobe surgery. *J Neurol Neurosurg Psychiatry* 1995;**58**:674-680.
- [96](#) Koivisto K, Reinikainen KJ, Hänninen T, Vanhanen M, Helkala E-L, Mykkänen L, Laakso M, Pyörälä K, Riekkinen PJ Sr. Prevalence of age-associated memory impairment in a randomly selected population from eastern Finland. *Neurology* 1995;**45**:741-747.
- [97](#) Hänninen T, Koivisto K, Reinikainen KJ, Helkala E-L, Soininen H, Mykkänen L, Laakso M, Riekkinen PJ Sr. The prevalence of aging-associated cognitive decline (AACD) in an elderly population. Abstract. *Alzheim Res. Suppl* 1995;**1**:85P.
- [98](#) Soininen H, Helkala E-L, Kuikka J, Hartikainen P, Lehtovirta M, Riekkinen PJ Sr. Regional cerebral blood flow measured by 99mTC-HMPAO SPECT differs in subgroups of Alzheimer's disease. *J Neural Transm Park Dis Dement Sect* 1995;**9**:95-109.
- [99](#) Kosunen O, Talasniemi S, Lehtovirta M, Heinonen O, Helisalmi S, Mannermaa A, Paljärvi L, Ryyänänen M, Riekkinen PJ Sr, Soininen H. Relation of coronary atherosclerosis and apolipoprotein E genotypes in Alzheimer patients. *Stroke* 1995;**26**(5):743-748.
- [100](#) The European Carotid Surgery Trialists Collaborative Group. Risk of stroke in the distribution of an asymptomatic carotid artery. *Lancet* 1995;**345**(8944):209-212.
- [101](#) Pitkänen M. *The Role and Pharmacological Modulation of the NMDA Receptor/Channel on Hippocampal Synaptic Transmission and Behavior*. Doctoral dissertation. 1995. University of Kuopio. Department of Neurology. Series of Reports 35. 144 p.

- [102](#) Riekkinen M, Riekkinen P Jr. Serotonin depletion decreases the therapeutic effect of nicotine, but not THA, in aged rats. Abstract. *Eur J Neurosci Suppl* 1995(8):139.
- [103](#) Riekkinen M, Riekkinen P Jr. Serotonin depletion decreases the therapeutic effect of nicotine, but not THA, in aged rats. Abstract. *Alzheim Res. Suppl* 1995:1.
- [104](#) Riekkinen M, Riekkinen P Jr. Serotonin depletion decreases the therapeutic effect of nicotine, but not THA, in aged rats. Abstract. In: *Abstracts of Society for Neuroscience. 25th Annual Meeting.*, San Diego, California, November 11-16, 1995, p. 607. 1995. Vol. 21.
- [105](#) Soininen H, Kosunen O, Helisalmi S, Paljärvi L, Riekkinen PJ Sr. A severe cholinergic deficit in the frontal cortex of Alzheimer patients carrying apolipoprotein E₄ allele. Abstract. *Alzheim Res. Suppl* 1995:1:48.
- [106](#) Soininen H, Kosunen O, Helisalmi S, Mannermaa A, Paljärvi L, Talasniemi S, Ryyänen M, Riekkinen P Sr. A severe loss of choline acetyltransferase in the frontal cortex of Alzheimer patients carrying apolipoprotein e4 allele. *Neurosci Lett* 1995:187:79-82.
- [107](#) Ylinen A, Bragin A, Nádasdy Z, Jandó G, Szabó I, Sik A, Buzsáki G. Sharp wave-associated high-frequency oscillation (200 Hz) in the intact hippocampus: network and intracellular mechanisms. *J Neurosci* 1995:15(1):30-46.
- [108](#) Miettinen R, Kotti T, Halonen T, Riekkinen P Sr. Short communication: NADPH diaphorase-containing nonpyramidal cells in the rat hippocampus exhibit differential sensitivity to kainic acid. *Eur J Neurosci* 1995:7:1822-1825.
- [109](#) Helkala E-L, Niskanen L, Viinamäki H, Partanen J, Uusitupa M. Short-term and long-term memory in elderly patients with NIDDM. *Diabetes Care* 1995:18:681-685.
- [110](#) Tuunainen A, Hurskainen H, Nousiainen U, Pilke A, Riekkinen P. Short-term withdrawal of antiepileptic medication: effects on attention and memory. *Acta Neurol Scand* 1995:92:198-205.
- [111](#) Sivenius J, Puranen J, Laakso M, Riekkinen P Sr. The significance of risk factors in the efficacy of antiplatelet treatment in TIA and stroke patients. Abstract. *Neurology Suppl* 1995:45(4):459-460.
- [112](#) Puranen J, Laakso M, Riekkinen PJ, Sivenius J. The significance of risk factors in the efficacy of antiplatelet treatment in TIA and stroke patients. Abstract. In: *Cerebrovascular Diseases. Abstracts of the Fourth European Stroke Conference.*, Bordeaux, France, June 1-3, 1995, p. 252. Karger, 1995.
- [113](#) Karinen A, Laakso M, Riekkinen PJ, Sivenius J. The significance of transient ischemic attacks in the risk of TIA, stroke and death. Abstract. In: *Cerebrovascular Diseases. Abstracts of the Fourth European Stroke Conference*, Bordeaux, France, June 1-3, 1995, p. 252. Karger, 1995.
- [114](#) Pyykönen I, Roivainen R, Miettinen S, Keinänen R, Puurunen K, Sivenius J, Koistinaho J. Specific induction of PKCdelta isozyme in focal brain ischemia. Abstract. In: *Abstract Book. The Meeting of European Neuroscience.*, Amsterdam, the Netherlands, 3-7 September, 1995, p. 59. EBBS, 1995.
- [115](#) Lehtovirta M, Partanen J, Könönen M, Soininen H, Helisalmi S, Mannermaa A, Ryyänen M, Riekkinen P Sr. Spectral analysis of EEG in Alzheimer's disease: relation to apolipoprotein E polymorphism. Abstract. *Eur J Neurol* 1995:2:129-130.
- [116](#) Tuunainen A, Nousiainen U, Pilke A, Mervaala E, Partanen J, Riekkinen P. Spectral EEG during short-term discontinuation of antiepileptic medication in partial epilepsy. *Epilepsia (NY)* 1995:36:817-823.

- [117](#) Thorvaldsen P, Asplund K, Kuulasmaa K, Rajakangas A-M, Schroll M. Stroke incidence, case fatality, and mortality in the WHO MONICA project. *Stroke* 1995;**26**:361-367.
- [118](#) Ruotsalainen S, Sirviö J, Riekkinen P Sr. Studies on the role of the serotonergic system and its interaction with cholinergic system in the modulation of working memory in rats. Abstract. In: *Abstract Book. The Meeting of European Neuroscience*, Amsterdam, the Netherlands, 3-7 September, 1995, p. 179. EBBS, 1995.
- [119](#) Pitkänen A, Tuunanen J, Halonen T. Subiculum, presubiculum and parasubiculum have different sensitivities to seizure-induced neuronal damage in the rat. *Neurosci Lett* 1995;**192**:65-68.
- [120](#) Riekkinen P Jr, Kuikka J, Soininen H, Helkala E-L, Hallikainen M, Riekkinen P. Tetrahydroaminoacridine modulates technetium-99m labelled ethylene dicysteinate retention in Alzheimer's disease measured with single photon emission computed tomography imaging. *Neurosci Lett* 1995;**195**:53-56.
- [121](#) Koivisto K, Helkala EL, Hänninen T, Vanhanen M, Aaltonen H, Reinikainen K, Kilkku O, Heinonen E, Riekkinen P. Three-year follow-up of long-term selegiline treatment of Alzheimer's disease. Abstract. *J Neurol* 1995;**242**(6):34-35.
- [122](#) Forss N, Mäkelä JP, Keränen T, Hari R. Trigeminally-triggered epileptic hemifacial convulsions. *Neuroreport* 1995;**6**:918-920.
- [123](#) Koivisto K. Tutkimus tuo uusia mahdollisuuksia dementian varhaisvaiheen toteamiseen. *Muisti* 1995(2):6-7.
- [124](#) Äikiä M, Kälviäinen R, Riekkinen PJ. Verbal learning and memory in newly diagnosed partial epilepsy. *Epilepsy Res* 1995;**22**:157-164.
- [125](#) Äikiä M, Kälviäinen R, Riekkinen PJ Sr. Verbal memory performance as early prognostic factor in newly diagnosed epilepsy. Abstract. *Neurology* 1995;**45**:A180(SUPPL 4).
- [126](#) Kälviäinen R, Mervaala E, Sivenius J, Riekkinen PJ Sr. Vigabatrin. Clinical use. In: Levy RH, Mattson RH, Meldrum BS, eds. *Antiepileptic Drugs, Fourth Edition*, p. 925-930. New York: Raven Press, 1995.
- [127](#) Kälviäinen R, Äikiä M, Riekkinen PJ Sr. Vigabatrin monotherapy in newly diagnosed patients with epilepsy: two-year comparative follow-up of efficacy, safety, and cognitive effects. Abstract. *Epilepsia (NY)* 1995;**36**:S105.
- [128](#) Halonen T, Miettinen R, Toppinen A, Tuunanen J, Kotti T, Riekkinen PJ Sr. Vigabatrin protects against kainic acid-induced neuronal damage in the rat hippocampus. *Neurosci Lett* 1995;**195**:13-16.
- [129](#) Kälviäinen R, Äikiä M, Saukkonen AM, Mervaala E, Riekkinen PJ Sr. Vigabatrin vs carbamazepine monotherapy in patients with newly diagnosed epilepsy. *Arch Neurol* 1995;**52**:989-996.
- [130](#) Lehtovirta M, Laakso MP, Soininen H, Helisalmi S, Mannermaa A, Helkala E-L, Partanen K, Ryyänänen M, Vainio P, Hartikainen P, Riekkinen PJ Sr. Volumes of hippocampus, amygdala and frontal lobe in Alzheimer patients with different apolipoprotein E genotypes. *Neuroscience* 1995;**67**(1):65-72.
- [131](#) Laakso MP, Soininen H, Partanen K, Helkala E-L, Hartikainen P, Vainio P, Hallikainen M, Hänninen T, Riekkinen PJ Sr. Volumes of hippocampus, amygdala and frontal lobes in the MRI-based diagnosis of early Alzheimer's disease: correlation with memory functions. *J Neural Transm Park Dis Dement Sect* 1995;**9**:73-86.

- [132](#) Laakso MP, Soininen H, Helkala E-L, Hartikainen P, Partanen K, Vainio P, Riekkinen PJ Sr. Volumes of hippocampus and amygdala in the magnetic resonance imaging based diagnosis of early Alzheimer's disease. In: Iqbal K, Mortimer JA, Winblad B, Wisniewski HM, eds. *Research Advances in Alzheimer's Disease and Related Disorders*, p. 181-188. John Wiley, 1995.
-

[Neurologian yksikkö](#)

[Julkaisutietokanta](#) 24.1.2013

[Department of Neurology](#)

[Publications Data Base](#) 24.1.2013