

Neurologian klinikka *

Department of Neurology

Julkaisut 1996-1996

Publications 1996-1996

Lisätietoja julkaisusta saa klikkaamalla sen numeroa.
For full details, please click the number in front of the publication.

- [1](#) Alafuzoff I, Koivisto K, Kosunen O, Laakso M, Soininen H, Riekkinen P Sr. Apolipoprotein E in sporadic and familial Alzheimer's disease and the influence of apo E genotype on amyloid deposits and neurofibrillary tangle formation. Abstract. In: *The 2nd Meeting of European Neuroscience*, Strasbourg, France, 24-28.9., p. 147. 1996.
- [2](#) Alafuzoff II, Riekkinen PJ Sr, Soininen HS. Apolipoprotein E epsilon4 allele as a risk gene for early changes in temporal lobe structures - MRI volumetric and cognitive changes. Abstract. In: *Abstracts The Fifth International Conference on Alzheimer's Disease and Related Disorders*, Osaka, Japan, 24-29 July, p. s148-149. 1996. *Neurobiology of Aging. Supplement. Vol. 17.*
- [3](#) Alhainen K, Erkinjuntti T, Frey H, Majamaa K, Pirttilä T, Rinne J, Soininen H, Sulkava R. *Cognex(R)(Takriini)-hoidon suuntaviivat Alzheimerin taudissa*. Parke-Davis, 1996. 55 s.
- [4](#) Bijnen FCH, Feskens EJM, Caspersen CJ, Giampaoli S, Nissinen AM, Menotti A, Mosterd WL, Kromhout D. Physical activity and cardiovascular risk factors among elderly men in Finland, Italy, and the Netherlands. *Am J Epidemiol* 1996;**143**(6):553-561.
- [5](#) Björklund M, Jäkälä P, Schmidt B, Riekkinen M, Koivisto E, Riekkinen P Jr. An indirect cholinesterase inhibitor, metrifonate, increases neocortical EEG arousal in rats. *Neuroreport* 1996;**7**:1097-1101.
- [6](#) Björklund M, Riekkinen M, Riekkinen P Jr, Sallinen J, Scheinin M, Sirviö J, Haapalinna A, Link RE, Kobilka B. Alpha2c-adrenoceptor overexpressing mice as a model to study cognitive functions of alpha2-adrenoceptors. In: Becker R, Giacobini E, eds. *Alzheimer Disease: From Molecular Biology to Therapy*, p. 136-143. Boston: Birkhäuser, 1996.
- [7](#) Blennow K, Bogdanovic N, Alafuzoff I, Ekman R, Davidsson P. Synaptic pathology in Alzheimer's disease: relation to severity of dementia, but not to senile plaques, neurofibrillary tangles, or the ApoE4 allele. *J Neural Transm Gen Sect* 1996;**103**:603-618.
- [8](#) CAPRIE Steering Committee. A randomised, blinded, trial of clopidogrel versus aspirin in patients at risk of ischaemic events (CAPRIE). *Lancet* 1996;**348**:1329-1339.
- [9](#) Diener HC, Cunha L, Forbes C, Sivenius J, Smets P, Lowenthal A. European stroke prevention study 2. Dipyridamole and acetylsalicylic acid in the secondary prevention of stroke. *J Neurol Sci* 1996;**143**:1-13.
- [10](#) European Carotid Surgery Trialists' Collaborative Group. Endarterectomy for moderate symptomatic carotid stenosis: interim results from the MRC european carotid surgery trial. *Lancet* 1996;**347**(9015):1591-1593.

- 11 FINMONICA Stroke Register Group. Ten-year trends in stroke incidence and mortality in the FINMONICA stroke study. Abstract. In: *Abstracts Joint 3rd World Stroke Congress and 5th European Stroke Conference*, Munich, Germany, 1-4-September, p. 15-16. KARGER, 1996. Cerebrovascular Diseases. Supplement 2. Vol. 6.
- 12 FINMONICA Stroke Study Group. Case-fatality of stroke in three Finnish populations. Abstract. In: *Abstracts Joint 3rd World Congress and 5th European Stroke Conference*, Munich, Germany, 1-4 September, p. 62. 1996. Cerebrovascular Diseases. Supplement 2. Vol. 6.
- 13 FINMONICA Stroke Study Group. Atrial fibrillation and ischaemic stroke:mortality and causes of death. Abstract. In: *Abstracts Joint 3rd World Stroke Congress and 5th European Stroke Conference*, Munich, Germany, 1-4 September, p. 52. 1996. Cerebrovascular Diseases. Supplement 2. Vol. 6.
- 14 Fisher R, Kälviäinen R, Tanganelli P, Regesta G. Newer antiepileptic drugs as monotherapy:Data on vigabatrin. *Neurology Suppl* 1996;**47**(1):S2-S5.
- 15 Grobbee DE, Koudstaal PJ, Bots ML, Amaducci LA, Elwood PC, Ferro J, Freire de Concalves A, Krüger O, Inzitari D, Nikitin Y, Salonen JT, Sivenius J, Scheuermann W, Thelle DS, Trichopoulos A, Tuomilehto JT. Incidence and risk factors of ischaemic and haemorrhagic stroke in Europe. *Neuroepidemiology* 1996;**15**:291-300.
- 16 Hallikainen M, Pääkkönen A, Karhu J, Hänninen T, Riekkinen P Sr, Soininen H. Non-attentional event-related potentials in age-associated memory impairment. Abstract. In: *Abstracts The Fifth International Conference on Alzheimer`s Disease and Related Disorders*, Osaka, Japan, 24-29 July, p. s53. 1996. Neurobiology of Aging. Supplement. Vol. 17.
- 17 Hansson G, Alafuzoff I, Winblad B, Marcusson J. Intact brain serotonin system in vascular dementia. *Dementia* 1996;**7**:196-200.
- 18 Heinonen O, Ylä-Herttua S, Riekkinen P Sr, Soininen H. Apolipoprotein E allelic variation and receptor interaction in Alzheimer`s disease. Abstract. In: *Abstracts The Fifth International Conference on Alzheimer`s Disease and Related Disorders*, Osaka, Japan, 24-29 July, p. s121. 1996. Neurobiology of Aging. Supplement. Vol. 17.
- 19 Helisalmi S, Linnaranta K, Lehtovirta M, Mannermaa A, Heinonen O, Ryyänen M, Riekkinen P Sr, Soininen H. Apolipoprotein E polymorphism in patients with different neurodegenerative disorders. *Neurosci Lett* 1996;**205**:61-64.
- 20 Helisalmi S, Mannermaa A, Lehtovirta M, Ryyänen M, Riekkinen P Sr, Soininen H. Screening for amyloid beta precursor protein codon 665, 670/671 and 717 mutations in Finnish patients with Alzheimer's disease. *Neurosci Lett* 1996;**205**:68-70.
- 21 Helkala E-L, Hänninen T, Könönen M, Hartikainen P, Partanen J, Partanen K, Vainio P, Hallikainen M, Laakso MP, Soininen H, Riekkinen P Sr. Slow-wave activity in the spectral analysis of the electroencephalogram and volumes of hippocampus in subgroups of Alzheimer`s disease patients. *Behav Neurosci* 1996;**110**(6):1235-1243.
- 22 Helkala E-L, Koivisto K, Hänninen T, Vanhanen M, Kervinen K, Kuusisto J, Mykkänen L, Kesäniemi YA, Laakso M, Riekkinen P Sr. Memory functions in human subjects with different apolipoprotein E phenotypes during a 3-year population-based follow-up study. *Neurosci Lett* 1996;**204**:177-180.
- 23 Helkala E-L, Kuikka J, Hänninen T, Hallikainen M, Koivisto K, Riekkinen P Sr. Correlates of memory in patients with Alzheimer`s disease and age-associated memory impairment:a spect study. Abstract. In: *8TH World Congress of IOP:Programme & Abstracts*, Tampere, Finland, 25-30 June 1996, p. 168. International Organization of Psychophysiology, 1996.

- [24](#) Hänninen T. *Age-associated Memory Impairment. A Neuropsychological and Epidemiological Study*. Doctoral dissertation. 1996. University of Kuopio. Department of Neurology. Series of Reports 39. 88 p.
- [25](#) Hänninen T, Koivisto K, Reinikainen KJ, Helkala E-L, Soininen H, Mykkänen L, Laakso M, Riekkinen PJ. Prevalence of ageing-associated cognitive decline in an elderly population. *Age Ageing* 1996;**25**:201-205.
- [26](#) Insausti R, Juottonen K, Soininen H, Partanen K, Vainio P, Pitkänen A. MRI-based quantitative assesment of the human entorhinal and perirhinal cortex. Abstract. In: *26th Annual Meeting of Society for Neuroscience Abstracts*, Washington DC, 16-21 November, p. 212. 1996. Vol. 22.
- [27](#) Jakovljevic D, Salomaa V, Sivenius J, Tamminen M, Sarti C, Salmi K, Kaarsalo E, Narva V, Immonen-Räihä P, Torppa J, Tuomilehto J. Seasonal variation in the occurrence of stroke in a Finnish adult population. The FINMONICA stroke register. *Stroke* 1996;**27**:1774-1779.
- [28](#) Jolkkonen J, Halonen T, Jolkkonen E, Nissinen J, Pitkänen A. Seizure-induced damage to the hippocampus is prevented by modulation of the GABAergic system. *Neuroreport* 1996;**7**:2031-2035.
- [29](#) Juottonen K, Insausti R, Pitkänen A, Partanen K, Vainio P, Soininen H. Volumetric MRI analysis of the entorhinal and perirhinal cortex in Alzheimer's disease. Abstract. In: *26th Annual Meeting of Society for Neuroscience, Abstracts*, Washington DC, 16-21 November, p. 212. 1996. Vol. 22.
- [30](#) Jäkälä P, Björklund M, Koivisto E, Riekkinen P Jr. The effects of cholinergic drugs on rat neocortical high-voltage spindles in ketanserin-treated rats. *Eur J Pharmacol* 1996;**316**:181-193.
- [31](#) Jäkälä P, Björklund M, Riekkinen P Jr. Suppression of neocortical high-voltage spindles by nicotinic acetylcholine and 5-HT₂ receptor stimulation. *Eur J Pharmacol* 1996;**299**:47-60.
- [32](#) Jäkälä P, Riekkinen M, Björklund M, Koivisto E, Schmidt B, Riekkinen P Jr. Effects of combined nimodipine and metrifonate on rat cognition and cortical EEG. *Eur J Pharmacol* 1996;**318**:239-250.
- [33](#) Jäkälä P, Riekkinen P Jr. Combined cholinergic and 5-HT₂ receptor stimulation suppresses age-related neocortical eeg arousal defect. Abstract. In: *Abstracts of the Sixth International Meeting of the European Behavioural Pharmacology Society*, Cagliari, Italy, 17-21 May, p. 53. 1996. Behavioural Pharmacology. Supplement 1. Vol. 7.
- [34](#) Jäkälä P, Schmidt B, Björklund M, Riekkinen M, Koivisto E, Riekkinen P Jr. A Cholinesterase inhibitor, metrifonate, desynchronizes neocortical eeg activity in rats. Abstract. In: *Fourth International Nice / Springfield Symposium on Advances in Alzheimer Therapy*, Nice, France, 10-14 April, p. 151. 1996.
- [35](#) Koistinaho J, Miettinen S, Keinänen R, Vartiainen N, Roivainen R, Laitinen JT. Long-term induction of haem oxygenase-1 (HSP-32) in astrocytes and microglia following transient focal brain ischaemia in the rat. *Eur J Neurosci* 1996;**8**:2265-2272.
- [36](#) Koivisto K, Helkala E-L, Hänninen T, Vanhanen M, Reinikainen K, Kilkku O, Heinonen E, Riekkinen PJ Sr. Apolipoprotein epsilon4 allele and clinical progression of Alzheimer's disease - 3 years' follow-up study. Abstract. In: *Fourth International Nice / Springfield Symposium on Advances in Alzheimer Therapy*, Nice, France, 10-14- April, p. 153. 1996.
- [37](#) Koivisto K, Pirttilä T, Mehta PD, Reinikainen K, Kim KS, Kilkku O, Heinonen E, Riekkinen P Sr, Wisniewski HM. Longitudinal study of CSF amyloid proteins and apoE in patients with Alzheimer's disease. Abstract. In: *Abstracts The Fifth International Conference on Alzheimer's*

- Disease and Related Disorders*, Osaka, Japan, 24-29 July, p. s167. 1996. *Neurobiology of Aging*. Supplement. Vol. 17.
- [38](#) Koivisto K, Reinikainen KJ, Hänninen T. Reply from the authors (to AAMI). *Neurology* 1996;**46**(5):1490-1491.
- [39](#) Kosunen O. *A Neuropathologic Study on Alzheimer's Disease with a Special Emphasis on Diagnostic Accuracy*. Doctoral dissertation. 1996. University of Kuopio. Department of Neurology. Series of Reports 36. 104 p.
- [40](#) Kosunen O, Soininen H, Paljärvi L, Heinonen O, Talasniemi S, Riekkinen PJ Sr. Diagnostic accuracy of Alzheimer's disease: a neuropathological study. *Acta Neuropathol* 1996;**91**:185-193.
- [41](#) Kotti T, Tapiola T, Riekkinen PJ Sr, Miettinen R. The calretinin-containing mossy cells survive excitotoxic insult in the gerbil dentate gyrus. Comparison of excitotoxicity-induced neuropathological changes in the gerbil and rat. *Eur J Neurosci* 1996;**8**:2371-2378.
- [42](#) Kälviäinen R. Can we prevent the progression of epilepsy in humans? In: Salonen T, Sivenius J, Sirviö J, Riekkinen P Jr, Salminen A, eds. *20 Years of Brain Research in Kuopio*, p. 64-66. Kuopio: Kuopio University, Department of Neuroscience and Neur..., 1996.
- [43](#) Kälviäinen R, Partanen K, Äikiä M, Mervaala E, Vainio P, Riekkinen PJ Sr, Pitkänen A. Quantitative magnetic resonance imaging in newly diagnosed epilepsy. Abstract. In: *American Academy of Neurology 48th Annual Meeting Program*, San Francisco, 23-30 March, p. A445. 1996. Vol. 46.
- [44](#) Kälviäinen R, Riekkinen P Sr. Clinical experience with lamotrigine add-on therapy in drug-resistant partial epilepsy. Abstract. In: *Second Congress of the European Federation of Neurological Sciences*, Rome, Italy, 30 October - 3 November, p. 137. 1996. *European Journal of Neurology*. Supplement 5. Vol. 3.
- [45](#) Kälviäinen R, Riekkinen PJ Sr. In reply (to Vigabatrin and carbamazepine monotherapy for newly diagnosed epilepsy). *Arch Neurol* 1996;**53**:478.
- [46](#) Kälviäinen R, Äikiä M, Mervaala E, Saukkonen AM, Pitkänen A, Riekkinen PJ Sr. Long-term cognitive and EEG effects of tiagabine in drug-resistant partial epilepsy. *Epilepsy Res* 1996;**25**:291-297.
- [47](#) Kälviäinen R, Äikiä M, Riekkinen PJ Sr. Cognitive adverse effects of antiepileptic drugs. Incidence, mechanisms and therapeutic implications. *CNS Drugs* 1996;**5**(5):358-368.
- [48](#) Laakso M. *MRI of Hippocampus in Incipient Alzheimer's Disease*. Doctoral dissertation. 1996. University of Kuopio. Department of Neurology. Series of Reports 37. 88 p.
- [49](#) Laakso MP, Partanen K, Riekkinen P Jr, Lehtovirta M, Helkala E-L, Hallikainen M, Hänninen T, Vainio P, Soininen H. Hippocampal volumes in Alzheimer's disease, Parkinson's disease with and without dementia, and in vascular dementia: an MRI study. *Neurology* 1996;**46**:678-681.
- [50](#) Laakso MP, Partanen K, Riekkinen P Jr, Lehtovirta M, Helkala E-L, Hallikainen M, Hänninen T, Vainio P, Soininen H. A MRI study of hippocampal atrophy in Parkinson's disease and vascular dementia. Abstract. In: *Abstracts The Fifth International Conference on Alzheimer's Disease and Related Disorders*, Osaka, Japan, 24-29 July, p. s115. 1996. *Neurobiology of Aging*. Supplement. Vol. 17.
- [51](#) Laakso MP, Partanen K, Riekkinen P Jr, Lehtovirta M, Helkala E-L, Hallikainen M, Hänninen T, Vainio P, Soininen H. MRI of hippocampal volumes in Parkinson's disease and vascular dementia. Abstract. In: *Fourth International Nice / Springfield Symposium on Advances in*

Therapy, Nice, France, 10-14 April, p. 155. 1996.

- [52](#) Laakso MP, Partanen K, Soininen H, Lehtovirta M, Hallikainen M, Hänninen T, Helkala E-L, Vainio P, Riekkinen PJ Sr. MR T2 relaxometry in Alzheimer's disease and age-associated memory impairment. *Neurobiol Aging* 1996;**17**(4):535-540.
- [53](#) Lahtinen H, Ylinen A, Lukkarinen U, Sirviö J, Miettinen R, Riekkinen P Sr. Failure of carbamazepine to prevent behavioural and histopathological sequels of experimentally induced status epilepticus. *Eur J Pharmacol* 1996;**297**:213-218.
- [54](#) Lamusuo S, Ruottinen H, Knuuti J, Härkönen R, Ruotsalainen J, Bergman J, Haaparanta M, Solin O, Mervaala E, Nousiainen U, Jääskeläinen S, Ylinen A, Kälviäinen R, Rinne JK, Vapalahti M, Rinne JO. A comparison of 18F-FDG-PET, 99M Tc-HMPAO-SPECT and 123I-iodoamphetamine SPECT in localizing the epileptogenic cortex. Abstract. In: *Proceedings of the 31st Scandinavian Congress of Neurology*, Linköping, Sweden, 12-15 June, p. 22. 1996. Acta Neurologica Scandinavica. Supplement 167. Vol. 94.
- [55](#) Lehtovirta M. *Familial Alzheimer's Disease. A Clinical and Molecular Genetic Study*. Doctoral dissertation. 1996. University of Kuopio. Department of Neurology. Series of Reports 38. 92 p.
- [56](#) Lehtovirta M, Helisalmi S, Mannermaa A, Ryyänänen M, Riekkinen P Sr, Soininen H. Genetic study of familial Alzheimer's disease in Eastern Finland. Abstract. In: *Abstracts The Fifth International Conference on Alzheimer's Disease and Related Disorders*, Osaka, Japan, 24-29 July, p. s58. 1996. Neurobiology of Aging. Supplement. Vol. 17.
- [57](#) Lehtovirta M, Partanen J, Könönen M, Soininen H, Helisalmi S, Mannermaa A, Ryyänänen M, Hartikainen P, Riekkinen P Sr. Spectral analysis of EEG in Alzheimer's disease: relation to apolipoprotein E polymorphism. *Neurobiol Aging* 1996;**17**(4):523-526.
- [58](#) Lehtovirta M, Soininen H, Helisalmi S, Mannermaa A, Helkala E-L, Hartikainen P, Hänninen T, Ryyänänen M, Riekkinen PJ Sr. Clinical and neuropsychological characteristics in familial and sporadic Alzheimer's disease: relation to apolipoprotein E polymorphism. *Neurology* 1996;**46**:413-419.
- [59](#) Lehtovirta M, Soininen H, Laakso MP, Partanen K, Helisalmi S, Mannermaa A, Ryyänänen M, Kuikka J, Hartikainen P, Riekkinen PJ Sr. SPECT and MRI analysis in Alzheimer's disease: relation to apolipoprotein E epsilon4 allele. *J Neurol Neurosurg Psychiatry* 1996;**60**:644-649.
- [60](#) Miettinen M, Koivisto E, Riekkinen P Sr, Miettinen R. Coexistence of parvalbumin and GABA in nonpyramidal neurons of the rat entorhinal cortex. *Brain Res* 1996;**706**:113-122.
- [61](#) Miettinen S, Roivainen R, Keinänen R, Hökfelt T, Koistinaho J. Specific induction of protein kinase Cdelta subspecies after transient middle cerebral artery occlusion in the rat brain: inhibition by MK-801. *J Neurosci* 1996;**16**(19):6236-6245.
- [62](#) Mikkonen M, Soininen H, Pitkänen A. Distribution of parvalbumin immunoreactive neurons and fibers in the human entorhinal cortex. Abstract. In: *Neuroscience in Finland*, Tampere, 29-30.6., p. A33. 1996.
- [63](#) Mikkonen M, Soininen H, Pitkänen A. Distribution of parvalbumin immunoreactive neurons and fibers in the human entorhinal cortex. Abstract. In: *The 2nd Meeting of European Neuroscience*, Starsbourg, France, 24-28.9., p. 72.02. 1996.
- [64](#) Paddock-Eliasziw LM, Eliasziw M, Barr HWK, Barnett HJM, for the North American Symptomatic Carotid Endarterectomy Trial Group, Kalinen M. Long-term prognosis and the effect of carotid endarterectomy in patients with recurrent ipsilateral ischemic events. *Neurology* 1996;**47**:1158-1162.

- [65](#) Partanen J, Soininen H, Helkala EL, Könönen M, Kilpeläinen R. EEG reactivity, neuropsychology and multi-infarct dementia. Abstract. In: *8th European Congress of Clinical Neurophysiology*, Munich, Germany, 9-11 October, 1996, p. 322. Elsevier, 1996. *Electroencephalography and Clinical Neurophysiology*. Vol. 99.
- [66](#) Partanen J, Soininen H, Könönen M, Kilpeläinen R, Helkala E-L, Riekkinen P Sr. EEG reactivity correlates with neuropsychological test scores in Down's syndrome. *Acta Neurol Scand* 1996;**94**:242-246.
- [67](#) Petit D, Montplaisir J, Riekkinen P Sr, Soininen H, Riekkinen P Jr. Electrophysiological tests. In: Gauthier S, ed. *Clinical Diagnosis and Management of Alzheimer's Disease*, p. 107-126. London: Martin Duniz, 1996.
- [68](#) Pirttilä T, Mehta PD, Soininen H, Kim KS, Heinonen O, Paljärvi L, Kosunen O, Riekkinen P Sr, Wisniewski HM. Cerebrospinal fluid concentrations of soluble amyloid beta-protein and apolipoprotein E in patients with Alzheimer's disease. *Arch Neurol* 1996;**53**:189-193.
- [69](#) Pirttilä T, Soininen H, Heinonen O, Lehtimäki T, Bogdanovic N, Paljärvi L, Kosunen O, Winblad B, Riekkinen P Sr, Wisniewski HM, Mehta PD. Apolipoprotein E (apoE) levels in brains from Alzheimer disease patients and controls. *Brain Res* 1996;**722**:71-77.
- [70](#) Pitkänen A. Treatment with antiepileptic drugs: Possible neuroprotective effects. *Neurology Suppl* 1996;**47**(1):S12-S16.
- [71](#) Pitkänen A, Laakso M, Kälviäinen R, Partanen K, Vainio P, Lehtovirta M, Riekkinen P Sr, Soininen H. Severity of hippocampal atrophy correlates with the prolongation of MRI T2 relaxation time in temporal lobe epilepsy but not in Alzheimer's disease. *Neurology* 1996;**46**:1724-1730.
- [72](#) Pitkänen A, Sorvari H, Miettinen R, Soininen H. Inhibitory synapses in the human amygdala: calretinin-immunoreactive cells make synapses on calbindin-D28K-immunoreactive cells. Abstract. In: *26th Annual Meeting of Society for Neuroscience Abstracts*, Washington DC, 16-21 November, p. 2050. 1996. Vol. 22.
- [73](#) Pitkänen A, Tuunanen J, Halonen T. Vigabatrin and carbamazepine have different efficacies in the prevention of status epilepticus induced neuronal damage in the hippocampus and amygdala. *Epilepsy Res* 1996;**24**:29-45.
- [74](#) Puranen J, Laakso M, Riekkinen P Sr, Sivenius J. The efficacy of antiplatelet therapy in hypertensive patients with TIA or stroke. Abstract. In: *Abstracts Joint 3rd World Stroke Congress and 5th European Stroke Conference*, Munich, Germany, 1-4 September, p. 16. KARGER, 1996. *Cerebrovascular Diseases*. Supplement 2. Vol. 6.
- [75](#) Puumala T, Ruotsalainen S, Jäkälä P, Koivisto E, Riekkinen P Jr, Sirviö J. Behavioral and pharmacological studies on the validation of a new animal model for attention deficit hyperactivity disorder. *Neurobiol Learn Mem* 1996;**66**:198-211.
- [76](#) Puumala T, Sirviö J, Ruotsalainen S, Riekkinen P Sr. Effects of St-587 and prazosin on water maze and passive avoidance performance of scopolamine-treated rats. *Pharmacol Biochem Behav* 1996;**55**(1):107-115.
- [77](#) Reeben M, Arbatova J, Palgi J, Miettinen R, Halmekytö M, Alhonen L, Jänne J, Riekkinen P Sr, Saarma M. Induced expression of neurotrophins in transgenic mice overexpressing ornithine decarboxylase and overproducing putrescine. *J Neurosci Res* 1996;**45**:542-548.
- [78](#) Reeben M, Arbatova J, Palgi J, Riekkinen P Sr. The effects of noradrenergic lesion and alfa2-adrenergic drugs on nerve growth factor and brain-derived neurotrophic factor mRNA expression in the rat hippocampus and peripheral tissues. *Dev Brain Dysfunct* 1996;**9**:198-203.

- [79](#) Reinikainen K. Neurofarmakologia ja dementia. Kirjassa: Revonsuo A, Lang H, Aaltonen O, toim. *Mieli ja aivot - kognitiivinen neurotiede*, s. 347-354. Turun yliopisto: Kognitiivisen neurotieteen tutkimusyksikkö, 1996.
- [80](#) Reinikainen K. Alzheimerin taudin lääkehoidon mahdollisuudet. Luentolyhennelmä:Lääketiede 96 Medicin 7-11.1.1996 Messukeskus
- [81](#) Riekkinen M, Aroviita L, Kivipelto M, Taskila K, Riekkinen P Jr. Depletion of serotonin, dopamine and noradrenaline in aged rats decreases the therapeutic effect of nicotine, but not of tetrahydroaminoacridine. *Eur J Pharmacol* 1996;**308**:243-250.
- [82](#) Riekkinen M, Stefanski R, Kuitunen J, Riekkinen P Jr. Effects of combined block of alfa1-adrenoceptors and NMDA receptors on spatial and passive avoidance behavior in rats. *Eur J Pharmacol* 1996;**300**:9-16.
- [83](#) Riekkinen P Jr. Can animal models predict the clinical response of new therapies in Alzheimer's disease? In: Salonen T, Sivenius J, Sirviö J, Riekkinen P Jr, Salminen A, eds. *20 Years of Brain Research in Kuopio*, p. 53-54. Kuopio: Kuopio University, Department of Neuroscience and Neur..., 1996.
- [84](#) Riekkinen P Jr, Björklund M, Schmidt B, Jäkälä P. A cholinesterase inhibitor, metrifonate, desynchronizes neocortical EEG activity in rats. Abstract. In: *Abstracts The Fifth International Conference on Alzheimer's Disease and Related Disorders*, Osaka, Japani, 24-29 July, p. s31. 1996. *Neurobiology of Aging. Supplement. Vol. 17.*
- [85](#) Riekkinen P Jr, Mettinger KL, Karukin M, Riekkinen M. Effects of Alzene and tacrine on water maze reference and working memory function in medial septal-lesioned rats. *Brain Res* 1996;**714**:118-124.
- [86](#) Riekkinen P Jr, Schmidt B, Riekkinen M. The indirect cholinesterase inhibitor, metrifonate, improves spatial navigation and passive avoidance behavior in young scopolamine-treated, medial septal-lesioned and aged rats. Abstract. In: *Abstracts The Fifth International Conference on Alzheimer's Disease and Related Disorders*, Osaka, Japani, 24-29 July, p. s31. 1996. *Neurobiology of Aging. Supplement. Vol. 17.*
- [87](#) Riekkinen P Jr, Schmidt B, Riekkinen M. The indirect cholinesterase inhibitor, metrifonate, improves spatial navigation and passive avoidance behavior in scopolamine treated, medial-septal-lesioned and aged rats. Abstract. In: *Fourth International Nice / Springfield Symposium on Advances in Alzheimer Therapy*, Nice, France, 10-14 April, p. 178. 1996.
- [88](#) Riekkinen P Jr, Schmidt B, Stefanski R, Kuitunen J, Riekkinen M. Metrifonate improves spatial navigation and avoidance behavior in scopolamine-treated, medial septum-lesioned and aged rats. *Eur J Pharmacol* 1996;**309**:121-130.
- [89](#) Riekkinen PJ Sr, Koivisto K, Reinikainen KJ, Helkala E-L, Heinonen E. Rationale to treat Alzheimer's disease with selegiline - can we prevent the progression of the disease? Abstract. In: *Fourth International Nice / Springfield Symposium on Advances in Alzheimer Therapy*, Nice, France, 10-14 April, p. 80. 1996.
- [90](#) Riekkinen PJ Sr, Koivisto KJ, Helkala E-L, Reinikainen KJ, Kilku O, Heinonen E. Rationale to treat Alzheimer's disease with selegiline - can we prevent the progression of the disease? In: Becker R, Giacobini E, eds. *Alzheimer Disease: From Molecular Biology to Therapy*, p. 342-347. Boston: Birkhäuser, 1996.
- [91](#) Riekkinen PJ Sr, Kälviäinen R. Vigabatrin vs carbamatsepine as primary and secondary monotherapy in newly diagnosed epilepsy. Abstract. In: *Second Congress of the European Federation of Neurological Sciences*, Rome, Italy, 30 October-3 November, p. 4. 1996. *European Journal of Neurology. Supplement 5. Vol. 3.*

- [92](#) Riekkinen PJ Sr, Kälviäinen R, Halonen T, Pitkänen A. Association between cerebrospinal fluid glutamate levels and response to initial long-term response to vigabatrin monotherapy in newly diagnosed epilepsy. Abstract. In: *American Academy of Neurology. 48th Annual Meeting Program*, San Francisco, March 23-30, 1996, p. A175. 1996. *Neurology*. Supplement 2. Vol. 46.
- [93](#) Roivainen R, Koistinaho J. Histochemical detection of age- and injury-related changes in signal transduction in the superior cervical ganglion. *Microsc Res Tech* 1996;**35**:20-31.
- [94](#) Salmenperä T, Kälviäinen R, Ylinen A, Riekkinen PJ Sr. Cost of epilepsy: review of the literature. *Neurologist* 1996;**2**:230-238.
- [95](#) Salonen T, Sivenius J, Sirviö J, Riekkinen P Jr, Salminen A, eds. *20 Years of Brain Research in Kuopio*. Kuopio: University of Kuopio. Department of Neuroscience and Neur..., 1996. 136 p.
- [96](#) Savander V, Go C-G, Ledoux JE, Pitkänen A. Intrinsic connections of the rat amygdaloid complex: projections originating in the accessory basal nucleus. *J Comp Neurol* 1996;**374**:291-313.
- [97](#) Savander V, LeDoux JE, Pitkänen A. Topographic projections from the periamygdaloid cortex to select subregions of the lateral nucleus of the amygdala in the rat. *Neurosci Lett* 1996;**211**:167-170.
- [98](#) Sirviö J, Pitkänen M, Pussinen M, Haapalinna A, Riekkinen PJ Sr. Enhancements of synaptic transmission, LTP and memory by pharmacological agents. Abstract. In: *8th World Congress of IOP*, Tampere, Finland, 25-30 June, p. 119. 1996.
- [99](#) Sirviö J, Puumala T, Ruotsalainen S, Räsänen E, Riekkinen PJ Sr. Animal models of attention deficit hyperactivity disorder (ADHD). In: Nevalainen T, Hau J, Sarviharju M, eds. *Frontiers in Laboratory Animal Science. Proceeding of Joint International Conference of ICLAS, Scand-LAS and FinLAS*, Helsinki, Finland, July 2-6, 1995, p. 391-402. Kuopio: University of Kuopio, 1996. *Scandinavian Journal of Laboratory Animal Science*. Supplement 1. Vol. 23.
- [100](#) Sivenius J. Second european prevention study (ESPS-2):secondary endpoints. Abstract. In: *Second Congress of the European Federation of Neurological Sciences*, Rome, Italy, 30 October - 3 November, p. 8. 1996. *European Journal of Neurology*. Supplement 5. Vol. 3.
- [101](#) Sivenius J. Second european stroke prevention study (ESPS-2):secondary endpoints. Abstract. In: *Abstracts Joint 3rd World Stroke Congress and 5th European Stroke Conference*, Munich, Germany, 1-4 September, p. 15. KARGER, 1996. *Cerebrovascular Diseases*. Supplement 2. Vol. 6.
- [102](#) Sivenius J. Appropriate use of antiplatelet therapy in TIA and stroke patients. In: Salonen T, Sivenius J, Sirviö J, Riekkinen P Jr, Salminen A, eds. *20 Years of Brain Research in Kuopio*, p. 81-84. Kuopio: Kuopio University, Department of Neuroscience and Neur..., 1996.
- [103](#) Sivenius J, Cunha L, Diener C, Forbes C, Lowenthal A, Riekkinen P Jr. Results of the second european stroke prevention study. Abstract. In: *American Academy of Neurology 48th Annual Meeting Program*, San Francisco, 23-30 March, p. A425. 1996. *Neurology*. Supplement. Vol. 46.
- [104](#) Sivenius J, Cunha L, Diener HC, Forbes C, Lowenthal A, Riekkinen PJ Sr, Smets P, Welbers I. Combination of aspirin+dipyridamole is superior to either agent alone:major endpoints of the ESPS-2. Abstract. In: *Proceedings of the 31st Scandinavian Congress of Neurology*, Linköping, Sweden, 12-15 June, p. 12-13. 1996. *Acta Neurologica Scandinavica*. Supplement 167. Vol. 94.
- [105](#) Sivenius J, Diener H-C, Bendixen BH, Adams HP, Barnett HJM, Meldrum HE. Upcoming alternatives to aspirin for antiaggregant therapy in stroke prevention. *Eur Neurol* 1996;**36**:253-259.

- [106](#) Sivenius J, Jakovljevic D, Immonen-Räihä P, Kaarsalo E, Narva EV, Salmi K, Sarti C, Tuomilehto J, Salomaa V. Seasonal variation in the occurrence of stroke in Finland. Abstract. In: *Second Congress of the European Federation of Neurological Sciences*, Rome, Italy, 30 October - 3 November, p. 85. 1996. *European Journal of Neurology. Supplement 5. Vol. 3.*
- [107](#) Soininen H. Tutkimustietoa Alzheimerin taudista. *Muisti* 1996(3):8-10.
- [108](#) Soininen H. Normaali ikääntyminen vai aivojen rappeutuminen-miten sen selvität. Abstrakti. Julkaisussa: Mervaala E, toim. *Scientific program and the abstracts of invited lectures of the VIII Annual Meeting of the Finnish Society of Clinical Neurophysiology*, Kuopio, Finland, 19-21 September, s. 39-40. Kuopio University, 1996. *Lääketiede* 109.
- [109](#) Soininen H. Apolipoprotein E epsilon4 allele - a risk factor for Alzheimer`s disease and hippocampal volume loss. *Teknia Journal* 1996(1):12-13.
- [110](#) Soininen H. Neurotieteiden ja neurologian klinikan 20-vuotisjuhlasymposium kokosi aivotutkimuksen tähtikaartia Kuopioon. *Kuopion yliopistolehti* 1996(10):2-3.
- [111](#) Soininen H. Alzheimerin tauti. Kirjassa: *Cognex(R)(Takriini)-hoidon suuntaviivat*, s. 24-30. Parke-Davis, 1996.
- [112](#) Soininen H. ApoE and Alzheimer`s disease-neuropathological, MRI and population-based studies. In: Salonen T, Sivenius J, Sirviö J, Riekkinen P Jr, Salminen A, eds. *20 Years of Brain Research in Kuopio*, p. 37-40. Kuopio: Kuopio University, Department of Neuroscience and Neur..., 1996.
- [113](#) Soininen H, Lehtovirta M, Helisalmi S, Linnaranta K, Heinonen O, Kosunen O, Paljärvi L, Riekkinen PJ Sr. Cholinergic function and apolipoprotein E polymorphism in Alzheimer`s disease. Abstract. In: *Abstracts The Fifth International Conference on Alzheimer`s Disease and Related Disorders*, Osak, Japan, 24-29 July, p. s134. 1996. *Neurobiology of Aging. Supplement. Vol. 17.*
- [114](#) Soininen H, Lehtovirta M, Laakso M, Partanen K, Riekkinen P Jr, Hallikainen M, Hänninen T, Koivisto K, Riekkinen PJ Sr. APOE genotype and MRI volumetry: implication for therapy. Abstract. In: *Fourth International Nice / Springfield Symposium on Advances in Alzheimer Therapy*, Nice, France, 10-14 April, p. 94. 1996.
- [115](#) Soininen H, Tiihonen J, Kuikka J, Partanen J. Towards functional neuroimaging. Research at the University of Kuopio: Faculty of Medicine
- [116](#) Soininen HS, Lehtovirta M, Laakso MP, Partanen K, Riekkinen P Jr, Hallikainen M, Hänninen T, Koivisto K, Riekkinen PJ Sr. ApoE genotype and MRI volumetry: implication for therapy. In: Becker R, Giacobini E, eds. *Alzheimer Disease: From Molecular Biology to Therapy*, p. 475-480. Boston: Birkhäuser, 1996.
- [117](#) Soininen HS, Riekkinen PJ Sr. Apolipoprotein E, memory and Alzheimer's disease. *Trends Neurosci* 1996;**19**:224-228.
- [118](#) Soininen HS, Riekkinen PJ Sr. ApoE and memory in old age. Abstract. In: *8TH World Congress of IOP: Programme & Abstracts*, Tampere, Finland, 25-30 June 1996, p. 168. International Organization of Psychophysiology, 1996.
- [119](#) Sorvari H, Miettinen R, Soininen H, Pitkänen A. Parvalbumin-immunoreactive neurons make inhibitory synapses on pyramidal cells in the human amygdala: a light and electron microscopic study. *Neurosci Lett* 1996;**217**:93-96.
- [120](#) Sorvari H, Miettinen R, Soininen H, Pitkänen A. Inhibitory synapses in the human amygdala: parvalbumin-immunoreactive chandelier and basket cells make synapses on pyramidal cells.

Abstract. In: *26th Annual Meeting of Society for Neuroscience Abstracts*, Washington DC, 16-21 November, p. 2050. 1996. Vol. 22.

- [121](#) Sorvari H, Soininen H, Pitkänen A. Calretinin-immunoreactive cells and fibers in the human amygdaloid complex. *J Comp Neurol* 1996;**369**:188-208.
- [122](#) Sorvari H, Soininen H, Pitkänen A. Calbindin-D28K-immunoreactive cells and fibres in the human amygdaloid complex. *Neuroscience* 1996;**75**(2):421-443.
- [123](#) Suomen muistitutkimusyksiköiden asiantuntijaryhmä. Muistihäiriöt ja dementia. *Suomen Lääkärilehti* 1996;**51**(29):2949-2957.
- [124](#) Tapiola T, Lehtovirta M, Ramberg J, Helisalml S, Linnaranta K, Riekkinen PJ Sr, Soininen H. CSF tau is related to APOE genotype in early Alzheimer`s disease. Abstract. In: *Neuroscience in Finland*, Tampere, 29-30.6., p. A42. 1996.
- [125](#) Tapiola T, Lehtovirta M, Ramberg J, Helisalml S, Linnaranta K, Riekkinen PJ Sr, Soininen H. CSF tau is related to APOE genotype in early Alzheimer`S disease. Abstract. In: *The 2nd Meeting of European Neuroscience*, Strasbourg, France, 24-28.9., p. 147. 1996.
- [126](#) Tuomainen T-P, Koivisto K, Nyssönen K, Kaplan GA, Luoma J, Ylä-Herttua S, Riekkinen PJ Sr, Salonen JT. Dietary antioxidants are associated with good cognitive performance in finnish men: a population-based study. Abstract. In: *Abstracts The Fifth International Conference on Alzheimer`s Disease and Related Disorders*, Osaka, Japani, 24-29 July, p. s96. 1996. *Neurobiology of Aging*. Supplement. Vol. 17.
- [127](#) Tuomilehto J, Rastenyte D, Sivenius J, Sarti C, Immonen-Räihä P, Kaarsalo E, Kuulasmaa K, Narva EV, Salomaa V, Salmi K, Torppa J. Ten-year trends in stroke incidence and mortality in the FINMONICA stroke study. *Stroke* 1996;**27**:825-832.
- [128](#) Tuunanen J, Halonen T, Pitkänen A. Status epilepticus causes selective regional damage and loss of GABAergic neurons in the rat amygdaloid complex. *Eur J Neurosci* 1996;**8**:2711-2725.
- [129](#) Vanhanen M, Karhu J, Koivisto K, Pääkkönen A, Partanen J, Laakso M, Riekkinen P Sr. ERPs reveal deficits in automatic cerebral stimulus processing in patients with NIDDM. *Neuroreport* 1996;**7**(15-17):2767-2771.
- [130](#) Vanninen E, Vanninen R, Äikiä M, Tulla H, Könönen M, Koivisto K, Partanen J, Partanen K, Hippeläinen M, Kuikka JT. Frequency of carotid endarterectomy-related subclinical cerebral complications. *Cerebrovasc Dis* 1996;**6**:272-280.
- [131](#) Vapalahti M, Rinne J, Ylinen A, Mervaala E, Partanen J, Kälviäinen R, Puranen M, Hurskainen H, Pilke A, Paljärvi L. Epilepsy surgery; strict protocol helps to select the right patients for temporal resection. Abstract. In: *Book of Abstracts The 48th Annual Meeting of the Scandinavian Neurosurgical Society*, Bergen, Norway, 6-9 June, 1996. 1996.
- [132](#) Yavich L, Sirviö J, Haapalinna A, Puumala T, Koivisto E, Heinonen E, Riekkinen PJ. The systemic administration of tacrine or selegiline facilitate spatial learning in aged fisher 344 rats. *J Neural Transm Gen Sect* 1996;**103**:619-626.

[Neurologian klinikka *](#)

Department of Neurology

[Julkaisutietokanta](#) 24.1.2013

[Publications Data Base](#) 24.1.2013