

---

# Neurologian klinikka \*

## Department of Neurology

### Julkaisut 1997-1997

### Publications 1997-1997

Lisätietoja julkaisusta saa klikkaamalla sen numeroa.  
For full details, please click the number in front of the publication.

---

- [1](#) Aejmelaeus R, Metsä-Ketelä T, Pirttilä T, Hervonen A, Alho H. Unidentified antioxidant defences of human plasma in immobilized patients: a possible relation to basic metabolic rate. *Free Radic Res* 1997;**26**:335-341.
- [2](#) Alafuzoff I, Paljärvi L, Savolainen S, Vapalahti M. Beta-A4 and tau immunoreactivity in cortical brain biopsies. Abstract. Maastricht, The Netherlands, August 31 - September 4, 1997, *Pathol Res Pract* 1997;**193**(5-6).
- [3](#) Alafuzoff I, Paljärvi L, Savolainen S, Vapalahti M. A4 and TAU immunoreactivity in cortical brain biopsies. Abstract. In: *13th International Conference and 7th Annual European Meeting, "Alzheimer's - the Blind Hunter"*, Helsinki, Finland, 29 September - 1 October, 1997, p. 68. 1997.
- [4](#) Alafuzoff I, Riekkinen P Sr, Soininen H. The influence of Apolipoprotein E genotype and cardiovascular status on the extent of Alzheimer`s degenerative changes seen in ageing and dementia. Abstract. In: *13th International Conference and 7th Annual European Meeting*, Helsinki, Finland, 29 September - 1 October, p. 65. Vientipaino Oy,Finland: 1997.
- [5](#) Alafuzoff I, Riekkinen P Sr, Soininen H. The influence of Apolipoprotein E genotype and cardiovascular status on the extent of Alzheimer`s degenerative changes seen in aging and dementia. Abstract. In: *XIII International Congress of Neuropathology*, 7-12 September, p. 1094. 1997. Brain Pathology 4. Vol. 7.
- [6](#) Aura J, Sirviö J, Riekkinen P Jr. An M2 muscarinic antagonist improves memory and an M1 antagonist disrupts performance in delayed non-matching to position test. Abstract. In: *13th International Conference and 7th Annual European Meeting*, Helsinki, Finland, 29 September - 1 October, p. 109. 1997.
- [7](#) Aura J, Sirviö J, Riekkinen P Jr. Methoctramine moderately improves memory but pirenzepine disrupts performance in delayed non-matching to position test. *Eur J Pharmacol* 1997;**333**:129-134.
- [8](#) Basile LFH, Brunder DG, Tarkka IM, Papanicolaou AC. Magnetic fields from human prefrontal cortex differ during two recognition tasks. *Int J Psychophysiol* 1997;**27**:29-41.
- [9](#) Berrios X, Koponen T, Huiguang T, Khaltayev N, Puska P, Nissinen A. Distribution and prevalence of major risk factors of noncommunicable diseases in selected countries: the WHO Inter-Health Programme. *Bull World Health Organ* 1997;**75**(2):99-108.
- [10](#) Björklund M, Sirviö J, Riekkinen M, Jäkälä P, Puoliväli J, Sallinen J, Scheinin M, Kobilka B, Riekkinen P Jr. Alpha2C-adrenoceptor overexpression impairs development of normal Water search strategy in mice. Abstract. In: *Oholo 41st Conference, Progress in Alzheimer`s and*

*Parkinson`s diseases,Fourth International Conference, Eilat, Israel, 18-23 May, p. 34. 1997.*

- [11](#) Björklund M, Sirviö J, Riekkinen M, Jäkälä P, Puoliväli J, Sallinen J, Scheinin M, Haapalinna A, Kobilka B, Riekkinen P Jr. Alpha2c-adrenoceptor overexpressing mice are impaired in executing non-spatial and spatial escape strategies. Abstract. In: *13th International Conference and 7th Annual European Meeting, Helsinki, Finland, 29 September - 1 October, p. 109. 1997.*
- [12](#) Bragin A, Csicsvari J, Penttonen M, Buzsaki G. Epileptic afterdischarge in the hippocampal-entorhinal system:current source density and unit studies. *Neuroscience* 1997;**76**(4):1187-1203.
- [13](#) Bragin A, Penttonen M, Buzsaki G. Termination of epileptic afterdischarge in the hippocampus. *J Neurosci* 1997;**17**(7):2567-2579.
- [14](#) Collin P, Eerola A, Pirttilä T. Dementia and coeliac disease. In: Goppi G, Banchini G, eds. *Epilepsy and Other Neurological Disorders in Coeliac Disease*, p. 285-289. London: John Libbey & Company, 1997.
- [15](#) Diez M, Koistinaho J, Dearmond SJ, Groth D, Prusiner SB, Hökfelt T. Marked decrease of neuropeptide Y Y2 receptor binding sites in the hippocampus in murine prion disease. *Proc Natl Acad Sci U S A* 1997;**94**:13267-13272.
- [16](#) Eronen MK, Rankinen T, Rauramaa R, Sulkava R, Nissinen A. Does aging mean a better life for women? *J Am Geriatr Soc* 1997;**45**:594-597.
- [17](#) Farrer LA, Cupples LA, Haines JL, Hyman B, Kukull WA, Mayeux R, Myers RH, Pericak-Vance MA, Risch N, Van Duijn CM, for the APOE and Alzheimer Disease Meta Analysis Consortium. Effects of age, sex, and ethnicity on the association between apolipoprotein E genotype and Alzheimer disease. *JAMA* 1997;**278**(16):1349-1356.
- [18](#) Goldsteins G, Vartiainen N, Roivainen R, Alafuzoff I, Soininen H, Koistinaho J. Analysis of the human IgG repertoire reactive with neural antigens. Abstract. In: *27th Annual Meeting, New Orleans, La, 25-30 October, p. 2233. 1997. Society for Neuroscience Abstracts 2. Vol. 23.*
- [19](#) Hallikainen M, Hänninen T, Soininen H, Riekkinen P Sr. Effect of apolipoprotein e4 allele on memory and hippocampal volumetry in nondemented elderly people: a follow-up study. Abstract. In: *13th International Conference and 7th Annual European Meeting, Helsinki, Finland, 29 September - 1 October, p. 66. 1997.*
- [20](#) Hallikainen M, Hänninen T, Soininen H, Riekkinen P Sr. Effect of apolipoprotein E e4 allele on memory and hippocampal volumetry in non-demented elderly people: a follow-up study. Abstract. In: *Progress in Alzheimer`s and Parkinsons diseases Fourth International Conference, Eilat, Israel, 18-23 May. 1997.*
- [21](#) Hartikainen P, Hänninen T, Lehtovirta M, Soininen H. Focus on rare dementias. Abstract. In: *13th Internetonel Conference and 7th Annual European Meeting, Helsinki, Finland, 29 September - 1 October, p. 102-103. 1997.*
- [22](#) Helisalmi S, Mannermaa A, Lehtovirta M, Ryyänen M, Riekkinen P Sr, Soininen H. No association between alfa1-antichymotrypsin polymorphism, apolipoprotein E and patients with late-onset Alzheimer`s disease. *Neurosci Lett* 1997;**231**:56-58.
- [23](#) Helisalmi S, Mannermaa A, Lehtovirta M, Ryyänen M, Riekkinen P Sr, Soininen H. Alfa1-antichymotrypsin polymorphism in Alzheimer`s disease. Abstract. In: *13th International Conference and 7th Annual European Meeting, Helsinki, Finland, 29 September - 1 October, p. 72. 1997.*
- [24](#) Helisalmi S, Mannermaa A, Lehtovirta M, Ryyänen M, Riekkinen P Sr, Soininen H. Lack of association between presenilin-1 polymorphism, Alzheimer's disease and apolipoprotein E.

*Alzheimer's Research* 1997;**3**:159-161.

- [25](#) Helkala E-L, Koivisto K, Hanninen T, Vanhanen M, Kuusisto J, Mykkanen L, Laakso M, Riekkinen P Sr. Stability of age-associated memory impairment during a longitudinal population-based study. *J Am Geriatr Soc* 1997;**45**(1):120-122.
- [26](#) Hiltunen MO, Alhonen L, Koistinaho J, Myöhänen S, Pääkkönen M, Marin S, Kosma V-M, Jänne J. Hypermethylation of the APC (adenomatous polyposis coli) gene promoter region in human colorectal carcinoma. *Int J Cancer* 1997;**70**:644-648.
- [27](#) Hiltunen MO, Koistinaho J, Alhonen L, Myöhänen S, Marin S, Kosma V-M, Pääkkönen M, Jänne J. Hypermethylation of the WT1 and calcitonin gene promoter regions at chromosome 11p in human colorectal cancer. *Br J Cancer* 1997;**76**(9):1124-1130.
- [28](#) Huijbregts P, Feskens E, Räsänen L, Fidanza F, Nissinen A, Menotti A, Kromhout D. Dietary pattern and 20 year mortality in elderly men in Finland, Italy, and the Netherlands: longitudinal cohort study. *BMJ (Compact)* 1997;**315**:13-17.
- [29](#) Huotari V, Korhonen P, Salminen A. Aging and neuronal degeneration enhance the DNA binding activity of. Abstract. In: *13th International Conference and 7th Annual European Meeting*, Helsinki, Finland, 29 September - 1 October, p. 70. 1997.
- [30](#) Hänninen T, Hallikainen M, Koivisto K, Partanen K, Laakso MP, Riekkinen PJ Sr, Soininen H. Decline of frontal lobe functions in subjects with age-associated memory impairment. *Neurology* 1997;**48**:148-153.
- [31](#) Hänninen T, Soininen H. Age-associated memory impairment Normal aging or warning of dementia? *Drugs Aging* 1997;**11**(6):480-489.
- [32](#) Immonen-Räihä P, Mähönen M, Tuomilehto J, Salomaa V, Kaarsalo E, Narva EV, Salmi K, Sarti C, Sivenius J, Alhainen K, Torppa J. Trends in case-fatality of stroke in Finland during 1983 to 1992. *Stroke* 1997;**28**:2493-2499.
- [33](#) Jolkkonen J, Jolkkonen E, Pitkänen A. Seizure-induced damage to somatostatin-immunoreactive neurons in the rat hippocampus is regulated by fimbria-fornix transection. *Exp Neurol* 1997;**145**:141-153.
- [34](#) Jolkkonen J, Kähkönen K, Pitkänen A. Cholinergic deafferentation exacerbates seizure-induced loss of somatostatin-immunoreactive neurons in the rat hippocampus. *Neuroscience* 1997;**80**(2):401-411.
- [35](#) Jormanainen V, Myllykangas M, Winell K, Nissinen A. Lääkäreiden tupakointi Suomessa vuosina 1990 ja 1995. *Suomen Lääkärilehti* 1997;**52**(20-21):2411-2415.
- [36](#) Jormanainen VJ, Myllykangas MT, Nissinen A. Decreasing the prevalence of smoking among Finnish physicians. *Eur J Public Health* 1997;**7**:318-320.
- [37](#) Juottonen K, Insausti R, Pitkänen A, Partanen K, Vainio P, Soininen H. MRI volumetry of the entorhinal cortex: A promising tool in diagnosis of the Alzheimer`s disease. Abstract. In: *13th International Conference and 7th Annual European Meeting*, Helsinki, Finland, 29 September - 1 October, p. 75. 1997.
- [38](#) Jäkälä P. Alzheimerin taudin koe-eläin malleista. *Muisti* 1997(4):41-44.
- [39](#) Jäkälä P, Hänninen T, Ryyänänen M, Laakso M, Partanen K, Mannermaa A, Soininen H. Fragile-X: Neuropsychological test performance, CGG triplet repeat lengths, and hippocampal volumes. *J Clin Invest* 1997;**100**(2):331-338.

- [40](#) Jäkälä P, Kejonen K, Vanhanen M, Koivisto E, Riekkinen P Jr. Disruption of attentional performance by clonidine, an alpha2 adrenoceptor agonist, in man. Abstract. In: *13th International Conference and 7th Annual European Meeting*, Helsinki, Finland, 29 September - 1 October, p. 108-109. 1997.
- [41](#) Jäkälä P, Puoliväli J, Björklund M, Koivisto E, Riekkinen P Jr. Activation of acetylcholine receptors and 5-HT2 receptors have additive effects in the suppression of neocortical high-voltage spindles in aged rats. *Psychopharmacology* 1997;**132**:270-280.
- [42](#) Jäkälä P, Riekkinen P Jr. Combined cholinergic and 5-HT2 receptor activation suppresses thalamocortical oscillations in aged rats. *Pharmacol Biochem Behav* 1997;**56**(4):713-718.
- [43](#) Kaarisalo MM, Immonen-Räihä P, Marttila RJ, Salomaa V, Kaarsalo E, Salmi K, Sarti C, Sivenius J, Torppa J, Tuomilehto J. Atrial fibrillation and stroke mortality and causes of death after the first acute ischemic stroke. *Stroke* 1997;**28**:311-315.
- [44](#) Keinänen R, Miettinen S, Yrjänheikki J, Koistinaho J. Induction of ornithine decarboxylase mRNA in transient focal cerebral ischemia in the rat. *Neurosci Lett* 1997;**239**:69-72.
- [45](#) Keränen T, Kälviäinen R. Epilepsian uudistuva lääkehoito. *Duodecim* 1997;**113**(18):1749-1754.
- [46](#) Keränen T, Kälviäinen R, Sillanpää M. *Kapseli 27 Epilepsiapotilaan lääkehoito*. Forssa: Lääkelaitos ja Kela, 1997. 70 s.
- [47](#) Koistinaho J, Hökfelt T. Altered gene expression in brain ischemia. *Neuroreport* 1997;**8**(2):i-viii.
- [48](#) Koivisto P, Kälviäinen R. Epilepsialääkkeiden kulutus ja hoidon kustannukset. Kirjassa: *Kapseli 27 Epilepsiapotilaan lääkehoito*, s. 67-69. 1997.
- [49](#) Korhonen P, Helenius M, Salminen A. Age-related changes in the regulation of transcription factor NF-kappaB in rat brain. *Neurosci Lett* 1997;**225**:61-64.
- [50](#) Korhonen P, Huotari V, Soininen H, Salminen A. Glutamate-induced changes in the DNA-binding complexes of transcription factor YY1 in cultured hippocampal and cerebellar granule cells. *Mol Brain Res* 1997;**52**:330-333.
- [51](#) Kotti T. *Excitotoxicity-Induced Neuropathological Changes in the Rodent Hippocampus. Possible Functional Consequences and Drug Treatments*. Doctoral dissertation. 1997. University of Kuopio. Department of Neurology. Series of Reports 42. 89 p.
- [52](#) Kotti T, Halonen T, Sirviö J, Riekkinen P Sr, Miettinen R. Comparison of NADPH diaphorase histochemistry, somatostatin immunohistochemistry, and silver impregnation in detecting structural and functional impairment in experimental status epilepticus. *Neuroscience* 1997;**80**(1):105-117.
- [53](#) Kotti T, Riekkinen PJ Sr, Miettinen R. Characterization of target cells for aberrant mossy fiber collaterals in the dentate gyrus of epileptic rat. *Exp Neurol* 1997;**146**:323-330.
- [54](#) Kraszpulski M, Soininen H, Riekkinen P Sr, Alafuzoff I. Beta-amyloid load in brain tissue of patients with Alzheimer's disease. Abstract. In: *13th International Conference and 7th Annual European Meeting*, Helsinki, Finland, 29 September - 1 October, p. 68. 1997.
- [55](#) Kuhmonen J, Pokorný J, Miettinen R, Haapalinna A, Jolkkonen J, Riekkinen P Sr, Sivenius J. Neuroprotective effects of dexmedetomidine in the gerbil hippocampus after transient global ischemia. *Anesthesiology* 1997;**87**(2):371-377.
- [56](#) Kuikka JT, Rinne JO, Bergström KA, Kilpeläinen H, Lehtovirta M, Rinne UK. Striatal dopamine transporter in Parkinson's disease studied with (123I)-beta-CIT-FP SPET. In:

- Bergmann H, Kroiss A, Sinzinger H, eds. *Radioactive Isotopes in Clinical Medicine and Research. Proceedings of the 22nd International Badgastein Symposium*, Badgastein, Austria, p. 131-136. Basel: Birkhäuser, 1997. Advances in Pharmacological Sciences.
- [57](#) Kurkinen KMA, Koistinaho J, Laitinen JT. [gamma-35S]GTP autoradiography allows region-specific detection of muscarinic receptor-dependent G-protein activation in the chick optic tectum. *Brain Res* 1997;**769**:21-28.
- [58](#) Kuusisto J, Koivisto K, Mykkänen L, Helkala E-L, Vanhanen M, Hänninen T, Kervinen K, Kesäniemi YA, Riekkinen PJ, Laakso M. Association between features of the insulin resistance syndrome and Alzheimer's disease independently of apolipoprotein E4 phenotype: cross sectional population based study. *BMJ (Compact)* 1997;**315**:1045-1049.
- [59](#) Kälviäinen R (toim), toim. *Erikoissairaanhoidon ja perusterveydenhuollon yhteistyön kehittäminen neurologian erikoisaloilla*. 1997. Pohjois-Savon sairaanhoitopiirin julkaisu, No 39. 40 s.
- [60](#) Kälviäinen R, Partanen K, Äikiä M, Mervaala E, Vainio P, Riekkinen PJ Sr, Pitkänen A. MRI-based hippocampal volumetry and T2 relaxometry: correlation to verbal memory performance in newly diagnosed epilepsy patients with left-sided temporal lobe focus. *Neurology* 1997;**48**:286-287.
- [61](#) Kälviäinen R, Salmenperä T, Partanen K, Vainio P, Riekkinen P Sr, Pitkänen A. MRI volumetry and T2 relaxometry of the amygdala in newly diagnosed and chronic temporal lobe epilepsy. *Epilepsy Res* 1997;**28**:39-50.
- [62](#) Laakso MP, Juottonen K, Partanen K, Vainio P, Soininen H. MRI volumetry of the hippocampus: the effect of slice thickness on volume formation. *Magn Reson Imaging* 1997;**15**(2):263-265.
- [63](#) Lafrenière RG, Rochefort DL, Chrétien N, Rommens JM, Cochius JI, Kälviäinen R, Nousiainen U, Patry G, Farrell K, Söderfeldt B, Federico A, Hale BR, Cossio OH, Sorensen T, Pouliot MA, Kmiec T, Uldall P, Janszky J, Pranzatelli MR, Anderman F, Anderman E, Rouleau GA. Unstable insertion in the 5' flanking region of the cystatin B gene is the most common mutation in progressive myoclonus epilepsy type 1, EPM1. *Nat Genet* 1997;**15**:298-302.
- [64](#) Lahtinen H, Koistinaho J, Kauppinen R, Haapalinna A, Keinänen R, Sivenius J. Selegiline treatment after transient global ischemia in gerbils enhances the survival of Ca1 pyramidal cells in the hippocampus. *Brain Res* 1997;**757**:260-267.
- [65](#) Lamusuo S, Ruottinen HM, Knuuti J, Härkönen R, Ruotsalainen U, Bergman J, Haaparanta M, Solin O, Mervaala E, Nousiainen U, Jääskeläinen S, Ylinen A, Kälviäinen R, Rinne JK, Vapalahti M, Rinne JO. Comparison of (18F) FDG-PET, (99mTc)-HMPAO-SPECT, and (123)-iomazenil-SPECT in localising the epileptogenic cortex. *J Neurol Neurosurg Psychiatry* 1997;**63**:743-748.
- [66](#) Lappalainen K, Miettinen R, Kellokoski J, Jääskeläinen I, Syrjänen S. Intracellular distribution of oligonucleotides delivered by cationic liposomes: light and electron microscopic study. *J Histochem Cytochem* 1997;**45**(2):265-274.
- [67](#) Lehtovirta M, Helisalmi S, Mannermaa A, Ryyänen M, Riekkinen P Sr, Soininen H. Alzheimer's disease in eastern Finland: A genetic analysis. Abstract. In: *13th International Conference and 7th Annual European Meeting*, Helsinki, Finland, 29 September - 1 October, p. 72. 1997.
- [68](#) Lehtovirta M, Soininen H. Alzheimerin taudin perinnöllisyys. *Suomen Lääkärilehti* 1997;**52**(3):177-180.

- [69](#) Leppänen T, Töyry E, Vehviläinen-Julkunen K. Potilaiden käsitys ihmisläheisen hoidon keskeisestä sisällöstä. *Hoitotiede* 1997;**9**(4):178-185.
- [70](#) Menotti A, Blackburn H, Kromhout D, Nissinen A, Fidanza F, Giampaoli S, Buzina R, Mohacek I, Nedeljkovic S, Aravanis C, Toshima H. Changes in population cholesterol levels and coronary heart disease deaths in seven countries. *Eur Heart J* 1997;**18**:566-571.
- [71](#) Menotti A, Blackburn H, Kromhout D, Nissinen A, Karvonen M, Aravanis C, Dontas A, Fidanza F, Giampaoli S. The inverse relation of average population blood pressure and stroke mortality rates in the Seven Countries Study: a paradox. *Eur J Epidemiol* 1997;**13**:379-386.
- [72](#) Menotti A, Blackburn H, Seccareccia F, Kromhout D, Nissinen A, Aravanis C, Giampaoli S, Mohacek I, Nedeljkovic S, Toshima H. The relation of chronic diseases to all-cause mortality risk - The Seven Countries Study. *Ann Med* 1997;**29**:135-141.
- [73](#) Miettinen M, Pitkänen A, Miettinen R. Distribution of calretinin-immunoreactivity in the rat entorhinal cortex:coexistence with GABA. *J Comp Neurol* 1997;**378**:363-378.
- [74](#) Miettinen S, Fusco F, Yrjänheikki J, Keinänen R, Roivainen R, Hirvonen T, Närhi M, Koistinaho J. Expression of Cyclooxygenase-2 (COX-2) in focal ischemia and preading depression.
- [75](#) Miettinen S, Fusco FR, Yrjänheikki J, Keinänen R, Hirvonen T, Roivainen R, Närhi M, Hökfelt T, Koistinaho J. Spreading depression and focal brain ischemia induce cyclooxygenase-2 in cortical neurons through N-methyl-D-aspartic acid-receptors and phospholipase A2. *Proc Natl Acad Sci U S A* 1997;**94**:6500-6505.
- [76](#) Mikkonen M, Miettinen R, Alafuzoff I, Tapiola T, Soininen H. Parvalbumin, calretinin and calbindin-D28k immunoreactivity in the entorhinal cortex in Alzheimer's disease. Abstract. In: *13th International Conference and 7th Annual European Meeting*, Helsinki, Finland, 29 September - 1 October, p. 69. 1997.
- [77](#) Mikkonen M, Miettinen R, Alafuzoff I, Tapiola T, Soininen H. Parvalbumin, calretinin and calbindin-D28k immunoreactivity in the entorhinal cortex in Alzheimer's disease: differences in neuronal degeneration between subfields. Abstract. In: *27th Annual Meeting*, New Orleans, La, 25-30 October, p. 1649. 1997. Society for Neuroscience 2. Vol. 23.
- [78](#) Mikkonen M, Soininen H, Pitkänen A. Distribution of parvalbumin-, calretinin-, and calbindin-D28k-immunoreactive neurons and fibers in the human entorhinal cortex. *J Comp Neurol* 1997;**388**:64-88.
- [79](#) Niittykoski M, Hakkarainen V, Puumala T, Lappalainen R, Ruotsalainen S, Haapalinna A, Sirviö J. Systemic administration of atipamezole, an alfa2-antagonist, can reduce scopolamine-induced hyperactivity in rats. *Behav Pharmacol* 1997;**8**:465-470.
- [80](#) Overmyer M, Soininen H, Riekkinen P Sr, Alafuzoff I. Gfap and HLA-DR immunoreactivity in brain tissue of aged and demented patients. Abstract. In: *Pathology Research and Practice 193/5-6 XVI European Congress of Pathology*, Maastricht,Hollanti, 31 August-4 September, p. 367. 1997.
- [81](#) Overmyer M, Soininen H, Riekkinen P Sr, Alafuzoff I. GFAB and HLA DR immunoreactivity in brain tissue of aged and demented patients. Abstract. In: *13th International Conference and 7th Annual European Meeting*, Helsinki, Finland, 29 September - 1 October, p. 69. 1997.
- [82](#) Partanen J, Soininen H, Helkala E-L, Könönen M, Kilpeläinen R, Riekkinen P. Relationship between EEG reactivity and neuropsychological tests in vascular dementia. *J Neural Transm Gen Sect* 1997;**104**:905-912.

- [83](#) Penttonen M, Kamondi A, Sik A, Acsády L, Buzsáki G. Feed-forward and feed-back activation of the dentate gyrus in vivo during dentate spikes and sharp wave bursts. *Hippocampus* 1997;7:437-450.
- [84](#) Pirttilä T. Tajunnanhäiriökohtauksen selvittely päivystysvastaanotolla. Abstrakti. Kirjassa: Anttila S, Lahtela J, Poutanen O, Holm K, Lehtomäki E, Anttila p, toim. *XVIII Tampereen lääkäripäivät*, Tampere, 20-22.3., s. 238. 1997.
- [85](#) Pirttilä T. Borreliosisin hyvä hoito. Abstrakti. Kirjassa: Anttila S, Lahtela J, Poutanen O, Holm K, Lehtomäki E, Anttila P, toim. *XVIII Tampereen lääkäripäivät*, Tampere, 20.-22.3., s. 195. 1997.
- [86](#) Pirttilä T. Kognitiota parantavien lääkkeiden käyttö vanhuksilla. Abstrakti. Kirjassa: Anttila S, Lahtela J, Poutanen O, Holm K, Lehtomäki E, Anttila P, toim. *XVIII Tampereen lääkäripäivät*, Tampere, 20.-22.3., s. 62. 1997.
- [87](#) Pirttilä T, Pankaj M, Soininen H, Heinonen O, Bogdanovic N, Riekkinen P Sr, Wisniewski H. Amyloid beta-protein deposition in the brain: AB42 predominates over AB40 in Alzheimer's disease and control brains. Abstract. In: *13th International Conference and 7th Annual European Meeting*, Helsinki, Finland, 29 September - 1 October, p. 68. 1997.
- [88](#) Pirttilä T, Soininen H, Mehta PD, Heinonen O, Lehtimäki T, Bogdanovic N, Paljärvi L, Kim KS, Kosunen O, Winblad B, Riekkinen P Sr, Wisniewski HM. Apolipoprotein E genotype and amyloid load in Alzheimer disease and control brains. *Neurobiol Aging* 1997;18(1):121-127.
- [89](#) Pitkänen A, Savander V, Ledoux JE. Organization of intra-amygdaloid circuitries in the rat: an emerging framework for understanding functions of the amygdala. *Trends Neurosci* 1997;20(11):517-523.
- [90](#) Puoliväli J, Björklund M, Riekkinen M, Sallinen J, Scheinin M, Haapalinna A, Kobilka B, Riekkinen P Jr. Increased sedative effect of alpha2-agonist in alpha2c-adenoreceptor knock out mice. Abstract. In: *13th International Conference and 7th Annual European Meeting*, Helsinki, Finland, 29 September - 1 October, p. 109. 1997.
- [91](#) Pussinen R, Nieminen S, Koivisto E, Haapalinna A, Riekkinen P Sr, Sirviö J. Enhancement of intermediate-term memory by an alpha-1 agonist or a partial agonist at the glycine site of the DMDA receptor. *Neurobiol Learn Mem* 1997;67:69-74.
- [92](#) Puumala T, Björklund M, Ruotsalainen S, Riekkinen M, Jäkälä P, Haapalinna A, Björk E, Riekkinen P Jr, Sirviö J. Lack of relationship between thalamic oscillations and attention in rats: Differential modulation by an alpha-2 antagonist. *Brain Res Bull* 1997;43(2):163-171.
- [93](#) Puumala T, Riekkinen P Sr, Sirviö J. Modulation of vigilance and behavioral activation by alpha-1 adrenoceptors in the rat. *Pharmacol Biochem Behav* 1997;56(4):705-712.
- [94](#) Puumala T, Sirviö J. Stimulation and blockade of alpha1 adrenoceptors affect behavioural activity, but not spatial working memory assessed by delayed non-matching to position task in rats. *J Psychopharmacol* 1997;11(1):45-51.
- [95](#) Puurunen K, Sirviö J, Koistinaho J, Miettinen R, Haapalinna A, Riekkinen P Sr, Sivenius J. Studies on the influence of enriched-environment housing combined with systemic administration of an alpha2-adrenergic antagonist on spatial learning and hyperactivity after global ischemia in rats. *Stroke* 1997;28(3):623-631.
- [96](#) Rastenyte D, Tuomilehto J, Moltchanov V, Lindström J, Pietinen P, Nissinen A. Association between salt intake, heart rate and blood pressure. *J Hum Hypertens* 1997;11:57-62.

- [97](#) Rauramaa R, Väisänen S, Nissinen A, Rankinen T, Penttilä I, Saarikoski S, Tuomilehto J, Gagnon J, Pérusse L, Bouchard C. Physical activity, fibrinogen plasma level and gene polymorphisms in postmenopausal women. *Thromb Haemost* 1997;**78**:840-844.
- [98](#) Riekkinen M, Kejonen K, Soininen H, Riekkinen P Jr. Alpha2-agonist disrupts attention and memory in Alzheimer disease. Abstract. In: *Oholo 41st Confernce, Progress in Alzheimer`s and Parkinson`s diseases, Fourth International Conference*, Eilat, Israel, 18-23 May, p. 10. 1997.
- [99](#) Riekkinen M, Kejonen K, Soininen H, Riekkinen P Jr. The effect of an alpha2-agonist on attention and memory in Alzheimer disease. Abstract. In: *13th International Conference and 7th Annual European Meeting*, Helsinki, Finland, 29 September - 1 October, p. 108. 1997.
- [100](#) Riekkinen M, Kempainen S, Riekkinen P Jr. Effects of stimulation of alpha1-adrenergic and NMDA/glycine-B receptors on learning defects in aged rats. *Psychopharmacology* 1997;**131**:49-56.
- [101](#) Riekkinen M, Riekkinen P Jr. Nicotine and D-cycloserine enhance acquisition of water maze spatial navigation in aged rats. *Neuroreport* 1997;**8**(3):699-703.
- [102](#) Riekkinen M, Riekkinen P Jr. Dorsal hippocampal muscarinic acetylcholine and NMDA receptors disrupt water maze navigation. *Neuroreport* 1997;**8**(3):645-648.
- [103](#) Riekkinen M, Schmidt B, Kuitunen J, Riekkinen P Jr. Effects of combined chronic nimodipine and acute metrifonate treatment on spatial and avoidance behavior. *Eur J Pharmacol* 1997;**322**:1-9.
- [104](#) Riekkinen M, Schmidt BH, Riekkinen P Jr. Subchronic treatment increases the duration of the cognitive enhancement induced by metrifonate. *Eur J Pharmacol* 1997;**338**:105-110.
- [105](#) Riekkinen P Jr. Animal models and Alzheimer`s disease. *Unforgettable* 1997(3):36-38.
- [106](#) Riekkinen P Jr, Pääkkönen A, Karhu J, Partanen J, Soininen H, Laakso M, Riekkinen P Sr. THA disrupts mismatch negativity in Alzheimer disease. *Psychopharmacology* 1997;**133**:203-206.
- [107](#) Riekkinen P Jr, Riekkinen M, Soininen H, Kuikka J, Laakso M, Riekkinen P Sr. Frontal dysfunction blocks the therapeutic effect of THA on attention in Alzheimer's disease. *Neuroreport* 1997;**8**(8):1845-1849.
- [108](#) Riekkinen P Jr, Schmidt B, Jäkälä P, Koivisto E, Björklund M. Chronic nimodipine and acute metrifonate treatment decreases age-related cortical high voltage spindles in rats. *Psychopharmacology* 1997;**129**:91-95.
- [109](#) Riekkinen P Jr, Schmidt B, Riekkinen M. Behavioral characterization of metrifonate-improved acquisition of spatial information in medial septum-lesioned rats. *Eur J Pharmacol* 1997;**323**:11-19.
- [110](#) Riekkinen P Jr, Soininen H, Partanen J, Pääkkönen A, Helisalmi S, Riekkinen P Sr. The ability of THA treatment to increase cortical alpha waves is related to apolipoprotein E genotype of Alzheimer disease patients. *Psychopharmacology* 1997;**129**:285-288.
- [111](#) Riekkinen P Sr. Neurologian tutkimus tänään. *Duodecim* 1997;**113**(18):1721-1726.
- [112](#) Riekkinen P Sr. Muuttuvat käsityksemme hermoston normaalista vanhenemisesta ja Alzheimerin taudin oireista vaativat jatkossakin hyviä lääkärin taitoja. *Muisti* 1997(4):51-54.
- [113](#) Riekkinen P Sr. Neuroscience and Clinical Neurology in Finland. *Unforgettable* 1997(3):32-35.



- [114](#) Riekkinen P Sr. Apoe type, neuronal plasticity and prognosis of Alzheimer's disease. Abstract. In: *Trends in Neuroprotective Drugs: Design, Pharmacology and Clinics. International Conference*, Riga, Latvia, May 29-June 1, 1997, p. 12. 1997. Pharmacology and Toxicology. Supplement 1. Vol. 80.
- [115](#) Riekkinen P, Ylinen A. Aivotutkimus vaikuttaa lääketieteeseen 2000-luvulla geeniteknologiaakin voimakkaammin. *Suomen Lääkärilehti* 1997;**52**(17):2103-2107.
- [116](#) Riekkinen PJ Sr, Soininen HS. Apolipoprotein E and temporal lobe pathology: magnetic resonance imaging and population-based studies. In: Iqbal K, Winblad B, Nishimura T, Takeda M, Wisniewski HM, eds. *Alzheimer's Disease: Biology, Diagnosis and Therapeutics*, p. 145-148. Chichester: John Wiley & Sons, 1997.
- [117](#) Ruotsalainen S. *Serotonergic System and its Interactions with Cholinergic Receptor Mediated Mechanisms in the Modulation of Working Memory An Experimental Study*. Doctoral dissertation. 1997. University of Kuopio. Department of Neurology. Series of Reports 43. 104 p.
- [118](#) Ruotsalainen S, Haapalinna A, Riekkinen PJ Sr, Sirviö J. Dexmedetomidine reduces response tendency, but not accuracy of rats in attention and short-term memory tasks. *Pharmacol Biochem Behav* 1997;**56**(1):31-40.
- [119](#) Ruotsalainen S, Macdonald E, Miettinen R, Puumala T, Riekkinen P Sr, Sirviö J. Additive deficits in the choice accuracy of rats in the delayed non-matching to position task after cholinolytics and serotonergic lesions are non-mnemonic in nature. *Psychopharmacology* 1997;**130**:303-312.
- [120](#) Ruotsalainen S, Sirviö J, Jäkälä P, Puumala T, Macdonald E, Riekkinen P Sr. Differential effects of three 5-HT receptor antagonists on the performance of rats in attentional and working memory tasks. *Eur Neuropsychopharmacology* 1997;**7**:99-108.
- [121](#) Salmenperä T, Kälviäinen R, Partanen K, Vainio P, Riekkinen PJ Sr, Pitkänen A. Do seizures cause neuronal damage? MRI volumetry and T2 relaxometry of the hippocampus and amygdala in temporal lobe epilepsy. Abstract. In: *Suppl to Neurology Official Publication of The American Academy of Neurology 49th Annual Meeting*, Boston, 12-19 April, p. A40. 1997. Vol. 48.
- [122](#) Salminen A, Helenius M, Lahtinen T, Korhonen P, Tapiola T, Soininen H, Solovyan V. Down-regulation of Ku autoantigen, DNA-dependent protein kinase, and poly(ADP-ribose) polymerase during cellular senescence. *Biochem Biophys Res Commun* 1997;**238**:712-716.
- [123](#) Salomaa S, Sevan'kaev AV, Zhloba AA, Kumpusalo E, Mäkinen S, Lindholm C, Kumpusalo L, Kolmakow S, Nissinen A. Unstable and stable chromosomal aberrations in lymphocytes of people exposed to Chernobyl fallout in Bryansk, Russia. *Int J Radiat Biol* 1997;**71**(1):51-59.
- [124](#) Saransaari P, Oja SS, Borkowska HD, Koistinaho J, Hilgier W, Albrecht J. Effects of thioacetamide-induced hepatic failure on the N-methyl-D-aspartate receptor complex in the rat cerebral cortex, striatum, and hippocampus. *Mol Chem Neuropathol* 1997;**32**:179-193.
- [125](#) Savander V. *Organization of Intrinsic Connections in the Rat Amygdaloid Complex*. Doctoral dissertation. 1997. University of Kuopio. Department of Neurology. Series of Reports 40. 95 p.
- [126](#) Savander V, Ledoux JE, Pitkänen A. Interamygdaloid projections of the basal and accessory basal nuclei of the rat amygdaloid complex. *Neuroscience* 1997;**76**(3):725-735.
- [127](#) Savander V, Miettinen R, Ledoux JE, Pitkänen A. Lateral nucleus of the rat amygdala is reciprocally connected with basal and accessory basal nuclei: a light and electron microscopic study. *Neuroscience* 1997;**77**(3):767-781.

- [128](#) Shapiro ML, Tanila H, Eichenbaum H. Cues that hippocampal place cells encode: dynamic and hierarchical representation of local and distal stimuli. *Hippocampus* 1997;7:624-642.
- [129](#) Sik A, Penttonen M, Buzsáki G. Interneurons in the hippocampal dentate gyrus: an in vivo intracellular study. *Eur J Neurosci* 1997;9:573-588.
- [130](#) Sivenius J. Lääkehoidon mahdollisuudet aivohalvauksen ehkäisyssä. *Suomen Lääkärilehti* 1997;52(34):3999-4007.
- [131](#) Sivenius J, Puranen J. Antiplatelet therapy in secondary prevention of stroke. *CNS Drugs* 1997;8(1):38-50.
- [132](#) Sivenius J, Riekkinen P Sr. The second European Stroke Prevention Study (ESPS-2). *Int J Clin Pract Suppl* 1997;91:2-5.
- [133](#) Soininen H. Strategies to develop therapies for prevention of Alzheimer's disease. Abstract. In: *Trends in Neuroprotective Drugs: Design, Pharmacology and Clinics*, Riga, Latvia, May 29-June 1, p. 49. 1997. Pharmacology and Toxicology. Supplement 1. Vol. 80.
- [134](#) Soininen H. Kuulutko Alzheimer sukuun? *Hyvä terveys* 1997(5):43-45.
- [135](#) Soininen H. Alzheimerin taudin hoito. *Duodecim* 1997;113(18):1739-1746.
- [136](#) Soininen H. Alzheimerin tauti ja geenit. *Muisti* 1997(4):11-13.
- [137](#) Soininen H. Challenge of Alzheimer's disease is taken in Finland. *Unforgettable* 1997(3):39-40.
- [138](#) Soininen H, Partanen K, Pitkänen A, Hallikainen M, Hänninen T, Helisalmi S, Mannermaa A, Ryyänänen M, Koivisto K, Riekkinen P Sr. Decreased hippocampal volume asymmetry on MRI scans in nondemented elderly subjects carrying apolipoprotein E epsilon4 allele. Review Series, Dementia, The Pfizer Journal of Dementia
- [139](#) Soininen H, Tapiola TA, Alafuzoff I, Lehtovirta M, Ramberg J, Helisalmi S, Linnaranta K, Riekkinen PJ Sr. Cerebrospinal fluid levels of tau in dementia: relation to apolipoprotein E genotype in early Alzheimer's disease and correlation with neurofibrillary tangles. Abstract. In: *Suppl to Neurology Official Publication of The American Academy of Neurology 49th Annual Meeting*, Boston, 12-19 April, p. A379. 1997. Vol. 48.
- [140](#) Soininen HS, Riekkinen P Sr. APOE and memory in Alzheimer's disease. Abstract. In: *Oholo 41st Conference, Progress in Alzheimer's and Parkinson's Diseases, Fourth International Conference*, Eilat, Israel, 18-23 May, p. 4. 1997.
- [141](#) Solovyan V, Huotari V, Korhonen P, Salminen A. Fragmentation of nuclear DNA during apoptosis in neuronal cells. Abstract. In: *13th International Conference and 7th Annual European Meeting*, Helsinki, Finland, 29 September - 1 October, p. 71. 1997.
- [142](#) Sorvari H. *Neurons Containing Calcium-Binding Proteins in the Human Amygdaloid Complex*. Doctoral dissertation. 1997. University of Kuopio. Department of Neurology. Series of Reports 41. 87 p.
- [143](#) Stroke Unit Trialists' Collaboration. Collaborative systematic review of the randomised trials of organised inpatient (stroke unit) care after stroke. *BMJ (Compact)* 1997;314:1151-1159.
- [144](#) Stroke Unit Trialists' Collaboration. How do stroke units improve patient outcomes. *Stroke* 1997;28:2139-2144.
- [145](#) Tanila H, Shapiro M, Gallagher M, Eichenbaum H. Brain aging: changes in the nature of information coding by the hippocampus. *J Neurosci* 1997;17(13):5155-5166.

- [146](#) Tanila H, Shapiro ML, Eichenbaum H. Discordance of spatial representation in ensembles of hippocampal place cells. *Hippocampus* 1997;7:613-623.
- [147](#) Tanila H, Sipilä P, Shapiro M, Eichenbaum H. Brain aging:impaired coding of novel environmental cues. *J Neurosci* 1997;17(13):5167-5174.
- [148](#) Tapiola T, Overmyer M, Lehtovirta M, Helisalmi S, Ramberg J, Alafuzoff I, Riekkinen P Sr, Soininen H. High levels of CSF tau predict severe neurofibrillar pathology in Alzheimer`s disease. Abstract. In: *27th Annual Meeting*, New Orleans, La, 25-30 October, p. 1645. 1997. Society for Neuroscience Abstracts 2. Vol. 23.
- [149](#) Tapiola T, Overmyer M, Lehtovirta M, Helisalmi S, Ramberg J, Alafuzoff I, Riekkinen P Sr, Soininen H. The level of cerebrospinal fluid tau correlates with neurofibrillary tangles in Alzheimer`s disease. *Neuroreport* 1997;8(18):3961-3963.
- [150](#) Tapiola TA, Lehtovirta M, Helisalmi S, Ramberg J, Linnaranta K, Alafuzoff I, Riekkinen P Sr, Soininen H. Tau protein in cerebrospinal fluid as a biomarker of Alzheimer`s disease. Abstract. In: *13 th International Conference and 7th Annual European Meeting*, Helsinki, Finland, 29 September - 1 October, p. 71. 1997.
- [151](#) The Disease Progression Sub-Group, Group Members (in alphabetical order), Bodick N, Forette F, Hadler D, Harvey RJ, Leber P, McKeith IG, Riekkinen PJ, Rossor MN, Scheltens P, Shimohama S, Spiegel R, Tanaka S, Thal LJ, Urata Y, Whitehouse P, Wilcock G. Protocols to demonstrate slowing of Alzheimer disease progression. *Alzheimer Dis Assoc Disord Suppl* 1997;11(3):50-53.
- [152](#) Toropainen M, Näkki R, Honkanen A, Rosenberg PH, Laurie DJ, Pelto-Huikko M, Koistinaho J, Eriksson CJP, Korpi ER. Behavioral sensitivity and ethanol potentiation of the N-methyl-D-aspartate receptor antagonist MK-801 in a rat line selected for high ethanol sensitivity. *Alcohol Clin Exp Res* 1997;21(4):666-671.
- [153](#) Torpström A, Tulla H, Niskanen L, Reinikainen K. Tymektomian merkitys myasthenia graviksen hoidossa. *Suomen Lääkärilehti* 1997;52(10):1115-1119.
- [154](#) Tuunanen J, Halonen T, Pitkänen A. Decrease in somatostatin-immunoreactive neurons in the rat amygdaloid complex in a kindling model of temporal lobe epilepsy. *Epilepsy Res* 1997;26:315-327.
- [155](#) Vanhanen M, Helkala EL, Koivisto K, Hänninen T, Kuusisto J, Laakso M, Riekkinen P Sr. Neuropsychological predictors of Alzheimer`s disease in a population based follow-up study. Abstract. In: *13th International Conference and 7th Annual European Meeting*, Helsinki, Finland, 29 September - 1 October, p. 91. 1997.
- [156](#) Vanhanen M, Koivisto K, Karjalainen L, Helkala E-L, Laakso M, Soininen H, Riekkinen P Sr. Risk for non-insulin-dependent diabetes in the normoglycaemic elderly is associated with impaired cognitive function. *Neuroreport* 1997;8(6):1527-1530.
- [157](#) WHO MONICA Project, Thorvaldsen P, Kuulasmaa K, Rajakangas A-M, Rastenyte D, Sarti C, Wilhelmsen L. Stroke trends in the WHO MONICA project. *Stroke* 1997;28(3):500-506.
- [158](#) Wittner M, Sivenius J, Koistinaho J. Alfa2-adrenoreceptor agonist, dexmedetomidine, alters acute gene expression after global ischemia in gerbils. *Neurosci Lett* 1997;232:75-78.
- [159](#) Wittner M, Sivenius J, Koistinaho J. Alfa2-Adrenoreceptor agonist, dexmedetomidine, alters acute gene expression after global ischemia in gerbils. *Neurosci Lett* 1997;232:75-78.
- [160](#) Ylinen A, Sirviö J. Muistiradoilla synapsit määräävät vauhdin ja pidon. *Tiede* 2000 1997(1):48-51.

- [161](#) Ylinen A, Sirviö J. Muistin biologinen perusta. *Duodecim* 1997;**113**(18):1729-1736.
- [162](#) Äikiä M, Kälviäinen R, Salmenperä T, Riekkinen PJ. Long-term cognitive effects of tiagabine. Abstract. In: *Suppl to Neurology Official Publication of The American Academy of Neurology 49 th Annual Meeting*, Boston, 12-19 April, p. A38. 1997. Vol. 48.

---

[Neurologian klinikka \\*](#)

[Julkaisutietokanta](#) 24.1.2013

Department of Neurology

[Publications Data Base](#) 24.1.2013