

Neurologian klinikka *

Department of Neurology

Julkaisut 1998-1998

Publications 1998-1998

Lisätietoja julkaisusta saa klikkaamalla sen numeroa.
For full details, please click the number in front of the publication.

- [1](#) Aura J, Riekkinen M, Riekkinen P Jr. Tetrahydroaminoacridine and D-cycloserine stimulate acquisition of water maze spatial navigation in aged rats. *Eur J Pharmacol* 1998;**342**:15-20.
- [2](#) Barnett HJM, Taylor DW, Eliasziw M, Fox AJ, Ferguson GG, Haynes RB, Rankin RN, Clagett GP, Hachinski VC, Sackett DL, Thorpe KE, Meldrum HE, For the North American Symptomatic Carotid Endarterectomy Trial Collaborators. Benefit of carotid endarterectomy in patients with symptomatic moderate or severe stenosis. *N Engl J Med* 1998;**339**(20):1415-1425.
- [3](#) Björklund M, Sirviö J, Puoliväli J, Sallinen J, Jäkälä P, Scheinin M, Kobilka BK, Riekkinen P Jr. Alpha2C-adrenoceptor-overexpressing mice are impaired in executing nonspatial and spatial escape strategies. *Mol Pharmacol* 1998;**54**:569-576.
- [4](#) Chauhan A, Pirttilä T, Chauhan VPS, Mehta P, Wisniewski HM. Aggregation of amyloid beta-protein as function of age and apolipoprotein E in normal and Alzheimer`s serum. *J Neurol Sci* 1998;**154**:159-163.
- [5](#) Cho YH, Giese KP, Tanila H, Silva AJ, Eichenbaum H. Abnormal hippocampal spatial representations in alfaCaMKII T286A and CREBalfa delta- Mice. *Science* 1998;**279**:867-869.
- [6](#) DECODE Study Group on behalf of the European Diabetes Epidemiology Study Group. Will new diagnostic criteria for diabetes mellitus change phenotype of patients with diabetes? Reanalysis of European epidemiological data. *BMJ (Compact)* 1998;**317**:371-375.
- [7](#) Eliasziw M, Spence JD, Barnett HJM, For THE North American Symptomatic Carotid Endarterectomy Trial. Carotid endarterectomy does not affect long-term blood pressure: observations from the NASCET. *Cerebrovasc Dis* 1998;**8**:20-24.
- [8](#) Elovaara I, Sabri F, Gray F, Alafuzoff I, Chiodi F. The expression of fas and fas ligand in HIV-1-infected brain: correlation to apoptosis of neural and immune cells. Abstract. In: *American Academy of Neurology 50th Annual Meeting Program*, Minneapolis, April 25-May 2, p. A217. 1998.
- [9](#) European Carotid Surgery Trialists? Collaborative Group. Randomised trial of endarterectomy for recently symptomatic carotid stenosis: final results of the MRC European Carotid Surgery Trial (ECST). *Lancet* 1998;**351**:1379-1387.
- [10](#) Forsén T, Nissinen A, Tuomilehto J, Notkola I-L, Eriksson J, Vinni S. Growth in childhood and blood pressure in Finnish children. *J Hum Hypertens* 1998;**12**:397-402.
- [11](#) Haapalinna A, Sirviö J, Lammintausta R. Facilitation of cognitive functions by a specific alpha2-adrenoceptor antagonist, atipamezole. *Eur J Pharmacol* 1998;**347**:29-40.

- [12](#) Hacke W, Kaste M, Fieschi C, Kummer R von, Davalos A, Meier D, Larrue V, Bluhmki E, Davis S, Donnan G, Schneider D, Diez-Tejedor E, Trouillas P, for the Second European-Australasian Acute Stroke Study Investigators. Randomised double-blind placebo-controlled trial of thrombolytic therapy with intravenous alteplase in acute ischaemic stroke (ECASS II). *Lancet* 1998;**352**:1245-1251.
- [13](#) Hallikainen M. *Age-Associated Memory Impairment and Apolipoprotein E. A Population-Based Clinical, Neuropsychological, Neurophysiological and Neuroimaging Study*. Doctoral dissertation. 1998. University of Kuopio. Department of Neurology. Series of Reports 45. 105 p.
- [14](#) Hallikainen M, Hänninen T, Partanen K, Soininen H, Riekkinen P Sr. Apolipoprotein E, memory and hippocampal volumetry in non-demented elderly subjects: A longitudinal study. Abstract. In: *American Academy of Neurology 50th Annual Meeting Program*, Minneapolis, April 25-May 2, p. A160. 1998.
- [15](#) Hartikainen P, Laakso MP, Lehtovirta M, Riekkinen P Jr, Partanen K, Soininen H. Volumes of hippocampus in the clinical and MRI-based diagnosis of frontotemporal dementia with a reference to Alzheimer's disease and Parkinson's disease. Abstract. In: *American Academy of Neurology 50th Annual Meeting Program*, Minneapolis, April 25-May 2, p. A161. 1998.
- [16](#) Helisalmi S. *Molecular Genetics of Alzheimer's Disease . With Special Emphasis on Presenilin, Amyloid Beta Precursor Protein and Apolipoprotein E Genes*. Doctoral dissertation. 1998. University of Kuopio. Department of Neurology. Series of Reports 44. 110 p.
- [17](#) Hiltunen M, Mannermaa A, Helisalmi S, Koivisto A, Lehtovirta M, Ryyänen M, Riekkinen P Sr, Soininen H. Butyrylcholinesterase K variant and apolipoprotein E4 genes do not act in synergy in Finnish late-onset Alzheimer's disease patients. *Neurosci Lett* 1998;**250**:69-71.
- [18](#) Hökfelt T, Broberger C, Zhang X, Diez M, Kopp J, Xu Z-Q, Landry M, Bao L, Schalling M, Koistinaho J, DeArmond SJ, Prusiner S, Gong J, Walsh JH. Neuropeptide Y: some viewpoints on a multifaceted peptide in the normal and diseased nervous system. *Brain Res Rev* 1998;**26**:154-166.
- [19](#) Ikonen S, Schmidt B, Riekkinen P Jr. Apamin improves spatial navigation in medial septal-lesioned mice. *Eur J Pharmacol* 1998;**347**:13-21.
- [20](#) Insausti R, Juottonen K, Soininen H, Insausti AM, Partanen K, Vainio P, Laakso MP, Pitkänen A. MR volumetric analysis of the human entorhinal, perirhinal, and temporopolar cortices. *AJNR Am J Neuroradiol* 1998;**19**:659-671.
- [21](#) Jalanko A, Tenhunen K, McKinney CE, LaMarca ME, Rapola J, Autti T, Joensuu R, Manninen T, Sipilä I, Ikonen S, Riekkinen P Jr, Ginns EI, Peltonen L. Mice with an aspartylglucosaminuria mutation similar to humans replicate the pathophysiology in patients. *Hum Mol Genet* 1998;**7**(2):265-272.
- [22](#) Jolkkonen E, Pitkänen A. Intrinsic connections of the rat amygdaloid complex: projections originating in the central nucleus. *J Comp Neurol* 1998;**395**:53-72.
- [23](#) Juottonen K. *MRI Volumes of the Entorhinal, Perirhinal and Temporopolar Cortices in Normal Aging and in Alzheimer's Disease*. Doctoral dissertation. 1998. University of Kuopio. Department of Neurology. Series of Reports 47. 102 p.
- [24](#) Juottonen K, Laakso MP, Insausti R, Lehtovirta M, Pitkänen A, Partanen K, Soininen H. Volumes of the entorhinal and perirhinal cortices in Alzheimer's disease. *Neurobiol Aging* 1998;**19**(1):15-22.

- [25](#) Juottonen K, Lehtovirta M, Helisalme S, Riekkinen PJ Sr, Soininen H. Major decrease in the volume of the entorhinal cortex in patients with Alzheimer's disease carrying the apolipoprotein E epsilon4 allele. *J Neurol Neurosurg Psychiatry* 1998;**65**(3):322-327.
- [26](#) Kastarinen MJ, Salomaa VV, Vartiainen EA, Jousilahti PJ, Tuomilehto JO, Puska PM, Nissinen AM. Trends in blood pressure levels and control of hypertension in Finland from 1982 to 1997. *J Hypertens* 1998;**16**:1379-1387.
- [27](#) Kauhanen J, Myllykangas M, Salonen JT, Nissinen A. *Kansanterveystiede. 2. p.* Porvoo: WSOY, 1998. 376 s.
- [28](#) Kivinen P, Halonen P, Eronen M, Nissinen A. Self-rated health, physician-rated health and associated factors among elderly men: the Finnish cohorts of the Seven Countries Study. *Age Ageing* 1998;**27**:41-47.
- [29](#) Kivinen P, Sulkava R, Halonen P, Nissinen A. Self-reported and performance-based functional status and associated factors among elderly men: the Finnish cohorts of the Seven Countries Study. *J Clin Epidemiol* 1998;**51**(12):1243-1252.
- [30](#) Korhonen P, Tapiola T, Suuronen T, Salminen A. Expression of transcriptional repressor protein mSin3A but not mSin3B is induced during neuronal apoptosis. *Biochem Biophys Res Commun* 1998;**252**:274-277.
- [31](#) Koskinen T, Ruotsalainen S, Puumala T, Lappalainen R, Koivisto E, Männistö PT, Sirviö J. The role of 5-HT_{2A} receptors in the modulation of attention and response control in the rats. Abstract. In: *Serotonin Club. Fourth Iuphar Satellite Meeting on Serotonin*, Erasmus Expo & Congress Center, Rotterdam, July 23 - 25, 1998, p. 172. 1998.
- [32](#) Kraszpulski M, Soininen H, Riekkinen P Sr, Alafuzoff I. Pitfalls in the quantitative estimation of beta-amyloid immunoreactivity in human brain tissue. *Histochem Cell Biol* 1998;**110**:439-445.
- [33](#) Kälviäinen R. Status epilepticuksen hoito. Kirjassa: Kunnamo I, toim. *Yleislääkärin käsikirja. 4. uud. p.*, s. 1077-1079. Helsinki: Duodecim, 1998.
- [34](#) Kälviäinen R. Tiagabine: a new therapeutic option for people with intellectual disability and partial epilepsy. *J Intellect Disabil Res Suppl* 1998;**42**(1):63-67.
- [35](#) Kälviäinen R, Brodie MJ, Duncan J, Chadwick D, Edwards D, Lyby K, for the Northern European Tiagabine Study Group. A double-blind, placebo-controlled trial of tiagabine given three-times daily as add-on therapy for refractory partial seizures. *Epilepsy Res* 1998;**30**:31-40.
- [36](#) Kälviäinen R, Nousiainen I, Mäntyjärvi M, Riekkinen P J. Initial Vigabatrin monotherapy is associated with increased risk of visual field constriction; A follow-up study with patients on initial Carbamazepine monotherapy and healthy controls. Abstract. *Epilepsia (NY)* 1998;**39**(6):72.
- [37](#) Kälviäinen R, Partanen K, Äikiä M, Mannermaa A, Salmenperä T, Riekkinen PJ Sr. Apolipoprotein E polymorphism in relation to hippocampal cell damage and memory impairment in newly diagnosed partial epilepsy. Abstract. In: *American Academy of Neurology 50th Annual Meeting Program*, Minneapolis, April 25-May 2, p. A141. 1998.
- [38](#) Kälviäinen R, Salmenperä T, Partanen K, Vainio P, Riekkinen P Sr, Pitkänen A. Recurrent seizures may cause hippocampal damage in temporal lobe epilepsy. *Neurology* 1998;**50**:1377-1382.
- [39](#) Laakso MP, Soininen H, Partanen K, Lehtovirta M, Hallikainen M, Hänninen T, Helkala E-L, Vainio P, Riekkinen PJ Sr. MRI of the hippocampus in Alzheimer's disease: sensitivity,

specificity, and analysis of the incorrectly classified subjects. *Neurobiol Aging* 1998;**19**(1):23-31.

- 40 Lehtovirta M, Kuikka J, Helisalme S, Hartikainen P, Mannermaa A, Ryyänänen M, Riekkinen P Sr, Soininen H. Longitudinal SPECT study in Alzheimer's disease: relation to apolipoprotein E polymorphism. *J Neurol Neurosurg Psychiatry* 1998;**64**:742-746.
- 41 Mattila KM, Forsell C, Pirttilä T, Rinne JO, Lehtimäki T, Rötttä M, Lilius L, Eerola A, St George-Hyslop PH, Frey H, Lannfelt L. The Glu318Gly mutation of the presenilin-1 gene does not necessarily cause Alzheimer's disease. *Ann Neurol* 1998;**44**:965-967.
- 42 Mehta PD, Pirttilä T, Wisniewski HM. Biological test to confirm the diagnosis of Alzheimer's disease in cognitively impaired patients. A fact or fiction? In: Kumar V, Eisdorfer C, eds. *Advances in the Diagnosis and Treatment of Alzheimer's Disease*, p. 214-230. New York: Springer, 1998. Springer series on psychiatry.
- 43 Menotti A, Blackburn H, Seccareccia F, Kromhout D, Nissinen A, Karvonen M, Fidanza F, Giampaoli S, Buzina R, Mohacek I, Nedeljkovic S, Aravanis C, Dontas A. Relationship of some risk factors with typical and atypical manifestations of coronary heart disease. *Cardiology* 1998;**89**:59-67.
- 44 Mervaala E, Kälviäinen R, Könönen M, Partanen J, Viinamäki H, Lehtonen J. Severe depression treated with ECT: SPECT study with vigabatrin. Abstract. In: *American Epilepsy Society 52nd Annual Meeting*, U.S.A., December 1998. 1998.
- 45 Miettinen R, Kotti T, Tuunanen J, Toppinen A, Riekkinen P Sr, Halonen T. Hippocampal damage after injection of kainic acid into the rat entorhinal cortex. *Brain Res* 1998;**813**:9-17.
- 46 Mikkonen M, Soininen H, Kälviäinen R, Tapiola T, Ylinen A, Vapalahti M, Paljärvi L, Pitkänen A. Remodeling of neuronal circuitries in human temporal lobe epilepsy: increased expression of highly polysialylated neural cell adhesion molecule in the hippocampus and the entorhinal cortex. *Ann Neurol* 1998;**44**:923-934.
- 47 Myllykangas M, Jormanainen V, Winell K, Nissinen A. Terveystenhoitohenkilöstön tupakointi Suomessa 1995. *Suomen Lääkärilehti* 1998;**53**(27):3001-3003.
- 48 Niittykoski M, Lappalainen R, Jolkkonen J, Haapalinna A, Riekkinen P Sr, Sirviö J. Systemic administration of atipamezole, a selective antagonist of alpha-2 adrenoceptors, facilitates behavioural activity but does not influence short-term or long-term memory in trimethyltin-intoxicated and control rats. *Neurosci Biobehav Rev* 1998;**22**(6):735-750.
- 49 Notkola I-L, Sulkava R, Pekkanen J, Erkinjuntti T, Ehnholm C, Kivinen P, Tuomilehto J, Nissinen A. Serum total cholesterol, apolipoprotein E e4 allele, and Alzheimer's disease. *Neuroepidemiology* 1998;**17**:14-20.
- 50 Närhinen M, Nissinen A, Penttilä P-L, Simonen O, Cernerud L, Puska P. Salt content labelling of foods in supermarkets in Finland. *Agric Food Sci Finl* 1998;**7**:447-453.
- 51 Närhinen M, Nissinen A, Puska P. Sales data of a supermarket - a tool for monitoring nutrition interventions. *Public Health Nutr* 1998;**1**(2):101-107.
- 52 Peltola H, Enlund H, Nissinen A, Tuomilehto J. Physicians' opinions about the management of hypertension: changes in Finland between 1985 and 1992. *J Hum Hypertens* 1998;**12**:239-243.
- 53 Penttonen M, Kamondi A, Acsády L, Buzsáki G. Gamma frequency oscillation in the hippocampus of the rat: intracellular analysis in vivo. *Eur J Neurosci* 1998;**10**:718-728.
- 54 Pirttilä T. Uudet dementialääkkeet. Abstrakti. Kirjassa: Anttila S, Lahtela J, Suhonen J, Holm K, Lehtomäki E, Anttila P, toim. *XIX Tampereen Lääkäripäivät*, Tampere, 19-21.3., s. 201. 1998.

- [55](#) Pirttilä T, Eerola A, Frey H. Alzheimerin taudin täsmähoito - haaste terveydenhuollolle. *Suomen Lääkärilehti* 1998;**53**(35):4051-4057.
- [56](#) Pirttilä T, Koivisto K, Mehta PD, Reinikainen K, Kim KS, Kilkku O, Heinonen E, Soininen H, Riekkinen P Sr, Wisniewski HM. Longitudinal study of cerebrospinal fluid amyloid proteins and apolipoprotein E in patients with probable Alzheimer's disease. *Neurosci Lett* 1998;**249**:21-24.
- [57](#) Pitkänen A. Mantelitulmake. *Duodecim* 1998;**114**:2451-2459.
- [58](#) Pitkänen A. Mantelitulmake - mikä se on ja mihin me sitä tarvitsemme? *Epilepsia-lehti* 1998;**30**(1):16-18.
- [59](#) Pitkänen A, Amaral DG. Organization of the intrinsic connections of the monkey amygdaloid complex: projections originating in the lateral nucleus. *J Comp Neurol* 1998;**398**:431-458.
- [60](#) Pitkänen A, Halonen T. Prevention of epilepsy. *Trends Pharmacol Sci* 1998;**19**:253-254.
- [61](#) Pitkänen A, Tuunanen J, Kälviäinen R, Partanen K, Salmenperä T. Amygdala damage in experimental and human temporal lobe epilepsy. *Epilepsy Res* 1998;**32**:233-253.
- [62](#) Puoliväli J, Jäkälä P, Koivisto E, Riekkinen P Jr. Muscarinic M1 and M2 receptor subtype selective drugs modulate neocortical EEG via thalamus. *Neuroreport* 1998;**9**:1685-1689.
- [63](#) Puoliväli J, Jäkälä P, Koivisto E, Riekkinen P Jr. Oxotremorine suppresses thalamocortical oscillations via thalamic muscarinic acetylcholine receptors. *Psychopharmacology* 1998;**140**:285-292.
- [64](#) Puranen J, Laakso M, Riekkinen PJ Sr, Sivenius J. Efficacy of antiplatelet treatment in hypertensive patients with TIA or stroke. *J Cardiovasc Pharmacol* 1998;**32**:291-294.
- [65](#) Puska P, Vartiainen E, Tuomilehto J, Nissinen A. Community-based prevention of cardiovascular diseases: 25-year experience of the North Karelia project in Finland. *J Saudi Heart Assoc* 1998;**10**(2):128-131.
- [66](#) Puska P, Vartiainen E, Tuomilehto J, Salomaa V, Nissinen A. Changes in premature deaths in Finland: successful long-term prevention of cardiovascular diseases. *Bull World Health Organ* 1998;**76**(4):419-425.
- [67](#) Pussinen R, Sirviö J. Minor role for alpha1-adrenoceptors in the facilitation of induction and early maintenance of long-term potentiation in the CA1 field of the hippocampus. *J Neurosci Res* 1998;**51**:309-315.
- [68](#) Pussinen R, Sirviö J, Alhonen L, Larson J, Halmekytö M, Koivisto E, Jänne J. Preserved induction of long-term potentiation in the stratum radiatum in the CA1 field of hippocampal slices from transgenic mice overexpressing ornithine decarboxylase and overproducing putrescine. *Synapse* 1998;**28**:288-293.
- [69](#) Puumala T, Greijus S, Narinen K, Haapalinna A, Riekkinen P Sr, Sirviö J. Stimulation of alpha-1 adrenergic receptors facilitates spatial learning in rats. *Eur Neuropsychopharmacology* 1998;**8**:17-26.
- [70](#) Puumala T, Sirviö J. Changes in activities of dopamine and serotonin systems in the frontal cortex underlie poor choice accuracy and impulsivity of rats in an attention task. *Neuroscience* 1998;**83**(2):489-499.
- [71](#) Pyapali GK, Sik A, Penttonen M, Buzsaki G, Turner DA. Dendritic properties of hippocampal CA1 pyramidal neurons in the rat: intracellular staining in vivo and in vitro. *J Comp Neurol* 1998;**391**:335-352.

- [72](#) Riekkinen M, Kejonen K, Jäkälä P, Soininen H, Riekkinen P Jr. Reduction of noradrenaline impairs attention and dopamine depletion slows responses in Parkinson's disease. *Eur J Neurosci* 1998;**10**:1429-1435.
- [73](#) Riekkinen M, Soininen H, Riekkinen P Sr, Kuikka J, Laakso M, Helkala E-L, Partanen J, Riekkinen P Jr. Tetrahydroaminoacridine improves the recency effect in Alzheimer's disease. *Neuroscience* 1998;**83**(2):471-479.
- [74](#) Riekkinen P Jr, Ikonen S, Riekkinen M. Tetrahydroaminoacridine, a cholinesterase inhibitor, and d-cycloserine, a partial NMDA receptor-associated glycine site agonist, enhances acquisition of spatial navigation. *Neuroreport* 1998;**9**:1633-1637.
- [75](#) Riekkinen P Jr, Kejonen K, Laakso MP, Soininen H, Partanen K, Riekkinen M. Hippocampal atrophy is related to impaired memory, but not frontal functions in non-demented Parkinson's disease patients. *Neuroreport* 1998;**9**:1507-1511.
- [76](#) Riekkinen P Jr, Schmidt BH, Staay FJ van der. Animal models in the development of symptomatic and preventive drug therapies for Alzheimer's disease. *Ann Med* 1998;**30**:566-576.
- [77](#) Riekkinen P Sr, Kälviäinen R, Salmenperä T, Perry D, Pedersen PC. Tiagabine monotherapy in chronic partial epilepsy. Abstract. In: *American Academy of Neurology 50th Annual Meeting Program*, Minneapolis, April 25-May 2, p. A200. 1998.
- [78](#) Riekkinen PJ Sr, Koivisto K, Reinikainen KJ, Hänninen T, Hallikainen M, Kilkku P, Helkala E-L, Heinonen E. Can apo-4 subtype predict response to Selegiline treatment in Alzheimer's disease? Abstract. In: *Fifth International Geneva/Springfield Symposium on Advances in Alzheimer Therapy*, Geneva, Switzerland, 15-18, April, p. 91. 1998.
- [79](#) Roivainen R, Miettinen S, Keinänen R, Koistinaho J. Cortical spreading depression induces expression of specific protein kinase C isozymes through NMDA-receptor and phospholipase A2 activation. Abstract. In: *American Academy of Neurology 50th Annual Meeting Program*, Minneapolis, April 25-May 2, p. A399. 1998.
- [80](#) Roschier M, Kuusisto E, Kyrlylenko S, Salminen A. Expression of seizure-related PTZ-17 is induced by potassium deprivation in cerebellar granule cells. *Biochem Biophys Res Commun* 1998;**252**:10-13.
- [81](#) Ruotsalainen S, Macdonald E, Koivisto E, Stefanski R, Haapalinna A, Riekkinen P Jr, Sirviö J. 5-HT1A receptor agonist (8-OH-DPAT) and 5-HT2 receptor agonist (DOI) disrupt the non-cognitive performance of rats in a working memory task. *J Psychopharmacol* 1998;**12**(2):177-185.
- [82](#) Ruotsalainen S, Miettinen R, Macdonald E, Riekkinen M, Sirviö J. The role of the dorsal raphe-serotonergic system and cholinergic receptors in the modulation of working memory. *Neurosci Biobehav Rev* 1998;**22**(1):21-31.
- [83](#) Ruusuvirta T, Penttonen M, Korhonen T. Auditory cortical event-related potentials to pitch deviances in rats. *Neurosci Lett* 1998;**248**:45-48.
- [84](#) Salmenperä T, Kälviäinen R, Partanen K, Pitkänen A. Hippocampal damage caused by seizures in temporal lobe epilepsy. *Lancet* 1998;**351**:35.
- [85](#) Salminen A, Tapiola T, Korhonen P, Suuronen T. Neuronal apoptosis induced by histone deacetylase inhibitors. *Mol Brain Res* 1998;**61**:203-206.
- [86](#) Salonen T, Ylinen A, eds. *100 Years of Epilepsy Care and Research in Kuopio. Proceedings of the Symposium*. Finland: 1998. University of Kuopio. Department of Neuroscience and

Neurology.

- [87](#) Scheltens P, Erkinjuntti T, Leys D, Wahlund L-O, Inzitari D, Ser T, Pasquier F, Barkhof F, Mäntylä R, Bowler J, Wallin A, Ghika J, Fazekas F, Pantoni L, European Task Force on Age-Related White Matter Changes. White matter changes on CT and MRI: An overview of visual rating scales. *Eur Neurol* 1998;**39**:80-89.
- [88](#) Sivenius J. Stroke severity and the efficacy of antiplatelet therapy in ESPS2 study. Abstract. In: *American Academy of Neurology 50th Annual Meeting Program*, Minneapolis, April 25-May 2, p. A158. 1998.
- [89](#) Sivenius J, Sarti C, Immonen-Räihä P, Kaarsalo E, Kuulasmaa K, Mähönen M, Narva EV, Salomaa V, Salmi K, Torppa J, Tuomilehto J. Aivohalvausten ilmaantuvuuden ja aivohalvauskuolleisuuden muutokset kymmenen vuoden aikana FINMONICA-tutkimuksessa. *Suomen Lääkärilehti* 1998;**53**(28):3071-3079.
- [90](#) Soininen H. Alzheimer genetics - treatment interactions. Abstract. In: *Fifth International Geneve/Springfield Symposium on Advances in Alzheimer Therapy*, Geneve, Switzerland, 15-18, April, p. 106. 1998.
- [91](#) Soininen H. Geenit selittävät puolet Alzheimerin taudista. *Kansanterveys* 1998(7):5.
- [92](#) Soininen HS, Riekkinen P Sr. Apoe and memory in Alzheimer's disease. Abstract. In: *Fifth International Geneve/Springfield Symposium on Advances in Alzheimer Therapy*, Geneve, Switzerland, 15-18, April. 1998.
- [93](#) Soininen HS, Riekkinen PJ Sr. ApoE and memory in Alzheimer's disease. In: Fisher A, Hanin I, Yoshida M, eds. *Progress in Alzheimer's and Parkinson's Diseases*, p. 13-16. New York: Plenum, 1998. Advances in Behavioral Biology. Vol. 49.
- [94](#) Soininen HS, Scheltens P. Early diagnostic indices for the prevention of Alzheimer's disease. *Ann Med* 1998;**30**:553-559.
- [95](#) Solovyan V, Bezvenyuk Z, Huotari V, Tapiola T, Suuronen T, Salminen A. Distinct mode of apoptosis induced by genotoxic agent etoposide and serum withdrawal in neuroblastoma cells. *Mol Brain Res* 1998;**62**:43-55.
- [96](#) Sorvari H, Miettinen R, Soininen H, Paljärvi L, Karkola K, Pitkänen A. Calretinin-immunoreactive terminals make synapses on calbindin D28k-immunoreactive neurons in the lateral nucleus of the human amygdala. *Brain Res* 1998;**783**:355-358.
- [97](#) Tanila H. Uusia signaaleja ikääntyviin aivoihin. *Tiede 2000* 1998(2):28-31.
- [98](#) Tanila H. Unique features in the processing of spatial information by the aged hippocampus as shown by place cell recording studies: a response to Peter Rapp's commentary "Representational organization in the aged hippocampus". *Hippocampus* 1998;**8**:436-437.
- [99](#) Tanila H, Björklund M, Riekkinen P Jr. Cognitive changes in mice following moderate MPTP exposure. *Brain Res Bull* 1998;**45**(6):577-582.
- [100](#) Tapiola T, Lehtovirta M, Pirttilä T, Alafuzoff I, Riekkinen P, Soininen H. Increased aspartate aminotransferase activity in cerebrospinal fluid and Alzheimer's disease. *Lancet* 1998;**352**:287.
- [101](#) Tapiola T, Lehtovirta M, Ramberg J, Helisalmi S, Linnaranta K, Riekkinen P Sr, Soininen H. CSF tau is related to apolipoprotein E genotype in early Alzheimer's disease. *Neurology* 1998;**50**:169-174.
- [102](#) Tapiola T, Overmyer M, Lehtovirta M, Helisalmi S, Ramberg J, Alafuzoff I, Riekkinen P Sr, Soininen H. The level of cerebrospinal fluid tau correlates with neurofibrillary tangles in

Alzheimer`s disease. *Alzheimer's Research* 1998;4(1):45-48.

- [103](#) Tarkka IM, Basile LFH. Electric source localization adds evidence for task-specific CNVs. *Behav Neurol* 1998;**11**:21-28.
- [104](#) Tarkka IM, Stokic DS. Source localization of P300 from oddball, single stimulus, and omitted-stimulus paradigms. *Brain Topogr* 1998;**11**(2):141-151.
- [105](#) The Ronald and Nancy Reagan Research Institute of the Alzheimer's ... Consensus report of the working group on: Molecular and biochemical markers of Alzheimer?s disease. *Neurobiol Aging* 1998;**19**(2):109-116.
- [106](#) Tuomilehto J, Qiao Q, Salonen R, Nissinen A, Salonen JT. Ultrasonographic manifestations of carotid atherosclerosis and glucose intolerance in elderly Eastern Finnish men. *Diabetes Care* 1998;**21**(8):1349-1352.
- [107](#) Tuomilehto J, Ryyänänen O-P, Koistinen A, Rastentye D, Nissinen A, Puska P. Low diastolic blood pressure and mortality in a population-based cohort of 16 913 hypertensive patients in North Karelia, Finland. *J Hypertens* 1998;**16**:1235-1242.
- [108](#) Vanhanen M. *Cognitive Function in Glucose Intolerance in the Elderly: the Role of Hyperinsulinemia*. Doctoral dissertation. 1998. University of Kuopio. Department of Neurology. Series of Reports 46. 70 p.
- [109](#) Vanhanen M, Koivisto K, Kuusisto J, Mykkänen L, Helkala E-L, Hänninen T, Riekkinen P Sr, Soininen H, Laakso M. Cognitive function in an elderly population with persistent impaired glucose tolerance. *Diabetes Care* 1998;**21**(3):398-402.
- [110](#) Vanhanen M, Soininen H. Glucose intolerance, cognitive impairment and Alzheimer?s disease. *Curr Opin Neurol* 1998;**11**:673-677.
- [111](#) Vanninen R, Äikiä M, Könönen M, Partanen K, Tulla H, Hartikainen P, Partanen J, Manninen H, Enberg P, Hippeläinen M. Subclinical cerebral complications after coronary artery bypass grafting. *Arch Neurol* 1998;**55**:618-627.
- [112](#) Wisniewski HM, Pirttilä T, Wegiel J. Etiology and neuropathogenesis of Alzheimer`s disease. In: Kumar V, Eisdorfer C, eds. *Advances in the Diagnosis and Treatment of Alzheimer`s Disease*, p. 31-52. New York: Springer , 1998.
- [113](#) Ylinen A. Antiepileptic efficacy of vigabatrin in people with severe epilepsy and intellectual disability. *J Intellect Disabil Res Suppl* 1998;**42**(1):46-49.
- [114](#) Yrjänheikki J, Keinänen R, Pellikka M, Hökfelt T, Koistinaho J. Tetracyclines inhibit microglial activation and are neuroprotective in global brain ischemia. *Proc Natl Acad Sci U S A* 1998;**95**:15769-15774.

[Neurologian klinikka *](#)

Department of Neurology

[Julkaisutietokanta](#) 24.1.2013

[Publications Data Base](#) 24.1.2013