

---

# Neurologian klinikka \*

## Department of Neurology

### Julkaisut 1999-1999

### Publications 1999-1999

Lisätietoja julkaisusta saa klikkaamalla sen numeroa.  
For full details, please click the number in front of the publication.

---

- [1](#) Alafuzoff I, Hartikainen P, Hanninen T, Partanen K, Kuikka J, Syrjänen K, Naukkarinen A, Soininen H. Rapidly progressive multifocal leukoencephalopathy with substantial cell-mediated inflammatory response and with cognitive decline of non-Alzheimer type in a 75-year-old female patient. *Clin Neuropathol* 1999;**18**(3):113-123.
- [2](#) Alafuzoff I, Helisalmi S, Mannermaa A, Riekkinen P Sr, Soininen H. Beta-amyloid load is not influenced by the severity of cardiovascular disease in aged and demented patients. *Stroke* 1999;**30**:613-618.
- [3](#) Alafuzoff I, Overmyer M, Helisalmi S, Riekkinen P Sr, Soininen H. Beta-amyloid load, astroglia and microglia in Alzheimer's disease: association with apoE genotype. *Alzheimer's Research* 1999;**2**(5):283-289.
- [4](#) Aura J, Riekkinen P Jr. Blockade of NMDA receptors located at the dorsomedial prefrontal cortex impairs spatial working memory in rats. *Neuroreport* 1999;**10**:243-248.
- [5](#) Bayer TA, Jäkälä P, Hartmann T, Egensperger R, Buslei R, Falkai P, Beyreuther K. Neural expression profile of alpha-synuclein in developing human cortex. *Neuroreport* 1999;**10**:2799-2803.
- [6](#) Bayer TA, Jäkälä P, Hartmann T, Havas L, McLean C, Culvenor JG, Li Q-X, Masters CL, Falkai P, Beyreuther K. Alpha-synuclein accumulates in Lewy bodies in Parkinson's disease and dementia with Lewy bodies but not in Alzheimer's disease beta-amyloid plaque cores. *Neurosci Lett* 1999;**266**:213-216.
- [7](#) Björklund M, Sirviö J, Sallinen J, Scheinin M, Kobilka BK, Riekkinen P Jr. Alpha2C-adrenoceptor overexpression disrupts execution of spatial and non-spatial search patterns. *Neuroscience* 1999;**88**(4):1187-1198.
- [8](#) Chadwick D, for the Vigabatrin European Monotherapy Study Group. Safety and efficacy of vigabatrin and carbamazepine in newly diagnosed epilepsy: a multicentre randomised double-blind study. *Lancet* 1999;**354**:13-19.
- [9](#) Culvenor JG, McLean CA, Cutt S, Campbell BCV, Maher F, Jäkälä P, Hartmann T, Beyreuther K, Masters CL, Li Q-X. Non-Abeta component of Alzheimer's disease amyloid (NAC) revisited: NAC and alpha-synuclein are not associated with Abeta amyloid. *Am J Pathol* 1999;**155**:1173-1181.
- [10](#) Eichenbaum H, Dudchenko P, Wood E, Shapiro M, Tanila H. The hippocampus, memory, and place cells: is it spatial memory or a memory space? *Neuron* 1999;**23**:209-226.

- 11 Eloniemi-Sulkava U, Sivenius J, Sulkava R. Support program for demented patients and their carers: the role of dementia family care coordinator is crucial. In: Iqbal K, Swaab DF, Winblad B, Wisniewski HM, eds. *Alzheimer's Disease and Related Disorders. Etiology, Pathogenesis and Therapeutics*, p. 795-802. Chichester: John Wiley & Sons, 1999.
- 12 Elovaara I, Sabri F, Gray F, Alafuzoff I, Chiodi F. Upregulated expression of Fas and Fas ligand in brain through the spectrum of HIV-1 infection. *Acta Neuropathol* 1999;**98**:355-362.
- 13 Everson SA, Kaplan GA, Goldberg DE, Lakka TA, Sivenius J, Salonen JT. Anger expression and incident stroke: prospective evidence from the Kuopio Ischemic Heart Disease Study. *Stroke* 1999;**30**:523-528.
- 14 Ferguson GG, Eliasziw M, Barr HWK, Clagett GP, Barnes RW, Wallace MC, Taylor DW, Haynes RB, Finan JW, Hachinski VC, Barnett HJM, for the North American Symptomatic Carotid Endarterectomy Trial (NASCET) Group. The North American Symptomatic Carotid Endarterectomy Trial surgical results in 1415 patients. *Stroke* 1999;**30**:1751-1758.
- 15 Frisoni GB, Laakso MP, Beltramello A, Geroldi C, Bianchetti A, Soininen H, Trabucchi M. Hippocampal and entorhinal cortex atrophy in frontotemporal dementia and Alzheimer's disease. *Neurology* 1999;**52**:91-100.
- 16 Geroldi C, Pihlajamäki M, Laakso MP, DeCarli C, Beltramello A, Bianchetti A, Soininen H, Trabucchi M, Frisoni GB. APOE-epsilon4 is associated with less frontal and more medial temporal lobe atrophy in AD. *Neurology* 1999;**53**:1825-1832.
- 17 Gröhn OHJ, Lukkarinen JA, Silvennoinen MJ, Pitkänen A, van Zijl PCM, Kauppinen RA. Quantitative magnetic resonance imaging assessment of cerebral ischemia in rat using on-resonance T1 in the rotating frame. *Magn Reson Med* 1999;**42**:268-276.
- 18 Haapalinna A, MacDonald E, Viitamaa T, Salonen JS, Sirviö J, Virtanen R. Comparison of the effects of acute and subchronic administration of atipamezole on reaction to novelty and active avoidance learning in rats. *Naunyn Schmiedebergs Arch Pharmacol* 1999;**359**:194-203.
- 19 Halonen T, Nissinen J, Pitkänen A. Neuroprotective effect of remacemide hydrochloride in a perforant pathway stimulation model of status epilepticus in the rat. *Epilepsy Res* 1999;**34**:251-269.
- 20 Helenius M, Mäkeläinen L, Salminen A. Attenuation of NF-kappaB signaling response to UVB light during cellular senescence. *Exp Cell Res* 1999;**248**:194-202.
- 21 Helisalmi S, Hiltunen M, Valonen P, Mannermaa A, Koivisto AM, Lehtovirta M, Ryyänänen M, Soininen H. Promoter polymorphism (-491A/T) in the APOE gene of Finnish Alzheimer's disease patients and control individuals. *J Neurol* 1999;**246**:821-824.
- 22 Hiltunen M, Mannermaa A, Koivisto AM, Lehtovirta M, Helisalmi S, Ryyänänen M, Riekkinen P Sr, Soininen H. Linkage disequilibrium in the 13q12 region in Finnish late onset Alzheimer's disease patients. *Eur J Hum Genet* 1999;**7**:652-658.
- 23 Holmberg M, Scheinin M, Kurose H, Miettinen R. Adrenergic alpha2C-receptors reside in rat striatal gabaergic projection neurons: comparison of radioligand binding and immunohistochemistry. *Neuroscience* 1999;**93**(4):1323-1333.
- 24 Hänninen T. Dementiaa ennakoiva lievä kognitiivinen heikentyminen. *Muisti* 1999;**12**(4):10-11.
- 25 Hänninen T, Pulliainen V, Salo J, Hokkanen L, Erkinjuntti T, Koivisto K, Viramo P, Soininen H, Suomen muistitutkimusyksiköiden asiantuntijaryhmä. Kognitiiviset testit muistihäiriöiden ja alkavan dementian varhaisdiagnostiikassa: CERAD-tehtäväsarja. *Suomen Lääkärilehti* 1999;**54**(15):1967-1975.

- [26](#) Hänninen T, Soininen H. Lievä kognitiivinen heikentyminen dementian varhaisena merkinä. *Duodecim* 1999;**115**:381-388.
- [27](#) Hökfelt T, Broberger C, Diez M, Xu Z-Q, Shi T, Kopp J, Zhang X, Holmberg K, Landry M, Koistinaho J. Galanin and NPY, two peptides with multiple putative roles in the nervous system. *Horm Metab Res* 1999;**31**:330-334.
- [28](#) Ihalainen JA, Riekkinen P Jr, Feenstra MGP. Comparison of dopamine and noradrenaline release in mouse prefrontal cortex, striatum and hippocampus using microdialysis. *Neurosci Lett* 1999;**277**:71-74.
- [29](#) Ikonen S, Riekkinen P Jr. Effects of apamin on memory processing of hippocampal-lesioned mice. *Eur J Pharmacol* 1999;**382**:151-156.
- [30](#) Ikonen S, Schmidt BH, Riekkinen P Jr. Characterization of learning and memory behaviors and the effects of metrifonate in the C57BL strain of mice. *Eur J Pharmacol* 1999;**372**:117-126.
- [31](#) Jacobs DR Jr, Adachi H, Mulder I, Kromhout D, Menotti A, Nissinen A, Blackburn H, for the Seven Countries Study Group. Cigarette smoking and mortality risk: twenty-five-year follow-up of the Seven Countries Study. *Arch Intern Med* 1999;**159**:733-740.
- [32](#) Jagger C, Andersen K, Breteler MMB, Copeland RJM, Dartigues J-F, Di Carlo A, Fratiglioni L, Lobo A, Schmidt R, Soininen H, Hofman A, Launer LJ. Prognosis with dementia: results from a European collaborative analysis of population-based studies. In: Iqbal K, Swaab DF, Winblad B, Wisniewski HM, eds. *Alzheimer's Disease and Related Disorders. Etiology, Pathogenesis and Therapeutics*, p. 39-44. Chichester: John Wiley & Sons, 1999.
- [33](#) Jansen MCJF, Bueno-De-Mesquita HB, Buzina R, Fidanza F, Menotti A, Blackburn H, Nissinen AM, Kok FJ, Kromhout D, for the Seven Countries Study Research Group. Dietary fiber and plant foods in relation to colorectal cancer mortality: The Seven Countries Study. *Int J Cancer* 1999;**81**:174-179.
- [34](#) Jansen MCJF, Bueno-de-Mesquita HB, Räsänen L, Fidanza F, Menotti A, Nissinen A, Feskens EJM, Kok FJ, Kromhout D, for the Seven Countries Study Research Group. Consumption of plant foods and stomach cancer mortality in the Seven Countries Study. Is grain consumption a risk factor? *Nutr Cancer* 1999;**34**(1):49-55.
- [35](#) Jolkkonen J, Puurunen K, Koistinaho J, Kauppinen R, Haapalinna A, Nieminen L, Sivenius J. Neuroprotection by the alpha2-adrenoceptor agonist, dexmedetomidine, in rat focal cerebral ischemia. *Eur J Pharmacol* 1999;**372**:31-36.
- [36](#) Jongen-Rêlo AL, Pitkänen A, Amaral DG. Distribution of GABAergic cells and fibers in the hippocampal formation of the macaque monkey: an immunohistochemical and in situ hybridization study. *J Comp Neurol* 1999;**408**:237-271.
- [37](#) Juottonen K, Laakso MP, Partanen K, Soininen H. Comparative MR analysis of the entorhinal cortex and hippocampus in diagnosing Alzheimer disease. *AJNR Am J Neuroradiol* 1999;**20**:139-144.
- [38](#) Jäkälä P, Riekkinen M, Sirviö J, Koivisto E, Kejonen K, Vanhanen M, Riekkinen P Jr. Guanfacine, but not clonidine, improves planning and working memory performance in humans. *Neuropsychopharmacology* 1999;**20**:460-470.
- [39](#) Jäkälä P, Riekkinen M, Sirviö J, Koivisto E, Riekkinen P Jr. Clonidine, but not guanfacine, impairs choice reaction time performance in young healthy volunteers. *Neuropsychopharmacology* 1999;**21**:495-502.

- [40](#) Jäkälä P, Sirviö J, Riekkinen M, Koivisto E, Kejonen K, Vanhanen M, Riekkinen P Jr. Guanfacine and clonidine, alpha2-agonists, improve paired associates learning, but not delayed matching to sample, in humans. *Neuropsychopharmacology* 1999;**20** (2):119-130.
- [41](#) Järvelä I, Lehtovirta M, Tikkanen R, Kyttälä A, Jalanko A. Defective intracellular transport of CLN3 is the molecular basis of Batten disease. *Hum Mol Genet* 1999;**8**(6):1091-1098.
- [42](#) Kangas H, Ulmanen I, Paunio T, Kwiatkowski DJ, Lehtovirta M, Jalanko A, Peltonen L. Functional consequences of amyloidosis mutation for gelsolin polypeptide - analysis of gelsolin-actin interaction and gelsolin processing in gelsolin knock-out fibroblasts. *FEBS Lett* 1999;**454**(3):233-239.
- [43](#) Kappelle LJ, Eliasziw M, Fox AJ, Sharpe BL, Barnett HJM, for The American Symptomatic Carotid Endarterectomy Trial (NASCET) Group. Importance of intracranial atherosclerotic disease in patients with symptomatic stenosis of the internal carotid artery. *Stroke* 1999;**30**:282-286.
- [44](#) Karonen JO, Vanninen RL, Liu Y, Østergaard L, Kuikka JT, Nuutinen J, Vanninen EJ, Partanen PLK, Vainio PA, Korhonen K, Perkiö J, Roivainen R, Sivenius J, Aronen HJ. Combined diffusion and perfusion MRI with correlation to single-photon emission CT in acute ischemic stroke: ischemic penumbra predicts infarct growth. *Stroke* 1999;**30**:1583-1590.
- [45](#) Keinänen R, Vartiainen N, Koistinaho J. Molecular cloning and characterization of the rat inducible nitric oxide synthase (iNOS) gene. *Gene* 1999;**234**:297-305.
- [46](#) Koistinaho J, Koponen S, Chan PH. Expression of cyclooxygenase-2 mRNA after global ischemia is regulated by AMPA receptors and glucocorticoids. *Stroke* 1999;**30**:1900-1906.
- [47](#) Koistinaho J, Pasonen S, Yrjänheikki J, Chan PH. Spreading depression-induced gene expression is regulated by plasma glucose. *Stroke* 1999;**30**:114-119.
- [48](#) Koponen S, Keinänen R, Roivainen R, Hirvonen T, Närhi M, Chan PH, Koistinaho J. Spreading depression induces expression of calcium-independent protein kinase C subspecies in ischaemia-sensitive cortical layers: regulation by N-methyl-D-aspartate receptors and glucocorticoids. *Neuroscience* 1999;**93**(3):985-993.
- [49](#) Kyrylenko S, Roschier M, Korhonen P, Salminen A. Regulation of PTEN expression in neuronal apoptosis. *Mol Brain Res* 1999;**73**:198-202.
- [50](#) Kälviäinen R. Cognitive effects of GABAergic antiepileptic drugs. *Electroencephalogr Clin Neurophysiol Suppl* 1999(50):458-464.
- [51](#) Kälviäinen R, Nousiainen I, Mäntyjärvi M, Nikoskelainen E, Partanen J, Partanen K, Riekkinen P Sr. Vigabatrin, a gabaergic antiepileptic drug, causes concentric visual field defects. *Neurology* 1999;**53**:922-926.
- [52](#) Kälviäinen R, Nousiainen I, Mäntyjärvi M, Riekkinen P P J Sr. Absence of concentric visual field defects in patients with long-term tiagabine monotherapy. Abstract. In: *American Academy of Neurology 51st Annual Meeting*, Toronto, Ontario, Canada, 17-24.4.1999, p. A236. American Academy of Neurology, 1999. Neurology. Supplement 2. Vol. 52.
- [53](#) Kälviäinen R, Pitkänen A. Prevention of seizure-induced neuronal damage and intellectual deterioration: experimental aspects and clinical implications. In: Sillanpää M, Gram L, Johannessen SI, Tomson T, eds. *Epilepsy and Mental Retardation*, p. 165 - 178. Petersfield: Wrightson Biomedical Publishing , 1999.
- [54](#) Lamusuo S, Forss N, Ruottinen H-M, Bergman J, Mäkelä JP, Mervaala E, Solin O, Rinne JK, Ruotsalainen U, Ylinen A, Vapalahti M, Hari R, Rinne JO. [18F]FDG-PET and whole-scalp

MEG localization of epileptogenic cortex. *Epilepsia (NY)* 1999;**40**(7):921-930.

- [55](#) Launer LJ, Fratiglioni L, Andersen K, Breteler MMB, Copeland RJM, Dartigues J-F, Lobo A, Martinez-Lage J, Soininen H, Hofman A. Regional differences in the incidence of dementia in Europe: EURODEM collaborative analyses. In: Iqbal K, Swaab DF, Winblad B, Wisniewski HM, eds. *Alzheimer's Disease and Related Disorders. Etiology, Pathogenesis and Therapeutics*, p. 9-15. Chichester: John Wiley & Sons, 1999.
- [56](#) Lauri SE, Kaukinen S, Kinnunen T, Ylinen A, Imai S, Kaila K, Taira T, Rauvala H. Regulatory role and molecular interactions of a cell-surface heparan sulfate proteoglycan (N-syndecan) in hippocampal long-term potentiation. *J Neurosci* 1999;**19**(4):1226-1235.
- [57](#) Lehesjoki A-E, Pitkänen A. Epilepsian geenit ja neurobiologia. *Duodecim* 1999;**115**:583-594.
- [58](#) Luostarinen L, Pirttilä T, Collin P. Coeliac disease presenting with neurological disorders. *Eur Neurol* 1999;**42**:132-135.
- [59](#) Makkonen N, Salminen A, Rogers MJ, Frith JC, Urtti A, Azhayeva E, Mönkkönen J. Contrasting effects of alendronate and clodronate on RAW 264 macrophages: the role of a bisphosphonate metabolite. *Eur J Pharm Sci* 1999;**8**:109-118.
- [60](#) Manninen L, Tuomaala S, Nissinen A, Vaskilampi T. Sodan kauhut säilyvät mielessä vuosikymmeniä. Kirja-arvostelu. Martikainen T. Neuvostoliiton partisaanien tuhoiskut siviilikyliin 1941-44. *Suomen Lääkärilehti* 1999;**54**(20-21):2594-2595.
- [61](#) Menotti A, Kromhout D, Blackburn H, Fidanza F, Buzina R, Nissinen A, for the Seven Countries Study Research Group. Food intake patterns and 25-year mortality from coronary heart disease: cross-cultural correlations in the Seven Countries Study. *Eur J Epidemiol* 1999;**15**:507-515.
- [62](#) Mikkonen M. *The Human Entorhinal Cortex . Anatomic Organization and Its Alteration in Alzheimer's Disease and Temporal Lobe Epilepsy*. Doctoral dissertation. 1999. University of Kuopio. Department of Neurology. Series of Reports 50. 91 p., append.
- [63](#) Mikkonen M, Alafuzoff I, Tapiola T, Soininen H, Miettinen R. Subfield- and layer-specific changes in parvalbumin, calretinin and calbindin-D28k immunoreactivity in the entorhinal cortex in Alzheimer's disease. *Neuroscience* 1999;**92**(2):515-532.
- [64](#) Mikkonen M, Soininen H, Tapiola T, Alafuzoff I, Miettinen R. Hippocampal plasticity in Alzheimer's disease: changes in highly polysialylated NCAM immunoreactivity in the hippocampal formation. *Eur J Neurosci* 1999;**11**:1754-1764.
- [65](#) Milliken GW, Stokic DS, Tarkka IM. Sources of movement-related cortical potentials derived from foot, finger, and mouth movements. *J Clin Neurophysiol* 1999;**16**(4):361-372.
- [66](#) Niittykoski M, Ruotsalainen S, Haapalinna A, Larson J, Sirviö J. Activation of muscarinic M3-like receptors and beta-adrenoceptors, but not M2-like muscarinic receptors or alpha-adrenoceptors, directly modulates corticostriatal neurotransmission in vitro. *Neuroscience* 1999;**90**(1):95-105.
- [67](#) Nousiainen I, Kälviäinen R, Mäntyjärvi M, Riekkinen P P J Sr. Prevalence of concentric visual field constriction in adult epilepsy patients with vigabatrin treatment. Abstract. In: *American Academy of Neurology 51 st Annual Meeting* , Toronto, Ontario, Canada, 17-24.4.1999, p. A235-A236. 1999. Neurology. Supplement 2. Vol. 52.
- [68](#) Närhinen M, Berg M-A, Nissinen A, Puska P. Supermarket sales data: a tool for measuring regional differences in dietary habits. *Public Health Nutr* 1999;**2**(3):277-282.

- [69](#) Närhinen M, Nissinen A, Puska P. Healthier choices in a supermarket: the municipal food control can promote health . *Br Food J* 1999;**101**(2):99-107.
- [70](#) Overmyer M, Helisalml S, Soinen H, Laakso M, Riekkinen P Sr, Alafuzoff I. Reactive microglia in aging and dementia: an immunohistochemical study of postmortem human brain tissue. *Acta Neuropathol* 1999;**97**:383-392.
- [71](#) Overmyer M, Helisalml S, Soinen H, Laakso M, Riekkinen P Sr, Alafuzoff I. Astrogliosis and the ApoE genotype: an immunohistochemical study of postmortem human brain tissue. *Dement Geriatr Cogn Disord* 1999;**10**:252-257.
- [72](#) Penttonen M, Nurminen N, Miettinen R, Sirviö J, Henze DA, Csicsvári J, Buzsáki G. Ultra-slow oscillation (0.025 Hz) triggers hippocampal afterdischarges in Wistar rats. *Neuroscience* 1999;**94**(3):735-743.
- [73](#) Pikkarainen M, Rönkkö S, Savander V, Insausti R, Pitkänen A. Projections from the lateral, basal, and accessory basal nuclei of the amygdala to the hippocampal formation in rat. *J Comp Neurol* 1999;**403**:229-260.
- [74](#) Pirttilä T. Periytykö dementia. *Muisti* 1999;**12**(4):12-15.
- [75](#) Pitkänen A, Jolkkonen J. Do GABAergic circuitries play a critical role in the regulation of seizure-induced neuronal damage and synaptic reorganization in the rat hippocampus? *Electroencephalogr Clin Neurophysiol Suppl* 1999(50):443-449.
- [76](#) Pitkänen A, Nissinen J, Jolkkonen E, Tuunanen J, Halonen T. Effects of vigabatrin treatment on status epilepticus-induced neuronal damage and mossy fiber sprouting in the rat hippocampus. *Epilepsy Res* 1999;**33**:67-85.
- [77](#) Pitkänen A, Salmenperä T, Äikiä M, Partanen K, Kälviäinen R. Seizure-induced damage to the medial temporal lobe in temporal lobe epilepsy. In: Sillanpää M, Gram L, Johannessen SI, Tomson T, eds. *Epilepsy and Mental Retardation*, p. 147-163. Petersfield: Wrightson Biomedical Publishing , 1999.
- [78](#) Prospective Studies Collaboration. Collaborative overview ('meta-analysis') of prospective observational studies of the associations of usual blood pressure and usual cholesterol levels with common causes of death: protocol for the second cycle of the... *J Cardiovasc Risk* 1999;**6**:315-320.
- [79](#) Puoliväli J, Pradier L, Riekkinen P Jr. Moderate cortical EEG changes in apolipoprotein E-deficient mice during ageing and scopolamine treatment but not after nucleus basalis lesion. *Psychopharmacology* 1999;**145**:386-392.
- [80](#) Pussinen R. *An Experimental Study on the Role of alfa1-Adrenoceptors and Putrescine in the Modulation of Hippocampal Plasticity and Memory Encoding - Interactions with NMDA Receptors*. Doctoral dissertation. 1999. University of Kuopio. Department of Neurology. Series of Reports 48. 105 p., append.
- [81](#) Pussinen R, Sirviö J. Effects of D-cycloserine, a positive modulator of N-methyl-D-aspartate receptors, and ST 587, a putative alpha-1 adrenergic agonist, individually and in combination, on the non-delayed and delayed foraging behaviour of rats . *J Psychopharmacol* 1999;**13**(2):171-179.
- [82](#) Puumala T. *Monoamines in the Modulation of Attention and Response Inhibition: Development of a New Animal Model of Attention Deficit and Impulsivity*. Doctoral dissertation. 1999. University of Kuopio. Department of Neurology. Series of Reports 49. 117 p.

- [83](#) Qiao Q, Valle T, Nissinen A, Tuomilehto J. Smoking and the risk of diabetes in elderly Finnish men: retrospective analysis of data from a 30-year follow-up study. *Diabetes Care* 1999;**22**:1821-1826.
- [84](#) Riekkinen M, Jäkälä P, Kejonen K, Riekkinen P Jr. The alpha2 agonist, clonidine, improves spatial working memory performance in Parkinson's disease. *Neuroscience* 1999;**92**(3):983-989.
- [85](#) Riekkinen M, Laakso MP, Jäkälä P, Riekkinen P Jr. Clonidine impairs sustained attention in Alzheimer's disease. In: Iqbal K, Swaab DF, Winblad B, Wisniewski HM, eds. *Alzheimer's Disease and Related Disorders. Etiology, Pathogenesis and Therapeutics*, p. 641-647. Chichester: John Wiley & Sons, 1999.
- [86](#) Riekkinen M, Laakso MP, Jäkälä P, Riekkinen P JR. Clonidine impairs sustained attention and memory in Alzheimer's disease. *Neuroscience* 1999;**92**(3):975-982.
- [87](#) Riekkinen M, Riekkinen P Jr. Alpha2-adrenergic agonist clonidine for improving spatial working memory in Parkinson's disease. *J Clin Psychopharmacol* 1999;**19**:444-449.
- [88](#) Riekkinen P Jr, Ikonen S, Aura J, Riekkinen M. Tetrahydroaminoacridine and D-cycloserine fail to alleviate the water maze spatial navigation defect induced by hippocampal inactivation. *Eur J Pharmacol* 1999;**366**:13-18.
- [89](#) Riekkinen P Jr, Riekkinen M. THA improves word priming and clonidine enhances fluency and working memory in Alzheimer's disease. *Neuropsychopharmacology* 1999;**20**(4):357-364.
- [90](#) Rissanen A, Puoliväli J, van Groen T, Riekkinen P Jr. In mice tonic estrogen replacement therapy improves non-spatial and spatial memory in a water maze task. *Neuroreport* 1999;**10**:1369-1372.
- [91](#) Rodriguez-Puertas R, Herrera-Marschitz M, Koistinaho J, Hökfelt T. Dopamine D1 receptor modulation of glutamate receptor messenger RNA levels in the neocortex and neostriatum of unilaterally 6-hydroxydopamine-lesioned rats. *Neuroscience* 1999;**89**(3):781-797.
- [92](#) Roivainen R, Manninen H, Hippeläinen M, Berg M, Koivisto K, Matsi P, Saari T, Vanninen R, Vuorio K, Sivenius J. Aivo-, kaula- ja nikamavaltimo-ahtaumien suonensisäinen hoito. *Duodecim* 1999;**115**:2378-2386.
- [93](#) Ropponen KM, Alafuzoff I. A case of sudden death caused by fibromuscular dysplasia. *J Clin Pathol* 1999;**52**:541-542.
- [94](#) Rothwell PM, Warlow CP, on behalf of the European Carotid Surgery Trialists' Collaborative Group, Koivisto K. Interpretation of operative risks of individual surgeons. *Lancet* 1999;**353**:1325.
- [95](#) Rothwell PM, Warlow CP, on behalf of the European Carotid Surgery Trialists' Collaborative Group. Prediction of benefit from carotid endarterectomy in individual patients: a risk-modelling study. *Lancet* 1999;**353**:2105-2110.
- [96](#) Sirviö J. Strategies that support declining cholinergic neurotransmission in Alzheimer's disease patients. *Gerontology Suppl* 1999;**45**:3-14.
- [97](#) Sirviö J, MacDonald E. Central alpha1-adrenoceptors: their role in the modulation of attention and memory formation. *Pharmacol Ther* 1999;**83**:49-65.
- [98](#) Sivenius J. Miten voimme vaikuttaa aivohalvauspotilaan kuntoutumiseen? *Afasia* 1999(1):20-21.
- [99](#) Sivenius J. Comment to (Extended-release dipyridamole/aspirin). *Drugs* 1999;**58**(3):476-477.

- [100](#) Sivenius J. Aivohalvauspotilaan hoidon periaatteet. *Kuntohoitaja* 1999(1):5-9.
- [101](#) Sivenius J, Cunha L, Diener H-C, Forbes C, Laakso M, Lowenthal A, Smets P, Riekkinen P Sr, for the ESPS2 Working Group. Second European Stroke Prevention Study: antiplatelet therapy is effective regardless of age. *Acta Neurol Scand* 1999;**99**:54-60.
- [102](#) Sivenius J, Cunha L, Diener H-C, Forbes C, Laakso M, Lowenthal A, Smets P, Riekkinen P Sr, for the European Stroke Prevention Study 2 Working Group. Antiplatelet treatment does not reduce the severity of subsequent stroke. *Neurology* 1999;**53**:825-829.
- [103](#) Soininen H, Hänninen T. Kuka on vaarassa sairastua Alzheimerin tautiin ? *Suomen Lääkärilehti* 1999;**54**(12):1519-1523.
- [104](#) Soininen HS, Riekkinen P Sr. APOE type and MRI volumetric changes as predictor of Alzheimer's disease. In: Vellas B, Fitten LJ, eds. *Research and Practice in Alzheimer's Disease*, p. 95-98. New York: Springer , 1999. Vol. 2.
- [105](#) Solovyan V, Bezvenyuk Z, Huotari V, Tapiola T, Salminen A. Distinct mechanisms underlay DNA disintegration during apoptosis induced by genotoxic and nongenotoxic agents in neuroblastoma cells . *Neurochem Int* 1999;**34**:465-472.
- [106](#) Solovyan V, Salminen A. A rapid and efficient method for preparation of genomic DNA suitable for analysis of both high and low molecular weight DNA fragmentation during neuronal apoptosis. *Brain Res Brain Res Protoc* 1999;**4**:335-340.
- [107](#) Stengård JH, Kardia SL, Tervahauta M, Ehnholm C, Nissinen A, Sing CF. Utility of the predictors of coronary heart disease mortality in a longitudinal study of elderly Finnish men aged 65 to 84 years is dependent on context defined by Apo E genotype and area of residence. *Clin Genet* 1999;**56**:367-377.
- [108](#) Tabak C, Smit HA, Räsänen L, Fidanza F, Menotti A, Nissinen A, Feskens EJM, Heederik D, Kromhout D. Dietary factors and pulmonary function: a cross sectional study in middle aged men from three European countries. *Thorax* 1999;**54**:1021-1026.
- [109](#) Tanila H. Vanhenevat aivot, huononeva muisti. *Kemia-kemi* 1999;**26**(3):170-174.
- [110](#) Tanila H. Hippocampal place cells can develop distinct representations of two visually identical environments. *Hippocampus* 1999;**9**:235-246.
- [111](#) Tanila H, Mustonen K, Sallinen J, Scheinin M, Riekkinen P Jr. Role of alfa2C-adrenoceptor subtype in spatial working memory as revealed by mice with targeted disruption of the alfa2C-adrenoceptor gene. *Eur J Neurosci* 1999;**11**:599-603.
- [112](#) Tapiola T, Lehtovirta M, Pirttilä T, Alafuzoff I, Riekkinen P Sr, Soininen H. Cerebrospinal fluid aspartate aminotransferase activity is increased in Alzheimer's disease. In: Iqbal K, Swaab DF, Winblad B, Wisniewski HM, eds. *Alzheimer's Disease and Related Disorders. Etiology, Pathogenesis and Therapeutics*, p. 193-197. Chichester: John Wiley & Sons, 1999.
- [113](#) Tarkka IM. Aivojen plastinen kapasiteetti käyttöön kuntoutuksessa. *Kuntohoitaja* 1999(1):10-11.
- [114](#) Tarkka IM. High-resolution recording and processing of event-related potentials. *Int J Bioelectromagn* 1999;**1**(1):11-16.
- [115](#) Taylor DW, Barnett HJM, Haynes RB, Ferguson GG, Sackett DL, Thorpe KE, Simard D, Silver FL, Hachinski V, Clagett GP, Barnes R, Spence JD, for THE Asa and Carotid Endarterectomy (ACE) Trial Collaborators. Low-dose and high-dose acetylsalicylic acid for patients undergoing carotid endarterectomy: a randomised controlled trial. *Lancet* 1999;**353**:2179-2184.

- [116](#) The DECODE study group on behalf of the European Diabetes Epidemiology Group. Glucose tolerance and mortality: comparison of WHO and American Diabetes Association diagnostic criteria. *Lancet* 1999;**354**:617-621.
- [117](#) The DECODE Study Group on behalf of the European Diabetes Epidemiology Group. Consequences of the new diagnostic criteria for diabetes in older men and women: the DECODE study (diabetes epidemiology: collaborative analysis of diagnostic criteria in Europe. *Diabetes Care* 1999;**22**:1667-1671.
- [118](#) Tuunanen J. *Neuronal Damage in the Rat Amygdaloid Complex in Experimental Epilepsy . Distribution, Time Course, Mechanisms, and Prevention*. Doctoral dissertation. 1999. Kuopio University Publications D. Medical Sciences 192. 96 p., append.
- [119](#) Tuunanen J, Lukasiuk K, Halonen T, Pitkänen A. Status epilepticus-induced neuronal damage in the rat amygdaloid complex: distribution, time-course and mechanisms. *Neuroscience* 1999;**94**(2):473-495.
- [120](#) Vanhanen M, Kuusisto J, Koivisto K, Mykkänen L, Helkala E-L, Hänninen T, Riekkinen P Sr, Soininen H, Laakso M. Type-2 diabetes and cognitive function in a non-demented population. *Acta Neurol Scand* 1999;**100**:97-101.
- [121](#) Vartiainen N, Tikka T, Keinänen R, Chan PH, Koistinaho J. Glutamatergic receptors regulate expression, phosphorylation and accumulation of neurofilaments in spinal cord neurons. *Neuroscience* 1999;**93**(3):1123-1133.
- [122](#) Wegiel J, Wisniewski HM, Morys J, Tarnawski M, Kuchna I, Dziewiatkowski J, Pirttilä T, Krivimäki T, Lehtimäki T, Lach B. Neuronal loss and beta-amyloid removal in the amygdala of people with Down syndrome. *Neurobiol Aging* 1999;**20**:259-269.
- [123](#) Wilson IA, Puoliväli J, Heikkinen T, Riekkinen P Jr. Estrogen and NMDA receptor antagonism: effects upon reference and working memory. *Eur J Pharmacol* 1999;**381**:93-99.
- [124](#) Ylihärsilä H, Tuomilehto J, Mackay IR, Zimmet P, Tuomilehto-Wolf E, Rowley MJ, Nissinen A. GAD antibodies in elderly men in different categories of glucose tolerance. *Diabetes Care* 1999;**22**(6):996-997.
- [125](#) Ylinen A, Salmenperä T, Mumford JP, Riekkinen PJ . Long-term treatment with vigabatrin - 10 years of clinical experience. *Seizure* 1999;**8**:181-183.
- [126](#) Yrjänheikki J, Tikka T, Keinänen R, Goldsteins G, Chan PH, Koistinaho J. A tetracycline derivative, minocycline, reduces inflammation and protects against focal cerebral ischemia with a wide therapeutic window. *Proc Natl Acad Sci U S A* 1999;**96**(23):13496-13500.
- [127](#) Yu Z, Song G, Guo Z, Zheng G, Tian H, Vartiainen E, Puska P, Nissinen A. Changes in blood pressure, body mass index, and salt consumption in a Chinese population. *Prev Med* 1999;**29**:165-172.
- [128](#) Äikiä M, Kälviäinen R, Mervaala E, Riekkinen PJ Sr. Predictors of seizure outcome in newly diagnosed partial epilepsy: memory performance as a prognostic factor. *Epilepsy Res* 1999;**37**:159-167.