
Neurologian klinikka *

Department of Neurology

Julkaisut 2000-2000

Publications 2000-2000

Lisätietoja julkaisusta saa klikkaamalla sen numeroa.
For full details, please click the number in front of the publication.

- [1](#) Alafuzoff I, Helisalmi S, Heinonen EH, Reinikainen K, Hallikainen M, Soininen H, Koivisto K. Selegiline treatment and the extent of degenerative changes in brain tissue of patients with Alzheimer's disease. *Eur J Clin Pharmacol* 2000;**55**(11-12):815-819.
- [2](#) Alafuzoff I, Helisalmi S, Mannermaa A, Soininen H. Severity of cardiovascular disease, apolipoprotein E genotype, and brain pathology in aging and dementia. *Ann N Y Acad Sci* 2000;**903**:244-251.
- [3](#) Alafuzoff I, Overmyer M, Helisalmi S, Soininen H. Lower counts of astroglia and activated microglia in patients with Alzheimer's disease with regular use of non-steroidal anti-inflammatory drugs. *J Alzheimer Dis* 2000;**2**:37-46.
- [4](#) Aura J, Riekkinen P Jr. Pre-training blocks the improving effect of tetrahydroaminoacridine and D-cycloserine on spatial navigation performance in aged rats. *Eur J Pharmacol* 2000;**390**:313-318.
- [5](#) Autere JM, Moilanen JS, Myllylä VV, Majamaa K. Familial aggregation of Parkinson's disease in a Finnish population. *J Neurol Neurosurg Psychiatry* 2000;**69**(1):107-109.
- [6](#) Bezvenyuk Z, Salminen A, Solovyan V. Excision of DNA loop domains as a common step in caspase-dependent and -independent types of neuronal cell death. *Mol Brain Res* 2000;**81**:191-196.
- [7](#) Bezvenyuk Z, Suuronen T, Salminen A, Solovyan V. Protective effect of suramin against cell death in rat cerebellar granular neurons and mouse neuroblastoma cells. *Neurosci Lett* 2000;**292**:111-114.
- [8](#) Björklund M, Sirviö J, Riekkinen M, Sallinen J, Scheinin M, Riekkinen P Jr. Overexpression of alpha2C-adrenoceptors impairs water maze navigation. *Neuroscience* 2000;**95**:481-487.
- [9](#) Campbell BCV, Li Q-X, Culvenor JG, Jäkälä P, Cappai R, Beyreuther K, Masters CL, McLean CA. Accumulation of insoluble alfa-synuclein in dementia with lewy bodies. *Neurobiol Dis* 2000;**7**:192-200.
- [10](#) Del Sette M, Eliasziw M, Steifler JY, Hachinski VC, Fox AJ, Barnett HJM, for the North American Symptomatic Carotis Endarterectomy (nascet) Group. Internal borderzone infarction a marker for severe stenosis in patients with symptomatic internal carotid artery disease. *Stroke* 2000;**31**:631-636.
- [11](#) Diez M, Koistinaho J, Kahn K, Games D, Hökfelt T. Neuropeptides in hippocampus and cortex in transgenic mice overexpressing V717F beta-amyloid precursor protein - initial observations. *Neuroscience* 2000;**100**(2):259-286.

- 12 Elovaara I, Pirttilä T. Kortikosteroidit multipeliskleroosin ja optikusneuriitin hoidossa. *Duodecim* 2000;**116**:1547-1554.
- 13 Erkinjuntti T, Hänninen T. Huomio Alzheimerin taudin varhaiseen taudinmäärittelyyn ja hoitoon. *Novartis News* 2000(1):6-13.
- 14 Fratiglioni L, Launer LJ, Andersen K, Breteler MMB, Copeland JRM, Dartigues J-F, Lobo A, Martinez-Lage J, Hofman A, for the Neurologic Diseases in the Elderly Research Group. Incidence of dementia and major subtypes in Europe: a collaborative study of population-based cohorts. *Neurology Suppl* 2000;**54**(11):S10-S15.
- 15 Fuentes R, Ilmaniemi N, Laurikainen E, Tuomilehto J, Nissinen A. Hypertension in developing economies: a review of population-based studies carried out from 1980 to 1998. *J Hypertens* 2000;**18**:521-529.
- 16 Fuentes RM, Notkola I-L, Shemeikka S, Tuomilehto J, Nissinen A. Familial aggregation of blood pressure: a population-based family study in Eastern Finland. *J Hum Hypertens* 2000;**14**:441-445.
- 17 Fuentes RM, Notkola I-L, Shemeikka S, Tuomilehto J, Nissinen A. Familial aggregation of serum total cholesterol: A population-based family study in Eastern Finland. *Prev Med* 2000;**31**:603-607.
- 18 Geroldi C, Laakso MP, DeCarli C, Beltramello A, Biancetti A, Soininen H, Trabucchi M, Frisoni GB. Apolipoprotein E genotype and hippocampal asymmetry in Alzheimer's disease: a volumetric MRI study. *J Neurol Neurosurg Psychiatry* 2000;**68**:93-96.
- 19 Gröhn OHJ, Kettunen MI, Mäkelä HI, Penttonen M, Pitkänen A, Lukkarinen JA, Kauppinen RA. Early detection of irreversible cerebral ischemia in the rat using dispersion of the magnetic resonance imaging relaxation time, T1rho. *J Cereb Blood Flow Metab* 2000;**20**:1457-1466.
- 20 Gröhn OHJ, Kettunen MI, Penttonen M, Oja JME, van Zijl PCM, Kauppinen RA. Graded reduction of cerebral blood flow in rat as detected by the nuclear magnetic resonance relaxation time T2: a theoretical and experimental approach. *J Cereb Blood Flow Metab* 2000;**20**:316-326.
- 21 Helisalmi S, Hiltunen M, Mannermaa A, Koivisto AM, Lehtovirta M, Alafuzoff I, Ryyänänen M, Soininen H. Is the presenilin-1 E318G missense mutation a risk factor for Alzheimer's disease? *Neurosci Lett* 2000;**278**:65-68.
- 22 Helisalmi S, Valve R, Karvonen MK, Hiltunen M, Pirskanen M, Mannermaa A, Koulu M, Pesonen U, Uusitupa M, Soininen H. The leucine (7)-to-proline (7) polymorphism in the signal peptide of neuropeptide y is not associated with Alzheimer's disease or the link apolipoprotein E. *Neurosci Lett* 2000;**287**:25-28.
- 23 Henderson RD, Eliasziw M, Fox AJ, Rothwell PM, Barnett HJM, for the North American Symptomatic Carotid Endarterectomy Trial (nascet) Group. Angiographically defined collateral circulation and risk of stroke in patients with severe carotid artery stenosis. *Stroke* 2000;**31**:128-132.
- 24 Hiltunen M. *A Molecular Genetic Study of Factors Involved in Alzheimer's Disease*. Doctoral dissertation. 2000. University of Kuopio. Department of Neurology. Series of Reports 53. 81p., append.
- 25 Hiltunen M, Helisalmi S, Mannermaa A, Alafuzoff I, Koivisto AM, Lehtovirta M, Pirskanen M, Sulkava R, Verkkoniemi A, Soininen H. Identification of a novel 4.6-kb genomic deletion in presenilin-1 gene which results in exclusion of exon 9 in a Finnish early onset Alzheimer's disease family: an Alu core sequence-stimulated recombination? *Eur J Hum Genet* 2000;**8**:259-266.

- [26](#) Houterman S, Verschuren WMM, Giampaoli S, Nissinen A, Feskens EJM, Menotti A, Kromhout D. Total but not high-density lipoprotein cholesterol is consistently associated with coronary heart disease mortality in elderly men in Finland, Italy, and the Netherlands. *Epidemiology* 2000;**11**(3):327-332.
- [27](#) Hänninen T, Soininen H. Mild cognitive impairment as a warning sign of dementia. In: Vellas B, Fitten LJ, eds. *Research and Practice in Alzheimer's Disease*, p. 93-97. New York: Springer, 2000. Vol. 3.
- [28](#) Inzitari D, Eliasziw M, Gates P, Sharpe BL, Chan RKT, Meldrum HE, Barnett HJM, for the North American Symptomatic Carotid Endarterectomy Trial Collaborators. The causes and risk of stroke in patients with asymptomatic internal-carotid-artery stenosis. *N Engl J Med* 2000;**342**(23):1693-1700.
- [29](#) Inzitari D, Eliasziw M, Sharpe BL, Fox AJ, Barnett HJM, for the North American Symptomatic Carotid Endarterectomy Trial Group. Risk factors and outcome of patients with carotid artery stenosis presenting with lacunar stroke. *Neurology* 2000;**54**:660-666.
- [30](#) Jagger C, Andersen K, Breteler MMB, Copeland JRM, Helmer C, Baldereschi M, Fratiglioni L, Lobo A, Hofman A, Launer LJ, for the Neurologic Diseases in the Elderly Research Group. Prognosis with dementia in Europe: a collaborative study of population-based cohorts. *Neurology Suppl* 2000;**54**(11):S16-S20.
- [31](#) Jolkkonen J, Kauppinen R, Nyman L, Haapalinna A, Sivenius J. MAO-B inhibition by a single dose of l-Deprenyl or Lazabemide does not prevent neuronal damage following focal cerebral ischaemia in rats. *Pharmacol Toxicol* 2000;**87**:242-245.
- [32](#) Jolkkonen J, Puurunen K, Rantakömi S, Härkönen A, Haapalinna A, Sivenius J. Behavioral effects of the alpha2-adrenoceptor antagonist, atipamezole, after focal cerebral ischemia in rats. *Eur J Pharmacol* 2000;**400**:211-219.
- [33](#) Jolkkonen J, Puurunen K, Rantakömi S, Sirviö J, Haapalinna A, Sivenius J. Effects of fluoxetine on sensorimotor and spatial learning deficits following focal cerebral ischemia in rats. *Restor Neurol Neurosci* 2000;**17**:211-216.
- [34](#) Kaasinen K, Koistinaho J, Alhonen L, Jänne J. Overexpression of spermidine/spermine N1-acetyltransferase in transgenic mice protects the animals from kainate-induced toxicity. *Eur J Neurosci* 2000;**12**:540-548.
- [35](#) Kappelle LJ, Eliasziw M, Fox AJ, Barnett HJM, for the North American Symptomatic Carotid Endarterectomy Trial Group. Small, unruptured intracranial aneurysms and management of symptomatic carotid artery stenosis. *Neurology* 2000;**55**:307-309.
- [36](#) Karonen JO, Nuutinen J, Kuikka JT, Vanninen EJ, Vanninen RL, Partanen PLK, Vainio PA, Roivainen R, Sivenius J, Aronen HJ. Combined SPECT and diffusion-weighted MRI as a predictor of infarct growth in acute ischemic stroke. *J Nucl Med* 2000;**41**(5):788-794.
- [37](#) Kastarinen M, Tuomilehto J, Vartiainen E, Jousilahti P, Sundvall J, Puska P, Nissinen A. Trends in lipid levels and hypercholesterolemia in hypertensive and normotensive Finnish adults from 1982 to 1997. *J Intern Med* 2000;**247**:53-62.
- [38](#) Kastarinen MJ, Nissinen AM, Vartiainen EA, Jousilahti PJ, Korhonen HJ, Puska PM, Tuomilehto JO. Blood pressure levels and obesity trends in hypertensive and normotensive Finnish population from 1982 to 1987. *J Hypertens* 2000;**18**:255-262.
- [39](#) Kemppainen S, Pitkänen A. Distribution of parvalbumin, calretinin, and calbindin-D28k immunoreactivity in the rat amygdaloid complex and colocalization with gamma-aminobutyric acid. *J Comp Neurol* 2000;**426**:441-467.

- [40](#) Koistinaho J, Chan PH. Spreading depression-induced cyclooxygenase-2 expression in the cortex. *Neurochem Res* 2000;**25**(5):645-651.
- [41](#) Koivisto AM, Lempiäinen P, Koivisto K, Helkala E-L, Mykkänen L, Kuusisto J, Kervinen K, Kesäniemi YA, Laakso M, Soininen H. Apolipoprotein E phenotype alone does not influence survival in Alzheimer's disease: a population-based longitudinal study. *Neuroepidemiology* 2000;**19**:327-332.
- [42](#) Koponen S, Goldsteins G, Keinänen R, Koistinaho J. Induction of protein kinase Cdelta subspecies in neurons and microglia after transient global brain ischemia. *J Cereb Blood Flow Metab* 2000;**20**:93-102.
- [43](#) Kromhout D, Bloemberg B, Feskens E, Menotti A, Nissinen A, for the Seven Countries Study Group. Saturated fat, vitamin C and smoking predict long-term population all-cause mortality rates in the Seven Countries Study. *Int J Epidemiol* 2000;**29**:260-265.
- [44](#) Kuhmonen J, Jolkkonen J, Haapalinna A, Sivenius J. The neuroprotective effects of (-)deprenyl in the gerbil hippocampus following transient global ischemia. *J Neural Transm* 2000;**107**:779-786.
- [45](#) Kuikka JT, Hartikainen P. Heterogeneity of cerebral blood flow: a fractal approach. *Nuklearmedizin* 2000;**39**:37-42.
- [46](#) Kurkinen KMA, Keinänen RA, Karhu R, Koistinaho J. Genomic structure and chromosomal localization of the rat protein kinase Cdelta-gene. *Gene* 2000;**242**:115-123.
- [47](#) Kuulasmaa K, Tunstall-Pedoe H, Dobson A, Fortmann S, Sans S, Tolonen H, Evans A, Ferrario M, Tuomilehto J, for the WHO MONICA Project. Estimation of contribution of changes in classic risk factors to trends in coronary-event rates across the WHO MONICA Project populations. *Lancet* 2000;**355**:675-687.
- [48](#) Kyrylenko S, Korhonen P, Kyrylenko O, Roschier M, Salminen A. Expression of transcriptional repressor proteins mSin3A and 3B during Aging and replicative senescence. *Biochem Biophys Res Commun* 2000;**275**:455-459.
- [49](#) Kälviäinen R. Epilepsia ei estä itsenäistä elämää. *Hyvä terveys* 2000(8):58-61.
- [50](#) Laakso MP, Frisoni GB, Könönen M, Mikkonen M, Beltramello A, Geroldi C, Bianchetti A, Trabucchi M, Soininen H, Aronen HJ. Hippocampus and entorhinal cortex in frontotemporal dementia and Alzheimer's disease: a morphometric MRI study. *Biol Psychiatry* 2000;**47**:1056-1063.
- [51](#) Laakso MP, Hallikainen M, Hänninen T, Partanen K, Soininen H. Diagnosis of Alzheimer's disease: MRI of the hippocampus vs delayed recall. *Neuropsychologia* 2000;**38**:579-584.
- [52](#) Laakso MP, Lehtovirta M, Partanen K, Riekkinen PJ Sr, Soininen H. Hippocampus in Alzheimer's disease: A 3-year follow-up MRI study. *Biol Psychiatry* 2000;**47**:557-561.
- [53](#) Laakso MP, Vaurio O, Savolainen L, Repo E, Soininen H, Aronen HJ, Tiihonen J. A volumetric MRI study of the hippocampus in type 1 and 2 alcoholism. *Behav Brain Res* 2000;**109**:177-186.
- [54](#) Lakka H-M, Lakka TA, Tuomilehto J, Sivenius J, Salonen JT. Hyperinsulinemia and the risk of cardiovascular death and acute coronary and cerebrovascular events in men. *Arch Intern Med* 2000;**160**:1160-1168.
- [55](#) Lamusuo S, Pitkänen A, Jutila L, Ylinen A, Partanen K, Kälviäinen R, Ruottinen H-M, Oikonen V, Nägren K, Lehtikoinen P, Vapalahti M, Vainio P, Rinne JO. [11C]Flumazenil binding in the medial temporal lobe in patients with temporal lobe epilepsy. Correlation with hippocampal MR volumetry, T2 relaxometry, and neuropathology. *Neurology*

2000:**54**:2252-2260.

- [56](#) Launer LJ, Oudkerk M, Nilsson L-G, Alperovitch A, Berger K, Breteler MMB, Fuhrer R, Giampaoli S, Nissinen A, Pajak A, Sans S, Schmidt R, Hofman A. CASCADE: a European collaborative study on vascular determinants of brain lesions. Study design and objectives. *Neuroepidemiology* 2000;**19**:113-120.
- [57](#) Lees KR, Asplund K, Carolei A, Davis SM, Diener H-C, Kaste M, Orgogozo J-M, Whitehead J, For THE Gain International Investigators. Glycine antagonist (gavestinel) in neuroprotection (GAIN International) in patients with acute stroke: a randomised controlled trial. *Lancet* 2000;**355**:1949-1954.
- [58](#) Lehtovirta M, Laakso MP, Frisoni GB, Soininen H. How does the apolipoprotein E genotype modulate the brain in aging and in Alzheimer's disease? A review of neuroimaging studies. *Neurobiol Aging* 2000;**21**:293-300.
- [59](#) Lehtovirta M, Partanen J, Könönen M, Hiltunen J, Helisalmi S, Hartikainen P, Riekkinen P Sr, Soininen H. A longitudinal quantitative EEG study of Alzheimer's disease: relation to apolipoprotein E polymorphism. *Dement Geriatr Cogn Disord* 2000;**11**:29-35.
- [60](#) Liubashina O, Jolkkonen E, Pitkänen A. Projections from the central nucleus of the amygdala to the gastric related area of the dorsal vagal complex: a Phaseolus vulgaris-leucoagglutinin study in rat. *Neurosci Lett* 2000;**291**:85-88.
- [61](#) Lobo A, Launer LJ, Fratiglioni L, Andersen K, Carlo AD, Breteler MMB, Copeland JRM, Dartigues J-F, Jagger C, Martinez-Lage J, Hofman A, for the Neurologic Diseases in the Elderly Research Group. Prevalence of dementia and major subtypes in Europe: a collaborative study of population-based cohorts. *Neurology Suppl* 2000;**54**(11):S4-S9.
- [62](#) Lukasiuk K, Pitkänen A. GABA(A)-mediated toxicity of hippocampal neurons in vitro. *J Neurochem* 2000;**74**(6):2445-2454.
- [63](#) Mikkonen M, Pitkänen A, Soininen H, Alafuzoff I, Miettinen R. Morphology of spiny neurons in the human entorhinal cortex: intracellular filling with lucifer yellow. *Neuroscience* 2000;**96**(3):515-522.
- [64](#) Mulder I, Jansen MCJF, Smit HA, Jacobs DR, Menotti A, Nissinen A, Fidanza F, Kromhout D, for the Seven Countries Study Research Group. Role of smoking and diet in the cross-cultural variation in lung-cancer mortality: The Seven Countries Study. *Int J Cancer* 2000;**88**:665-671.
- [65](#) Nissinen J, Halonen T, Koivisto E, Pitkänen A. A new model of chronic temporal lobe epilepsy induced by electrical stimulation of the amygdala in rat. *Epilepsy Res* 2000;**38**(2-3):177-205.
- [66](#) Nousiainen I, Kälviäinen R, Mäntyjärvi M. Color vision in epilepsy patients treated with vigabatrin or carbamazepine monotherapy. *Ophthalmology* 2000;**107**:884-888.
- [67](#) Nousiainen I, Kälviäinen R, Mäntyjärvi M. Contrast and glare sensitivity in epilepsy patients treated with vigabatrin or carbamazepine monotherapy compared with healthy volunteers. *Br J Ophthalmol* 2000;**84**:622-625.
- [68](#) Nousiainen I, Mäntyjärvi M, Kälviäinen R. Visual function in patients with the GABAergic anticonvulsant drug tiagabine. *Clin Drug Invest* 2000;**20**(6):393-400.
- [69](#) Nuutinen J, Kuikka J, Roivainen R, Vanninen E, Sivenius J. Early serial SPET in acute middle cerebral artery infarction. *Nucl Med Commun* 2000;**21**:425-429.
- [70](#) Närhinen M, Nissinen A, Puska P. Changes in supermarket sales during and after a staged health promotion. *Br Food J* 2000;**102**(4):308-319.

- [71](#) Oomen CM, Feskens EJM, Räsänen L, Fidanza F, Nissinen AM, Menotti A, Kok FJ, Kromhout D. Fish consumption and coronary heart disease mortality in Finland, Italy and the Netherlands. *Am J Epidemiol* 2000;**151**(10):999-1006.
- [72](#) Overmyer M, Kraszpulski M, Helisalmi S, Soininen H, Alafuzoff I. DNA fragmentation, gliosis and histological hallmarks of Alzheimer's disease. *Acta Neuropathol* 2000;**100**:681-687.
- [73](#) Partanen J, Partanen K, Ylinen A, Mervaala E, Herrgård E, Vapalahti M. Epilepsiapesäkkeen paikannus. *Duodecim* 2000;**116**:396-407.
- [74](#) Partanen J, Soininen H, Riekkinen P. Vascular dementia and white matter changes: electrophysiological tests. In: Pantoni L, Inzitari D, Wallin A, eds. *The Matter of White Matter*, p. 171-178. Utrecht: Academic Pharmaceutical Productions, 2000.
- [75](#) Partanen K, Laakso M, Erkinjuntti T, Soininen H. Varhaisen dementian kuvantamisiagnostiikka. *Duodecim* 2000;**116**:1049-1058.
- [76](#) Pelkonen M, Tukiainen H, Tervahauta M, Notkola I-L, Kivelä S-L, Salorinne Y, Nissinen A. Pulmonary function, smoking cessation and 30 year mortality in middle aged Finnish men. *Thorax* 2000;**55**:746-750.
- [77](#) Pihlajamäki M, Tanila H, Hänninen T, Könönen M, Laakso M, Partanen K, Soininen H, Aronen HJ. Verbal fluency activates the left medial temporal lobe: a functional magnetic resonance imaging study. *Ann Neurol* 2000;**47**:470-476.
- [78](#) Pirttilä T. MS-taudin varhainen diagnoosi tärkeä hoitojen kehittyessä. *Terveystieto* 2000(4):28-29.
- [79](#) Pirttilä T, Haanpää M, Mehta PD, Lehtimäki T. Apolipoprotein E (APOE) phenotype and APOE concentrations in multiple sclerosis and acute herpes zoster. *Acta Neurol Scand* 2000;**102**:94-98.
- [80](#) Pitkänen A. Connectivity of the rat amygdaloid complex. In: Aggleton JP, ed. *The Amygdala. A Functional Analysis*, p. 31-115. New York: Oxford University Press, 2000.
- [81](#) Pitkänen A, Jolkkonen E, Kemppainen S. Anatomic heterogeneity of the rat amygdaloid complex. *Folia Morphol (Praha)* 2000;**59**(1):1-23.
- [82](#) Pitkänen A, Nissinen J, Lukasiuk K, Jutila L, Paljärvi L, Salmenperä T, Karkola K, Vapalahti M, Ylinen A. Association between the density of mossy fiber sprouting and seizure frequency in experimental and human temporal lobe epilepsy. *Epilepsia Suppl* 2000;**41**(6):S24-S29.
- [83](#) Pitkänen A, Pikkarainen M, Nurminen N, Ylinen A. Reciprocal connections between the amygdala and the hippocampal formation, perirhinal cortex, and postrhinal cortex in rat: a review. *Ann N Y Acad Sci* 2000;**911**:369-391.
- [84](#) Puoliväli J, Miettinen R, Pradier L, Riekkinen P Jr. Apolipoprotein e-deficient mice are not more susceptible to the biochemical and memory deficits induced by nucleus basalis lesion. *Neuroscience* 2000;**96**(2):291-297.
- [85](#) Puoliväli J, Pradier L, Riekkinen P Jr. Impaired recovery of noradrenaline levels in apolipoprotein E-deficient mice after N-(2-chloroethyl)-N-ethyl-2-bromobenzylamine lesion. *Neuroscience* 2000;**95**(2):353-358.
- [86](#) Qiao Q, Tervahauta M, Nissinen A, Tuomilehto J. Mortality from all causes and from coronary heart disease related to smoking and changes in smoking during a 35-year follow-up of middle-aged Finnish men. *Eur Heart J* 2000;**21**:1621-1626.

- [87](#) Rahkonen T, Luukkainen-Markkula R, Paanila S, Sivenius J, Sulkava R. Delirium episode as a sign of undetected dementia among community dwelling elderly subjects: a 2 year follow up study. *J Neurol Neurosurg Psychiatry* 2000;**69**:519-521.
- [88](#) Reynolds WF, Hiltunen M, Pirskanen M, Mannermaa A, Helisalme S, Lehtovirta M, Alafuzoff I, Soininen H. MPO and APOE epsilon4 polymorphisms interact to increase risk for AD in Finnish males. *Neurology* 2000;**55**:1284-1290.
- [89](#) Roschier M, Kuusisto E, Salminen A. A differential display protocol to identify differentially expressed mRNAs in potassium-deprived cerebellar granule cells. *Brain Res Brain Res Protoc* 2000;**5**:121-131.
- [90](#) Rothwell PM, Gibson R, Warlow CP, on behalf of the European Carotid Surgery Trialists? Collaborative Group. Interrelation between plaque surface morphology and degree of stenosis on carotid angiograms and risk of ischemic stroke in patients with symptomatic carotid stenosis. *Stroke* 2000;**31**:615-621.
- [91](#) Rothwell PM, Warlow CP, on behalf of the European Carotid Surgery Trialists? Collaborative Group. Low risk of ischemic stroke in patients with reduced internal carotid artery lumen diameter distal to severe symptomatic carotid stenosis . Cerebral protection due to low poststenotic flow? *Stroke* 2000;**31**:622-630.
- [92](#) Ruotsalainen S, Miettinen R, Macdonald E, Koivisto E, Sirviö J. Blockade of muscarinic, rather than nicotinic, receptors impairs attention, but does not interact with serotonin depletion. *Psychopharmacology* 2000;**148**:111-123.
- [93](#) Saarelainen T, Lukkarinen JA, Koponen S, Gröhn OHJ, Jolkkonen J, Koponen E, Haapasalo A, Alhonen L, Wong G, Koistinaho J, Kauppinen RA, Castrén E. Transgenic mice overexpressing truncated trkB neurotrophin receptors in neurons show increased susceptibility to cortical injury after focal cerebral ischemia. *Mol Cell Neurosci* 2000;**16**:87-96.
- [94](#) Saarelainen T, Pussinen R, Koponen E, Alhonen L, Wong G, Sirviö J, Castrén E. Transgenic mice overexpressing truncated trkB neurotrophin receptors in neurons have impaired long-term spatial memory but normal hippocampal LTP. *Synapse* 2000;**38**:102-104.
- [95](#) Salmenperä T, Kälviäinen R, Partanen K, Mervaala E, Pitkänen A. MRI volumetry of the hippocampus, amygdala, entorhinal cortex, and perirhinal cortex after status epilepticus. *Epilepsy Res* 2000;**40**:155-170.
- [96](#) Salmenperä T, Kälviäinen R, Partanen K, Pitkänen A. Quantitative MRI volumetry of the entorhinal cortex in temporal lobe epilepsy. *Seizure* 2000;**9**:208-215.
- [97](#) Savolainen S, Laakso MP, Paljärvi L, Alafuzoff I, Hurskainen H, Partanen K, Soininen H, Vapalahti M. MR imaging of the hippocampus in normal pressure hydrocephalus: correlations with cortical Alzheimer`s disease confirmed by pathologic analysis. *AJNR Am J Neuroradiol* 2000;**21**(2):409-414.
- [98](#) Scheltens P, Wahlund L-O, Soininen H, Laakso M, Partanen K, Resconi G, Rossini PM, Tecchio F, Fox N. La rilevazione delle alterazioni strutturali cerebrali nella malattia di Alzheimer: tecniche e strumenti. nel volume: Frisoni GB, Trabucchi M, curatori. *Il neuroimaging nella diagnosi di malattia di Alzheimer, Problemi, strumenti, linee-guida*, pagina. 21-34. Roma: Il Pensiero Scientifico Editore, 2000.
- [99](#) Schmidt D, Gram L, Brodie M, Krämer G, Perucca E, Kälviäinen R, Elger CE. Tiagabine in the treatment of epilepsy - a clinical review with a guide for the prescribing physician. *Epilepsy Res* 2000;**41**:245-251.

- [100](#) Soininen H. APOE4 relevance to early diagnosis and treatment of Alzheimer's disease. In: Battistin L, Korczyn AD, eds. *5th Congress of the European Society for Clinical Neuropharmacology*, Opatija (Croatia), May 17-21, 2000, p. 124-130. Bologna: Monduzzi, 2000.
- [101](#) Soininen H. Early diagnosis of Alzheimer's disease. *Pathways Novartis J* 2000;1(2):33.
- [102](#) Soininen H, Sulkava R. Milloin aivot tulee kuvata. Pääkirjoitus. *Duodecim* 2000;116:1037-1038.
- [103](#) Suomen muistitutkimusyksiköiden asiantuntijatyöryhmä. Muistihäiriö- ja dementiapotilaan toimintakyvyn ja sairauden vaikeusasteen arviointi. *Suomen Lääkärilehti* 2000;55(21):2299-2304.
- [104](#) Suuronen T, Kolehmainen P, Salminen A. Protective effect of L-Deprenyl against apoptosis induced by okadaic acid in cultured neuronal cells. *Biochem Pharmacol* 2000;59:1589-1595.
- [105](#) Tapiola T, Pirttilä T, Mehta PD, Alafuzoff I, Lehtovirta M, Soininen H. Relationship between apoE genotype and CSF beta-amyloid (1-42) and tau in patients with probable and definite Alzheimer's disease. *Neurobiol Aging* 2000;21:735-740.
- [106](#) Tapiola T, Pirttilä T, Mikkonen M, Mehta PD, Alafuzoff I, Koivisto K, Soininen H. Three-year follow-up of cerebrospinal fluid tau, beta-amyloid 42 and concentration in Alzheimer's disease. *Neurosci Lett* 2000;280:119-122.
- [107](#) Tatlisumak T, Soinne L, Huttunen J, Launes J, Karonen J, Aronen HJ, Sivenius J, Hernesniemi J, Kaste M. Aivoverenkierron häiriöiden toiminnallinen kuvantaminen. *Duodecim* 2000;116:417-430.
- [108](#) Tuomainen S, Hänninen T. Kognitiivinen ikääntyminen. *Duodecim* 2000;116:1293-1298.
- [109](#) Tuomilehto J, Vartiainen E, Sarti C, Nissinen A, Kastarinen M. Trends in hypertension cardiovascular risk and stroke mortality in Finland. In: Bulpitt CJ, ed. *Epidemiology of Hypertension*, p. 633-644. Amsterdam: Elsevier, 2000. Handbook of Hypertension. Vol. 20.
- [110](#) Tuunanen J, Pitkänen A. Do seizures cause neuronal damage in rat amygdala kindling? *Epilepsy Res* 2000;39:171-176.
- [111](#) van den Hoogen PCW, Feskens EJM, Nagelkerke NJD, Menotti A, Nissinen A, Kromhout D, for The Seven Countries Study Research Group. The relation between blood pressure and mortality due to coronary heart disease among men in different parts of the world. *N Engl J Med* 2000;342(1):1-8.
- [112](#) Visscher TLS, Seidell JC, Menotti A, Blackburn H, Nissinen A, Feskens EJM, Kromhout D, for the Seven Countries Study Research Group. Underweight and overweight in relation to mortality among men aged 40-59 and 50-69 years. The Seven Countries Study. *Am J Epidemiol* 2000;151(7):660-666.
- [113](#) Yrjänheikki J, Koistinaho J, Copin J-C, de Crespigny A, Moseley ME, Chan PH. Spreading depression-induced expression of c-fos and cyclooxygenase-2 in transgenic mice that overexpress human copper/zinc-superoxide dismutase. *J Neurotrauma* 2000;17(8):713-718.
- [114](#) Yrjänheikki J, Tikka T, Goldsteins G, Koistinaho M, Keinänen R, Chan PH, Koistinaho J. Inhibition of inflammation and neuroprotection by tetracyclines. In: Kriegelstein J, Klumpp S, eds. *Pharmacology of Cerebral Ischemia 2000*, p. 267-274. Stuttgart: Medpharm Scientific Publishers, 2000.

- [115](#) Yu Z, Nissinen A, Vartiainen E, Song G, Guo Z, Tian H. Changes in cardiovascular risk factors in different socioeconomic groups: seven year trends in a Chinese urban population. *J Epidemiol Community Health* 2000;**54**(9):692-696.
- [116](#) Zhijie Y, Nissinen A, Vartiainen E, Song G, Guo Z, Zheng G, Tuomilehto J, Tian H. Associations between socioeconomic status and cardiovascular risk factors in an urban population in China. *Bull World Health Organ* 2000;**78**(11):1296-1305.
-

[Neurologian klinikka *](#)

[Julkaisutietokanta](#) 24.1.2013

Department of Neurology

[Publications Data Base](#) 24.1.2013