

# Neurologian klinikka \*

## Department of Neurology

### Julkaisut 2002-2002

### Publications 2002-2002

Lisätietoja julkaisusta saa klikkaamalla sen numeroa.  
For full details, please click the number in front of the publication.

- 1 Aarsland D, Alhainen K, Bullock R, Wettenberg P, Smith R, Soininen H, Murthy A, Zhang R, Bahra R. First head-to-head study comparing the tolerability and satisfaction/ease of use of donepezil and galantamine in Alzheimer's disease. Abstract. In: *The 15th Congress of the European College of Neuropsychopharmacology (ECNP)*, Barcelona, Spain, October 5-9,2002, p. S384. 2002. *European Neuropsychopharmacology, Supplement 3. Vol. 12.*
- 2 Alafuzoff I, Soininen H. Neuropathology and etiopathogenesis of Alzheimer's disease. In: Qizilbash N, Sneider LS, Chui H, Tariot P, Brodaty H, Kaye J, Erkinjuntti T, eds. *Evidence-based Dementia Practice*, p. 244-259. Oxford: Blackwell, 2002.
- 3 Anttila T, Helkala E-L, Kivipelto M, Hallikainen M, Alhainen K, Heinonen H, Mannermaa A, Tuomilehto J, Soininen H, Nissinen A. Midlife income, occupation, APOE status, and dementia. *Neurology* 2002;**59**:887-893.
- 4 Arabadzisz D, Ylinen A, Emri Z. Increased inter-spike intervals and fast after-hyperpolarization of action potentials in rat hippocampal pyramidal cells accompanied with altered calbindin immunoreactivity 10-12 months after global forebrain ischemia. *Neurosci Lett* 2002;**331**(2):103-106.
- 5 Autere JM, Hiltunen MJ, Mannermaa A, Jäkälä PA, Hartikainen PH, Majamaa K, Alafuzoff I, Soininen HS. Molecular genetic analysis of the alpha-synuclein and the parkin gene in Parkinson's disease in Finland. *Eur J Neurol* 2002;**9**(5):479-483.
- 6 Barbelivien A, Jolkkonen J, Rutkauskaite E, Sirviö J, Sivenius J. Differentially altered cerebral metabolism in ischemic rats by alfa2-adrenoceptor blockade and its relation to improved limb-placing reactions. *Neuropharmacology* 2002;**42**(1):117-126.
- 7 Barnett HJM, Meldrum HE, Eliasziw M, the North American Symptomatic Carotid Endarterectomy Trial Collaborators. The appropriate use of carotid endarterectomy. *Can Med Assoc J* 2002;**166**(9):1169-1179.
- 8 Boccardi M, Laakso MP, Bresciani L, Geroldi C, Beltramello A, Frisoni GB. Clinical characteristics of frontotemporal patients with symmetric brain atrophy. *Eur Arch Psychiatry Clin Neurosci* 2002;**252**:235-239.
- 9 Boccardi M, Pennanen C, Laakso MP, Testa C, Geroldi C, Soininen H, Frisoni GB. Amygdaloid atrophy in frontotemporal dementia and Alzheimer's disease. *Neurosci Lett* 2002;**335**:139-143.
- 10 Boccardi M, Testa C, Zorzan A, Frisoni GB, Laakso M, Hänninen T, Soininen H. Involvement of the rostral limbic system in frontotemporal dementia. Abstract. 8th International Conference on Alzheimer's disease and Related Disorders, Stockholm, Sweden, July 20-25, *Neurobiol Aging* 2002;**23**(1S):S359-360.

- 11 Bond R, Narayan SK, Rothwell PM, Warlow CP, on behalf of the European Carotid Surgery Trialists? Collaborative Group. Clinical and radiographic risk factors for operative stroke and death in the European Carotid Surgery Trial. *Eur J Vasc Endovasc Surg* 2002;**23**:108-116.
- 12 Bond R, Warlow CP, Naylor AR, Rothwell PM, on behalf of the European Carotid Surgery Trialists? Collaborative Group. Variation in surgical and anaesthetic technique and associations with operative risk in the European Carotid Surgery Trial: Implications for trials of ancillary techniques. *Eur J Vasc Endovasc Surg* 2002;**23**:117-126.
- 13 Bots ML, Elwood PC, Nikitin Y, Salonen JT, de Concalves AF, Inzitari D, Sivenius J, Trichopoulos A, Tuomilehto J, Koudstaal PJ, Grobbee DE. The EUROSTROKE cohorts: a short description and data analytical approach. *J Epidemiol Community Health Suppl* [Online:<http://www.jech.com/>] 2002;**56**(1):i2-i7.
- 14 Bots ML, Elwood PC, Nikitin Y, Salonen JT, de Concalves AF, Inzitari D, Sivenius J, Benetou V, Tuomilehto J, Koudstaal PJ, Grobbee DE. Total and HDL cholesterol and risk of stroke. EUROSTROKE: a collaborative study among research centres in Europe. *J Epidemiol Community Health Suppl* [Online:<http://www.jech.com/>] 2002;**56**(1):i19-i25.
- 15 Bots ML, Elwood PC, Salonen JT, de Concalves AF, Sivenius J, Di Carlo A, Nikitin Y, Benetou V, Tuomilehto J, Koudstaal PJ, Grobbee DE. Level of fibrinogen and risk of fatal non-fatal stroke. EUROSTROKE: a collaborative study among research centres in Europe. *J Epidemiol Community Health Suppl* [Online:<http://www.jech.com/>] 2002;**56**(1):i14-i18.
- 16 Bots ML, Nikitin Y, Salonen JT, Elwood PC, Malyutina S, de Concalves F, Sivenius J, Di Carlo A, Lagiou P, Tuomilehto J, Koudstaal PJ, Grobbee DE. Left ventricular hypertrophy and risk of fatal and non-fatal stroke. EUROSTROKE: a collaborative study among research centres in Europe. *J Epidemiol Community Health Suppl* [Online:<http://www.jech.com/>] 2002;**56**(1):i8-i13.
- 17 Bots ML, Salonen JT, Elwood PC, Nikitin Y, De Concalves AF, Inzitari D, Sivenius J, Trichopoulos A, Tuomilehto J, Koudstaal PJ, Grobbee DE. gamma-Glutamyltransferase and risk of stroke: the EUROSTROKE project. *J Epidemiol Community Health Suppl* [Online:<http://www.jech.com/>] 2002;**56**(1):i25-i29.
- 18 Buerger K, Zinkowski R, Teipel SJ, Tapiola T, Arai H, Blennow K, Andreasen N, Hofmann-Kiefer K, DeBernardis J, Kerkman D, McCulloch C, Kohnken R, Padberg F, Pirttilä T, Schapiro MB, Rapoport SI, Möller H-J, Davies P, Hampel H. Differential diagnosis of Alzheimer Disease with cerebrospinal fluid levels of tau protein phosphorylated at threonine 231. *Arch Neurol* 2002;**59**:1267-1272.
- 19 Castrén M, Lampinen KE, Miettinen R, Koponen E, Sipola I, Bakker CE, Oostra BA, Castrén E. BDNF regulates the expression of fragile X mental retardation protein mRNA in the hippocampus. *Neurobiol Dis* 2002;**11**:221-229.
- 20 Corder E, Pirskanen M, Hiltunen M, Helisalml S, Mannermaa A, Koivisto A, Soininen H, Lehtovirta M, Hartikainen P, Ropponen K, Pirinen R, Böhm J, Alafuzoff I. Alzheimer disease and vascular pathologies have distinct genetic profiles for apoE, A2M, and IL-1alfa. Abstract. 8th International Conference on Alzheimer's Disease and Related Disorders, Stockholm, Sweden, July 20-25, *Neurobiol Aging* 2002;**23**(1S):S423.
- 21 Cunningham EJ, Bond R, Mehta Z, Mayberg MR, Warlow CP, Rothwell PM, the European Carotid Surgery Trialists? Collaborative Group. Long-term durability of carotid endarterectomy for symptomatic stenosis and risk factors for late postoperative stroke. *Stroke* 2002;**33**:2658-2663.

- [22](#) Du AT, Schuff N, Laakso MP, Zhu XP, Jagust WJ, Yaffe K, Kramer JH, Miller BL, Reed BR, Norman D, Chui HC, Weiner MW. Effects of subcortical ischemic vascular dementia and AD on entorhinal cortex and hippocampus. *Neurology* 2002;**58**:1635-1641.
- [23](#) Eloranta M-L, Heiskanen JTM, Hiltunen MJ, Mannermaa AJ, Punnonen KRA, Heinonen ST. Multidrug resistance 3 gene mutation 1712delT and estrogen receptor alfa gene polymorphisms in Finnish women with obstetric cholestasis. *Eur J Obstet Gynecol Reprod Biol* 2002;**104**:109-112.
- [24](#) Elovaara I, Alafuzoff I. Infectious dementias. In: Qizilbash N, Schneider LS, Chui H, Tariot P, Brodaty H, Kaye J, Erkinjuntti T, eds. *Evidence-based Dementia Practice*, p. 320-329. Oxford: Blackwell, 2002.
- [25](#) Frisoni GB, Geroldi C, Beltramello A, Bianchetti A, Binetti G, Bordiga G, DeCarli C, Laakso MP, Soininen H, Testa C, Zanetti O, Trabucchi M. Radial width of the temporal horn: a sensitive measure in Alzheimer disease. *AJNR Am J Neuroradiol* 2002;**23**:35-47.
- [26](#) Frisoni GB, Testa C, Zorzan A, Sabattoli F, Beltramello A, Soininen H, Laakso MP. Detection of grey matter loss in mild Alzheimer's disease with voxel based morphometry. *J Neurol Neurosurg Psychiatry* 2002;**73**:657-664.
- [27](#) Gates PC, Eliasziw M, Algra A, Barnett HJM, Gunton RW, North American Symptomatic Carotid Endarterectomy Trial Group. Identifying patients with symptomatic carotid artery disease at high and low risk of severe myocardial infarction and cardiac death. *Stroke* 2002;**33**:2413-2416.
- [28](#) Hallikainen M, Tuomainen S, Hänninen T, Soininen H. Mild cognitive impairment and apolipoprotein E epsilon4. Abstract. 8th International Conference on Alzheimer's Disease and Related Disorders, Stockholm, Sweden, July 20-25, *Neurobiol Aging* 2002;**23**(1S):S306.
- [29](#) Hallikainen M, Tuomainen S, Hänninen T, Soininen H. Mild cognitive impairment and apolipoprotein E epsilon 4. Abstract. In: *7th International Geneva/Springfield Symposium on Advances in Alzheimer Therapy*, Geneva, Switzerland, April 3-6, 2002, p. 197. 2002.
- [30](#) Heikkinen T, Puoliväli J, Liu L, Rissanen A, Tanila H. Effects of ovariectomy and estrogen treatment on learning and hippocampal neurotransmitters in mice. *Horm Behav* 2002;**41**:22-32.
- [31](#) Heiskanen J, Romppanen E-L, Hiltunen M, Iivonen S, Mannermaa A, Punnonen K, Heinonen S. Polymorphism in the tumor necrosis factor-alpha gene in women with preeclampsia. *J Assist Reprod Genet* 2002;**19**(5):220-223.
- [32](#) Helkala E-L, Kivipelto M, Hallikainen M, Alhainen K, Heinonen H, Tuomilehto J, Soininen H, Nissinen A. Usefulness of repeated presentation of Mini-Mental State Examination as a diagnostic procedure - a population-based study. *Acta Neurol Scand* 2002;**106**(6):341-346.
- [33](#) Hietanen M, Hänninen T, Almkvist O. Neuropsychological examination of memory. In: Erkinjuntti T, Gauthier S, eds. *Vascular Cognitive Impairment*, p. 365-381. London: Martin Dunitz, 2002.
- [34](#) Hiltunen M, Pirskanen M, Helisalmi S, Koivisto AM, Lehtovirta M, Soininen H, Mannermaa A, Thompson D, Easton D, Ryyänänen M. Genome-wide linkage disequilibrium mapping of late onset Alzheimer's disease. Abstract. 8th International Conference on Alzheimer's Disease and Related Disorders, Stockholm, Sweden, July 20-25, *Neurobiol Aging* 2002;**23**(1S):S423.
- [35](#) Hiltunen N, Kälviäinen R. *Vaikeat epilepsiat. Tutkimus vaikeita epilepsioita sairastavista sekä heidän hoito-, tuki- ja palvelutilanteestaan*. Helsinki : Epilepsialiitto, 2002. Julkaisuja/Epilepsialiitto 1/2002. 148 s.

- [36](#) Hokkanen L, Hänninen T, Pulliainen V, Poutiainen E, Salo J, Ylikoski R, Hietanen M, Kuikka P, Winqvist S, Laine M, Portin R, Erkinjuntti T. Dementia diagnosis from the onset of memory impairment to the early diagnosis -neuropsychological view. *Suomen Lääkärilehti* 2002;**57**(45):4575-4582.
- [37](#) Hämäläinen A, Pihlajamäki M, Tanila H, Hänninen T, Soininen H, Kononen M, Martikainen E, Aronen HJ. Medial temporal lobe activation on category-item task: an fMRI study. Abstract. 8th International Conference on Alzheimer's disease and Related Disorders, Stockholm, Sweden, July 20-25, *Neurobiol Aging* 2002;**23**(1S):S355.
- [38](#) Hänninen T, Hallikainen M, Tuomainen S, Vanhanen M, Soininen H. Prevalence of mild cognitive impairment: a population-based study in elderly subjects. *Acta Neurol Scand* 2002;**106**(3):148-154.
- [39](#) Hänninen T, Kivipelto M, Laakso MP, Hallikainen M, Iivonen S, Soininen H, Helkala E-L, Alhainen K, Mannermaa A, Tuomilehto J, Nissinen A. Estrogen replacement therapy and the risk of mild cognitive impairment and Alzheimer's disease: a population-based study. Abstract. 8th International Conference on Alzheimer's disease and Related Disorders, Stockholm, Sweden, July 20-25, *Neurobiol Aging* 2002;**23**(1S):S287.
- [40](#) Ihalainen JA, Tanila H. In vivo regulation of dopamine and noradrenaline release by alpha2A-adrenoceptors in the mouse prefrontal cortex. *Eur J Neurosci* 2002;**15**:1789-1794.
- [41](#) Iivonen S, Hiltunen M, Alafuzoff I, Mannermaa A, Kerokoski P, Puoliväli J, Salminen A, Helisalmi S, Soininen H. Seladin-1 transcription is linked to neuronal degeneration in Alzheimer's disease. *Neuroscience* 2002;**113**(2):301-310.
- [42](#) Iivonen S, Hiltunen M, Kerokoski P, Puoliväli J, Salminen A, Helisalmi S, Soininen H, Alafuzoff I, Mannermaa A. Seladin-1 expression is linked to neuronal degeneration in Alzheimer's disease. Abstract. 8th International Conference on Alzheimer's Disease and Related Disorders, Stockholm, Sweden, July 20-25, *Neurobiol Aging* 2002;**23**(1S):S493-494.
- [43](#) Ikonen S, McMahan R, Gallagher M, Eichenbaum H, Tanila H. Cholinergic system regulation of spatial representation by the hippocampus. *Hippocampus* 2002;**12**:386-397.
- [44](#) Jolkkonen E, Miettinen R, Pikkarainen M, Pitkänen A. Projections from the amygdaloid complex to the magnocellular cholinergic basal forebrain in rat. *Neuroscience* 2002;**111**(1):133-149.
- [45](#) Joyal CC, Laakso MP, Tiihonen J, Syvälahti E, Vilkmann H, Laakso A, Alakare B, Rääköläinen V, Salokangas RKR, Hietala J. A volumetric MRI study of the entorhinal cortex in first episode neuroleptic-naive schizophrenia. *Biol Psychiatry* 2002;**51**:1005-1007.
- [46](#) Jutila L, Immonen A, Mervaala E, Partanen J, Partanen K, Puranen M, Kälviäinen R, Alafuzoff I, Hurskainen H, Vapalahti M, Ylinen A. Long term outcome of temporal lobe epilepsy surgery: analyses of 140 consecutive patients. *J Neurol Neurosurg Psychiatry* 2002;**73**:486-494.
- [47](#) Jutila L, Immonen A, Partanen K, Partanen J, Mervaala E, Ylinen A, Alafuzoff I, Paljärvi L, Karkola K, Vapalahti M, Pitkänen A. Neurobiology of epileptogenesis in the temporal lobe. In: Pickard JD, Dolenc VV, Antunes JL, Reulen H-J, Sindou M, Strong AJ, de Tribolet N, Tulleken CAF, Vapalahti M, eds. *Advances and Technical Standards in Neurosurgery*, p. 3-22. Wien: Springer, 2002. Vol. 27.
- [48](#) Jönsson L, Jönhagen ME, Winblad B, Kilander L, Soininen H, Waldemar G, Nygaard H. Costs of care and health-related quality of life in patients with Alzheimer's disease and their caregivers. Abstract. 8th International Conference on Alzheimer's Disease and Related Disorders, Stockholm, Sweden, July 20-25, *Neurobiol Aging* 2002;**23**(1S):S48.

- [49](#) Kaarisalo MM, Immonen-Räihä P, Marttila RJ, Salomaa V, Torppa J, Tuomilehto J, For The Finmonica MI and Stroke Register Teams. The risk of stroke following coronary revascularization - a population-based long-term follow-up study. *Scand Cardiovasc J* 2002;**36**:231-236.
- [50](#) Kaarniranta K, Oksala N, Karjalainen HM, Suuronen T, Sistonen L, Helminen HJ, Salminen A, Lammi MJ. Neuronal cells show regulatory differences in the hsp70 gene response. *Mol Brain Res* 2002;**101**:136-140.
- [51](#) Kadish I. *Plasticity in the Entorhinal-Hippocampal Pathway*. Doctoral dissertation. 2002. University of Kuopio. Department of Neurology. Series of Reports 60. 79 p., append.
- [52](#) Kadish I, Pradier L, van Groen T. Transgenic mice expressing the human presenilin 1 gene demonstrate enhanced hippocampal reorganization following entorhinal cortex lesions. *Brain Res Bull* 2002;**57**(5):587-594.
- [53](#) Kadish I, van Groen T. Low levels of estrogen significantly diminish axonal sprouting after entorhinal cortex lesions in the mouse. *J Neurosci* 2002;**22**(10):4095-4102.
- [54](#) Kalesnykas G, Mikkonen M, Soininen H, Miettinen R, Alafuzoff I. Hippocampal interneurons and polysialylated neural cell adhesion molecule in Alzheimer's disease. Abstract. 8th International Conference on Alzheimer's Disease and Related Disorders, Stockholm, Sweden, July 20-25, *Neurobiol Aging* 2002;**23**(1S):S525.
- [55](#) Kastarinen M, Tuomilehto J, Vartiainen E, Jousilahti P, Nissinen A, Puska P. Smoking trends in hypertensive and normotensive Finns during 1982-1997. *J Hum Hypertens* 2002;**16**:299-303.
- [56](#) Kaste M, Strandberg T, Lindsberg P, Sivenius J. Mitä uutta tulossa aivoinfarktin ehkäisyyn? *Duodecim* 2002;**118**:2553-2561.
- [57](#) Kemppainen S, Jolkkonen E, Pitkänen A. Projections from the posterior cortical nucleus of the amygdala to the hippocampal formation and parahippocampal region in rat. *Hippocampus* 2002;**12**(6):735-755.
- [58](#) Kerokoski P, Suuronen T, Salminen A, Soininen H, Pirttilä T. Activation of cyclin-dependent kinase 5 (CDK5) by calpain-mediated cleavage of p35 to p25 does not lead to hyperphosphorylation of tau. Abstract. 8th International Conference on Alzheimer's Disease and Related Disorders, Stockholm, Sweden, July 20-25, *Neurobiol Aging* 2002;**23**(1S):S502.
- [59](#) Kerokoski P, Suuronen T, Salminen A, Soininen H, Pirttilä T. Cleavage of the cyclin-dependent kinase 5 activator p35 to p25 does not induce tau hyperphosphorylation. *Biochem Biophys Res Commun* 2002;**298**:693-698.
- [60](#) Kerokoski P, Suuronen T, Salminen A, Soininen H, Pirttilä T. Influence of phosphorylation of p35, an activator of cyclin-dependent kinase 5 (cdk5), on the proteolysis of p35. *Mol Brain Res* 2002;**106**:50-56.
- [61](#) Kivipelto M. *Vascular Risk Factors in Alzheimer's Disease and Mild Cognitive Impairment*. Doctoral dissertation. 2002. University of Kuopio. Department of Neurology. Series of Reports 62. 144 p., append.
- [62](#) Kivipelto M, Helkala E-L, Laakso MP, Hänninen T, Hallikainen M, Alhainen K, Iivonen S, Mannermaa A, Tuomilehto J, Nissinen A, Soininen H. Apolipoprotein E epsilon4 allele, elevated midlife total cholesterol level, and high midlife systolic blood pressure are independent risk factors for late-life Alzheimer disease. *Ann Intern Med* 2002;**137**:149-155.
- [63](#) Kivipelto M, Helkala E-L, Nissinen A, Soininen H, Tuomilehto J. Vascular risk factors, ApoE epsilon4 allele, and gender and the risk of Alzheimer's disease: perspectives on prevention.

*Drug Dev Res* 2002;**56**:85-94.

- [64](#) Kivipelto M, Laakso MP, Hänninen T, Hallikainen M, Iivonen S, Soininen H, Helkala E-L, Alhainen K, Mannermaa A, Tuomilehto J, Nissinen A. Apolipoprotein E epsilon4 allele, elevated midlife cholesterol and systolic blood pressure are independent risk factors for late-life Alzheimers?s disease. Abstract. 8th International Conference on Alzheimer?s Disease and Related Disorders, Stockholm, Sweden, July 20-25, *Neurobiol Aging* 2002;**23**(1S):S272.
- [65](#) Kivipelto M, Laakso MP, Tuomilehto J, Nissinen A, Soininen H. Hypertension and hypercholesterolaemia as risk factors for Alzheimer?s disease: potential for pharmacological intervention. *CNS Drugs* 2002;**16**(7):435-444.
- [66](#) Kivipelto M, Soininen H, Tuomilehto J. Hypertension and white matter lesions of the brain. *J Hypertens* 2002;**20**:387-389.
- [67](#) Koistinaho M, Kettunen MI, Goldsteins G, Keinänen R, Salminen A, Ort M, Bures J, Liu D, Kauppinen RA, Higgins LS, Koistinaho J. Beta-amyloid precursor protein transgenic mice that harbor diffuse A beta deposits but do not form plaques show increased ischemic vulnerability: Role of inflammation. *Proc Natl Acad Sci U S A* 2002;**99**(3):1610-1615.
- [68](#) Koivisto A, Koivisto K, Helkala E-L, Soininen H, Mykkänen L, Laakso M, Mannermaa A, Alafuzoff I. A complex influence of total cholesterol and low-density cholesterol in beta-amyloid load. Abstract. 8th International Conference on Alzheimer?s disease and Related Disorders, Stockholm, Sweden, July 20-25, *Neurobiol Aging* 2002;**23**(1S):S397.
- [69](#) Koivisto AM, Mykkänen L, Koivisto K, Mannermaa A, Helkala E-L, Laakso M, Soininen H, Alafuzoff I. Beta-amyloid load in brain tissue is modified by the gender, the ApoE genotype and the blood lipid level. Abstract. In: *7th International Geneva/Springfield Symposium on Advances in Alzheimer Therapy*, Geneva, Switzerland, April 3-6, 2002, p. 205. 2002.
- [70](#) Korhonen P. *Gene Regulation in Neuronal Degeneration - Role of mSin3 and YY1 Factors*. Doctoral dissertation. 2002. University of Kuopio. Department of Neurology. Series of Reports 61. 106 p., append.
- [71](#) Korolainen MA, Goldsteins G, Alafuzoff I, Koistinaho J, Pirttilä T. Proteomic analysis of protein in Alzheimer's disease brain . *Electrophoresis* 2002;**23**(19):3428-3433.
- [72](#) Kubová H, Druga R, Haugvicová R, Suchomelová L, Pitkanen A. Dynamic changes of status epilepticus-induced neuronal degeneration in the mediodorsal nucleus of the thalamus during postnatal development of the rat. *Epilepsia Suppl* 2002;**43**(5):54-60.
- [73](#) Kuhmonen J, Lukkarinen J, Gröhn O, Jolkkonen J, Sivenius J. Diazepam does not reduce infarct size in rats subjected to transient occlusion of the middle cerebral artery when normothermia is maintained. *J Pharm Pharmacol* 2002;**54**:1565-1569.
- [74](#) Kurl S, Tuomainen TP, Laukkanen JA, Nyssönen K, Lakka T, Sivenius J, Salonen JT. Plasma vitamin C modifies the association between hypertension and risk of stroke. *Stroke* 2002;**33**:1568-1573.
- [75](#) Kuusisto E, Salminen A, Alafuzoff I. Early accumulation of p62 in neurofibrillary tangles in Alzheimer?s disease: possible role in tangle formation. *Neuropathol Appl Neurobiol* 2002;**28**:228-237.
- [76](#) Kälviäinen R. Nuoruusiän myoklonusepilepsia NME. Diagnoosipohjaiset infolehtiset, kustantaja Epilepsialiitto
- [77](#) Kälviäinen R. Temporal lobe resection in a patient with severe psychiatric problems. In: Schmidt D, Schachter SC, eds. *110 Puzzling Cases of Epilepsy*, p. 395-397. London: Martin

Dunitz, 2002.

- [78](#) Kälviäinen R, Salmenperä T. Do recurrent seizures cause neuronal damage? A series of studies with MRI volumetry in adults with partial epilepsy. In: Sutula T, Pitkänen A, eds. *Do Seizures Damage the Brain*, p. 279-295. Amsterdam: Elsevier, 2002. Progress in Brain Research 135.
- [79](#) Laakso MP. Structural imaging in impairment and the dementias: an update. *Curr Opin Neurol* 2002;**15**:415-421.
- [80](#) Laakso MP, Gunning-Dixon F, Vaurio O, Repo-Tiihonen E, Soininen H, Tiihonen J. Prefrontal volumes in habitually violent subjects with antisocial personality disorder and type 2 alcoholism. *Psychiatry Res Neuroimaging* 2002;**114**:95-102.
- [81](#) Laasanen J, Heinonen S, Hiltunen M, Mannermaa A, Laakso M. Polymorphism in the peroxisome proliferator-activated receptor-gamma gene in women with preeclampsia. *Early Hum Dev* 2002;**69**:77-82.
- [82](#) Laasanen J, Hiltunen M, Punnonen K, Mannermaa A, Heinonen S. Fibrinogen and factor VII promoter polymorphism in women with preeclampsia. *Obstet Gynecol* 2002;**100**:317-20.
- [83](#) Laasanen J, Romppanen E-L, Hiltunen M, Helisalme S, Mannermaa A, Punnonen K, Heinonen S. Two exonic single nucleotide polymorphisms in the microsomal epoxide hydrolase gene are jointly associated with preeclampsia. *Eur J Hum Genet* 2002;**10**:569-573.
- [84](#) Langhorne P, Pollock A, the Stroke Unit Trialists? Collaboration. What are the components of effective stroke unit care? *Age Ageing* 2002;**31**:365-371.
- [85](#) Liu L, Ikonen S, Heikkinen T, Heikkilä M, Puoliväli J, van Groen T, Tanila H. Effects of fimbria-fornix lesion and amyloid pathology on spatial learning and memory in transgenic APP+PS1 mice. *Behav Brain Res* 2002;**134**:433-445.
- [86](#) Liu L, Ikonen S, Heikkinen T, Tapiola T, van Groen T, Tanila H. The effects of long-term treatment with metrifonate, a cholinesterase inhibitor, on cholinergic activity, amyloid pathology, and cognitive function in APP and PS1 doubly transgenic mice. *Exp Neurol* 2002;**173**:196-204.
- [87](#) Liu L, Ikonen S, Tapiola T, Tanila H, van Groen T. Fimbria-fornix lesion does not affect APP levels and amyloid deposition in the hippocampus of APP+PS1 double transgenic mice. *Exp Neurol* 2002;**177**:565-574.
- [88](#) Liu Y, Laakso MP, Karonen JO, Vanninen RL, Nuutinen J, Soimakallio S, Aronen HJ. Apolipoprotein E polymorphism and acute ischemic stroke : a diffusion - and perfusion weighted magnetic resonance imaging study. *J Cereb Blood Flow Metab* 2002:1336-1342.
- [89](#) Lukasiuk K, Pirttilä TJ, Pitkänen A. Upregulation of cystatin C expression in the rat hippocampus during epileptogenesis in the amygdala stimulation model of temporal lobe epilepsy. *Epilepsia Suppl* 2002;**43**(5):137-145.
- [90](#) Lähtinen S, Pitkänen A, Saarelainen T, Nissinen J, Koponen E, Castrén E. Decreased BDNF signalling in transgenic mice reduces epileptogenesis. *Eur J Neurosci* 2002;**15**:721-734.
- [91](#) Majak K, Pikkarainen M, Kemppainen S, Jolkkonen E, Pitkänen A. Projections from the amygdaloid complex to the claustrum and the endopiriform nucleus: a Phaseolus vulgaris leucoagglutinin study in the rat. *J Comp Neurol* 2002;**451**(3):236-249.
- [92](#) Marutle A, Unger C, Hellström-Lindh E, Wang J, Puoliväli J, Tanila H, Nordberg A, Zhang X. Elevated levels of Aβ<sub>1-40</sub> and Aβ<sub>1-42</sub> do not alter the binding sites of nicotinic receptor subtypes in the brain of APP<sup>sw</sup> and PS1 double transgenic mice. *Neurosci Lett* 2002;**328**:269-272.

- [93](#) Mehta PD, Pirttilä T. Biological markers of Alzheimer's disease. *Drug Dev Res* 2002;**56**:74-84.
- [94](#) Miettinen RA, Kalesnykas G, Koivisto EH. Estimation of the total number of cholinergic neurons containing estrogen receptor-alpha in the rat basal forebrain. *J Histochem Cytochem* 2002;**50**(7):891-902.
- [95](#) Moons KGM, Bots ML, Salonen JT, Elwood PC, de Concalves AF, Nikitin Y, Sivenius J, Inzitari D, Benetou V, Tuomilehto J, Koudstaal PJ, Grobbee DE. Prediction of stroke in the general population in Europe (EUROSTROKE): Is there a role for fibrinogen and electrocardiography? *J Epidemiol Community Health Suppl* [Online:<http://www.jech.com/>] 2002;**56**(1):i30-i36.
- [96](#) Nordlinder M, An W-L, Alafuzoff I, Bogdanovic N, Pei J-J. Calcium/calmodulin dependent protein kinase II in Alzheimer's disease. *Brain Aging* 2002;**2**(3):46-53.
- [97](#) Overmyer M. *Gliosis in Relation to Alzheimer's Hallmark Lesions in Aging and Alzheimer's Disease. A postmodern immunohistochemical study*. Doctoral dissertation. 2002. University of Kuopio. Department of Neurology. Series of Reports 63. 77 p., append.
- [98](#) Parkkinen L, Soininen H, Alafuzoff I. Regional distribution of alpha-synuclein pathology in aged and in Alzheimer's disease . Abstract. 8th International Conference on Alzheimer's Disease and Related Disorders, Stockholm, Sweden, July 20-25, *Neurobiol Aging* 2002;**23**(1S):S62.
- [99](#) Parviainen I, Uusaro A, Kälviäinen R, Kaukanen E, Mervaala E, Ruokonen E. High-dose thiopental in the treatment of refractory status epilepticus in intensive care unit. *Neurology* 2002;**59**:1249-1251.
- [100](#) Passmore P, Wetterberg P, Adler G, Soininen H, Aarsland D, Murthy A, Zhang R. First head to head study comparing the tolerability, ease of use, and efficacy of Donepezil and Galantamine in Alzheimer's disease. Abstract. 8th International Conference on Alzheimer's Disease and Related Disorders, Stockholm, Sweden, July 20-25, *Neurobiol Aging* 2002;**23**(1S):S97.
- [101](#) Pennanen C, Kivipelto M, Tuomainen S, Hallikainen M, Vanhanen M, Laakso M, Hartikainen P, Hänninen T, Nissinen A, Helkala E-L, Vainio P, Partanen K, Soininen H. Comparative MRI volume analyses of hippocampus and entorhinal cortex in mild cognitive impairment and Alzheimer's disease. Abstract. 8th International Conference on Alzheimer's Disease and Related Disorders, Stockholm, Sweden, July 20-25, *Neurobiol Aging* 2002;**23**(1S):S467.
- [102](#) Peurala SH, Pitkänen K, Sivenius J, Tarkka IM. Cutaneous electrical stimulation may enhance sensorimotor recovery in chronic stroke. *Clin Rehabil* 2002;**16**:709-716.
- [103](#) Pirskanen M, Hiltunen M, Mannermaa A, Iivonen S, Helisalmi S, Lehtovirta M, Koivisto AM, Laakso M, Soininen H, Alafuzoff I. Interleukin 1 alpha gene polymorphism as a susceptibility factor in Alzheimer's disease and its influence on the extend of histopathological hallmark lesions of Alzheimer's disease. *Dement Geriatr Cogn Disord* 2002;**14**:123-127.
- [104](#) Pirttilä T. Taudin kulkua muunteleva hoito MS-taudissa. *Tietoa terveydestä* 2002(1):41-47.
- [105](#) Pirttilä T, Alafuzoff I. Neuroinflammation in neurodegeneration: lessons from Alzheimer's disease. In: D'haenen H, den Boer JA, Willner P, eds. *Biological Psychiatry*, p. 283-293. New York: John Wiley & Sons, 2002.
- [106](#) Pirttilä T, Alhainen K, Erkinjuntti T. Alzheimerin taudin lääkehoitovasteen arviointi ja lääkekorvauslausuntojen laatiminen. *Suomen Lääkärilehti* 2002;**57**(38):3711-3714.
- [107](#) Pitkänen A. Efficacy of current antiepileptics to prevent neurodegeneration in epilepsy models. *Epilepsy Res* 2002;**50**(1-2):141-160.

- [108](#) Pitkänen A. Drug-mediated neuroprotection and anti-epileptogenesis. *Neurology Suppl* 2002;**59**(5):S27-S33.
- [109](#) Pitkänen A, Kemppainen S. Comparison of the distribution of calcium-binding proteins and intrinsic connectivity in the lateral nucleus of the rat, monkey, and human amygdala. *Pharmacol Biochem Behav* 2002;**71**(3):369-377.
- [110](#) Pitkänen A, Nissinen J, Nairismägi J, Lukasiuk K, Gröhn OHJ, Miettinen R, Kauppinen R. Progression of neuronal damage after status epilepticus and during spontaneous seizures in a rat model of temporal lobe epilepsy. In: Sutula T, Pitkänen A, eds. *Do Seizures Damage the Brain*, p. 67-83. Amsterdam: Elsevier, 2002. Progress in Brain Research. Vol. 135.
- [111](#) Pitkänen A, Sutula TP. Is epilepsy a progressive disorder? Prospects for new therapeutic approaches in temporal-lobe epilepsy. *Lancet Neurol* 2002;**1**(3):173-181.
- [112](#) Puoliväli J, Björklund M, Holmberg M, Ihalainen JA, Scheinin M, Tanila H. Alpha2C-adrenoceptor mediated regulation of cortical EEG arousal. *Neuropharmacology* 2002;**43**:1305-1312.
- [113](#) Puoliväli J, Wang J, Heikkinen T, Heikkilä M, Tapiola T, van GroenT, Tanila H. Hippocampal Aβ<sub>42</sub> levels correlate with spatial memory deficit in APP and PS1 double transgenic mice. *Neurobiol Dis* 2002;**9**:339-347.
- [114](#) Puurunen K, Sivenius J. Influence of enriched environment on spatial learning following cerebral insult. *Rev Neurosci* 2002;**13**(4):347-364.
- [115](#) Ropponen KM, Kankkunen JP, Ronkainen A, Vihavainen M, Alafuzoff I. Castleman's disease of the leptomeninges - immunohistochemical findings in 2 cases. *Clin Neuropathol* 2002;**21**(6):278-283.
- [116](#) Saarela J, Schoenberg Fejzo M, Chen D, Finnilä S, Parkkonen M, Kuokkanen S, Sobel E, Tienari PJ, Sumelahti M-L, Wikström J, Elovaara I, Koivisto K, Pirttilä T, Reunanen M, Palotie A, Peltonen L. Fine mapping of a multiple sclerosis locus to 2.5 Mb on chromosome 17q22-q24. *Hum Mol Genet* 2002;**11**(19):2257-2267.
- [117](#) Savolainen S, Hurskainen H, Paljärvi L, Alafuzoff I, Vapalahti M. Five-year outcome of normal pressure hydrocephalus with or without a shunt: predictive value of the clinical signs, neuropsychological evaluation and infusion test. *Acta Neurochir (Wien)* 2002;**144**:515-523.
- [118](#) Sipilä R-M, Kälviäinen R. *Epilepsiaa sairastavan toimintakyky ja palveluiden tarve*. Helsinki: Epilepsialiitto, 2002. 11 s.
- [119](#) Sivenius J, Jakovljevic D, Tuomilehto J, Sarti C, Torppa J, Mähönen M, Immonen-Räihä P, Kaarsalo E, Kuulasmaa K, Alhainen K, Lehtonen A, Kaarisalo M, Salomaa V. Sosioekonomisen aseman yhteys aivoinfarktiin ja aivoverenvuotoon suomalaisessa aikuisväestössä. *Suomen Lääkärilehti* 2002;**57**(6):627-633.
- [120](#) Sivenius J, Pitkänen K, Peurala S, Tarkka IM. Käden pakotettu käyttö - lupaava aivohalvauspotilaiden kuntoutusmuoto. *Duodecim* 2002;**118**:1021-1026.
- [121](#) Sivenius J, Puurunen K, Tarkka IM, Jolkkonen J. Aivohalvauspotilaiden kuntoutusmahdollisuudet tulevaisuudessa. *Duodecim* 2002;**118**:2569-2576.
- [122](#) Soinen H. Genetics and molecular epidemiology and cardiovascular risk factors of Alzheimer's disease. Abstract. 8th International conference on Alzheimer's Disease and Related Disorders, Stockholm, Sweden, July 20-25, *Neurobiol Aging* 2002;**23**(S1):S5.
- [123](#) Soinen H. Relevance of APOE genotype in diagnostics and therapy of Alzheimer's disease. *Review Series. Dementia* 2002(3):15-18.

- [124](#) Soininen H. Can mild cognitive impairment predict Alzheimer disease. Abstract. In: *7th International Geneva/Springfield Symposium on advances in Alzheimer Therapy*, Geneva, Switzerland, April 3-6, 2002, p. 116. 2002.
- [125](#) Soininen H, Hänninen T. Muistihäiriö: normaalia ikääntymistä vai dementiaa. *Suomen Lääkärilehti* 2002;**57**(20):2183-2185.
- [126](#) Soininen H, Hänninen T. Can we predict the development of Alzheimer's disease through mild cognitive impairment? Abstract. In: *The 15th Congress of the European College of Neuropsychopharmacology*, Barcelona, Spain, October 5-9, 2002, p. S97. 2002. European Neuropsychopharmacology, Supplement 3. Vol. 12.
- [127](#) Soininen H, Kohler J, Jones R, Murthy A, Zhang R, Burger L. Donepezil compared to Galantamine in Alzheimer's disease: Better physician and caregiver satisfaction/ease of use ratings in a multinational randomised trial. Abstract. In: *The 6th Congress of the European Federation of Neurological Societies*, Vienna, Austria, October 26-29, 2002, p. 198. 2002. European Journal of Neurology. Supplement 2. Vol. 9.
- [128](#) Soininen H, Martin S, Bullock R, Alhainen K, Hager K, Jones R, Aarsland D, Murthy A, Zhang R, Bahra R. First head-to-head study comparing the efficacy of donepezil and galantamine in Alzheimer's disease. Abstract. In: *The 15th Congress of the European College of Neuropsychopharmacology*, Barcelona, Spain, October 5-9, 2002, p. S385. 2002. European Neuropsychopharmacology, Supplement 3. Vol. 12.
- [129](#) Soininen H, Partanen J. EEG as a diagnostic tool in dementia. In: Qizilbash N, Schneider LS, Chui H, Tariot P, Brodaty H, Kaye J, Erkinjuntti T, eds. *Evidence-based Dementia Practice*, p. 170-175. Oxford: Blackwell, 2002.
- [130](#) Solovyan VT, Bezvenyuk ZA, Salminen A, Austin CA, Courtney MJ. The role of topoisomerase II in the excision of DNA loop domains during apoptosis. *J Biol Chem* 2002;**277**(24):21458-21467.
- [131](#) Streifler JY, Eliasziw M, Benavente OR, Alamowitch S, Fox AJ, Hachinski VC, Barnett HJM, North American Symptomatic Carotid Endarterectomy Trial Group. Prognostic importance of leukoaraiosis in patients with symptomatic internal carotid artery stenosis. *Stroke* 2002;**33**:1651-1655.
- [132](#) Suomen Neurologinen Yhdistys ry. Multippeliskleroosin diagnostiikka ja lääkehoito. Käypä hoito-suositus. *Duodecim* 2002;**118**(13):1411-1423.
- [133](#) Tarkka IM, Lehtovirta M, Soininen H, Pääkkönen A, Karhu J, Partanen J. Auditory adaptation is differentially impaired in familial and sporadic Alzheimer's disease. *Biomed Pharmacother* 2002;**56**:45-49.
- [134](#) Tolonen H, Mähönen M, Asplund K, Rastenyte D, Kuulasmaa K, Vanuzzo D, Tuomilehto J, WHO MONICA Project. Do trends in population levels of blood pressure and other cardiovascular risk factors explain trends in stroke events rates? Comparisons of 15 populations in 9 countries within the WHO MONICA stroke project. *Stroke* 2002;**33**:2367-2375.
- [135](#) Tuomainen S, Kivipelto M, Hänninen T, Vanhanen M, Hallikainen M, Soininen H. Risk factors for mild cognitive impairment in a population-based 3-year follow-up study. Abstract. 8th International Conference on Alzheimer's Disease and Related Disorders, Stockholm, Sweden, July 20-25, *Neurobiol Aging* 2002;**23**(1S):S452.
- [136](#) van Groen T, Kadish I, Wyss JM. Old rats remember old tricks; memories of the water maze persist for 12 months. *Behav Brain Res* 2002;**136**:247-255.

- [137](#) van Groen T, Kadish I, Wyss JM. Species differences in the projections from the entorhinal cortex to the hippocampus. *Brain Res Bull* 2002;**57**(3-4):553-556.
- [138](#) Vanhanen M. Memory complaint and depression in subjects with mild cognitive impairment and in patients with Alzheimer's disease. Abstract. 8th International Conference on Alzheimer's Disease and Related Disorders, Stockholm, Sweden, July 20-25, *Neurobiol Aging* 2002;**23**(1S):S306.
- [139](#) Walda IC, Tabak C, Smit HA, Räsänen L, Fidanza F, Menotti A, Nissinen A, Feskens EJM, Kromhout D. Diet and 20-year chronic obstructive pulmonary disease mortality in middle-aged men from three European countries. *Eur J Clin Nutr* 2002;**56**:638-643.
- [140](#) Wang J, Ikonen S, Gurevicius K, van Groen T, Tanila H. Alteration of cortical EEG in mice carrying mutated human APP transgene. *Brain Res* 2002;**943**:181-190.
- [141](#) Wegiel J, Kuchna I, Wisniewski T, de Leon MJ, Reisberg B, Pirttilä T, Kivimäki T, Lehtimäki T. Vascular fibrosis and calcification in the hippocampus in aging, Alzheimer disease, and Down syndrome. *Acta Neuropathol* 2002;**103**:333-343.
- [142](#) Äikiä M. *Verbal Memory in Newly Diagnosed Partial Epilepsy. A neuropsychological study.* Doctoral dissertation. 2002. University of Kuopio. Department of Neurology. Series of Reports 64. 69 p., append.

---

[Neurologian klinikka \\*](#)

[Julkaisutietokanta](#) 24.1.2013

Department of Neurology

[Publications Data Base](#) 24.1.2013