

Neurologian klinikka *

Department of Neurology

Julkaisut 2007-2007

Publications 2007-2007

Lisätietoja julkaisusta saa klikkaamalla sen numeroa.
For full details, please click the number in front of the publication.

- 1 Cavalleri GL, Weale ME, Shianna KV, Singh R, Lynch JM, Grinton B, Szoeka C, Murphy K, Kinirons P, O'Rourke D, Ge D, Depondt C, Claeys KG, Pandolfo M, Gumbs C, Walley N, McNamara J, Mulley JC, Linney KN, Sheffield LJ, Radtke RA, Tate SK, Chissoe ST, Gibson RA, Hosford D, Stanton A, Graves TD, Hanna MG, Eriksson K, Kantanen A-M, Kalviainen R, Multicentre search for genetic susceptibility loci in sporadic epilepsy syndrome and seizure types: a case control-study. *Lancet Neurol* 2007;**6**:970-980.
- 2 Wegiel J, Kuchna I, Nowicki K, Frackowiak J, Mazur-Kolecka B, Imaki H, Wegiel J, Mehta PD, Silverman WP, Reisberg B, DeLeon M, Wisniewski T, Pirttilla T, Frey H, Lehtimäki T, Kivimäki T, Visser FE, Kamphorst W, Potempska A, Bolton D, Currie JR, Miller DL. Intraneuronal AB immunoreactivity is not a predictor of brain amyloidosis-B or neurofibrillary degeneration. *Acta Neuropathol* 2007;**113**:389-402.
- 3 Ahtoniemi T, Goldsteins G, Keksa-Goldsteine V, Malm T, Kanninen K, Salminen A, Koistinaho J. Pyrrolidine dithiocarbamate inhibits induction of immunoproteasome and decreases survival in a rat model of amyotrophic lateral sclerosis. *Mol Pharmacol* 2007;**71**:30-37.
- 4 Airas L, Saraste M, Rinta S, Elovaara I, Huang Y-H, Wiendl H, and the Finnish Multiple Sclerosis And Pregnancy Study Group. Immunoregulatory factors in multiple sclerosis patients during and after pregnancy: relevance of natural killer cells. *Clin Exp Immunol* 2007;**151**:235-243.
- 5 Aronen HJ, Laakso MP, Moser M, Perkiö J. Diffusion and perfusion-weighted magnetic resonance imaging techniques in stroke recovery. *Eura Medicophys* 2007;**43**:271-284.
- 6 Buerger K, Alafuzoff I, Ewers M, Pirttilä T, Zinkowski R, Hampel H. No correlation between CSF tau protein phosphorylated at threonine 181 with neocortical neurofibrillary pathology in Alzheimer's disease. *Brain [Online]* 2007;**130**:e82.
- 7 Cheung KC, Renaud P, Tanila H, Djupsund K. Flexible polyimide microelectrode array for in vivo recordings and current source density analysis. *Biosens Bioelectron* 2007;**22**:1783-1790.
- 8 Clarke J, Thornell A, Corbett D, Soininen H, Hiltunen M, Jolkkonen J. Overexpression of APP provides neuroprotection in the absence of functional benefit following middle cerebral artery occlusion in rats. *Eur J Neurosci* 2007;**26**:1845-1852.
- 9 Goffin K, Nissinen J, Van Laere K, Pitkänen A. Cyclicity of spontaneous recurrent seizures in pilocarpine model of temporal lobe epilepsy in rat. *Exp Neurol* 2007;**205**:501-505.
- 10 Gröhn O, Pitkänen A. Magnetic resonance imaging in animal models of epilepsy-noninvasive detection of structural alterations. *Epilepsia Suppl* 2007;**48**(4):3-10.

- [11](#) Gureviciene I, Gurevicius K, Tanila H. Role of alpha-synuclein in synaptic glutamate release. *Neurobiol Dis* 2007;**28**(1):83-89.
- [12](#) Gurevicius K, Gureviciene I, Sivukhina E, Irintchev A, Schachner M, Tanila H. Increased hippocampal and cortical beta oscillations in mice deficient for the HNK-1 sulfotransferase. *Mol Cell Neurosci* 2007;**34**(2):189-198.
- [13](#) Herrgård E, Mononen T, Mervaala E, Kuusela L, Äikiä M, Stenbäck U, Pääkkönen L, Airaksinen R-L, Kälviäinen R. More severe epilepsy and cognitive impairment in the offspring of a mother with mosaicism for the ring 20 chromosome. *Epilepsy Res* 2007;**73**(1):122-128.
- [14](#) Herukka S-K, Helisalmi S, Hallikainen M, Tervo S, Soininen H, Pirttilä T. CSF Abeta42, tau and phosphorylated tau, APOE epsilon4 allele and MCI type in progressive MCI. *Neurobiol Aging* 2007;**28**:507-514.
- [15](#) Herukka SK. *Usefulness of Cerebrospinal Fluid Biomarkers in Diagnosis of Early Alzheimer's Disease*. Doctoral dissertation. 2007. University of Kuopio. Department of Neurology. Series of Reports 88. 87 p., append.
- [16](#) Hooijmans CR, Graven C, Dederen PJ, Tanila H, van Groen T, Kiliaan AJ. Amyloid beta deposition is related to decreased glucose transporter-1 levels and hippocampal atrophy in brains of aged APP/PS1 mice. *Brain Res* 2007;**1181**:93-103.
- [17](#) Hooijmans CR, Rutters F, Dederen PJ, Gambarota G, Veltien A, van Groen T, Broersen LM, Lütjohann D, Heerschap A, Tanila H, Kiliaan AJ. Changes in cerebral blood volume and amyloid pathology in aged Alzheimer APP/PS1 mice on a docosahexaenoic acid (DHA) diet or cholesterol enriched Typical Western Diet (TWD). *Neurobiol Dis* 2007;**28**(1):16-29.
- [18](#) Huhtala A, Pohjonen T, Salminen L, Salminen A, Kaarniranta K, Uusitalo H. In vitro biocompatibility of degradable biopolymers in cell line cultures from various ocular tissues: Direct contact studies. *J Biomed Mater Res A* 2007;**83A**(2):407-413.
- [19](#) Huuskonen J. *Microglial Response to Inflammatory Stimuli-Impact of Protein Acetylation and Phosphorylation*. Doctoral dissertation. 2007. University of Kuopio. Department of Neurology. Series of Reports 86. 90 p., append.
- [20](#) Hämäläinen A, Pihlajamäki M, Tanila H, Hänninen T, Niskanen E, Tervo S, Karjalainen PA, Vanninen RL, Soininen H. Increased fMRI responses during encoding in mild cognitive impairment. *Neurobiol Aging* 2007;**28**:1889-1903.
- [21](#) Hämäläinen A, Tervo S, Grau-Olivares M, Niskanen E, Pennanen C, Huuskonen J, Kivipelto M, Hänninen T, Tapiola M, Vanhanen M, Hallikainen M, Helkala E-L, Nissinen A, Vanninen R, Soininen H. Voxel-based morphometry to detect brain atrophy in progressive mild cognitive impairment. *Neuroimage* 2007;**37**:1122-1131.
- [22](#) Joyal CC, Putkonen A, Mancini-Marie A, Hodgins S, Kononen M, Boulay L, Pihlajamaki M, Soininen H, Stip E, Tiihonen J, Aronen HJ. Violent persons with schizophrenia and comorbid disorders: a functional magnetic resonance imaging study. *Schizophr Res* 2007;**91**:97-102.
- [23](#) Juva K, Rastas S, Pirttilä T. Blood pressure and survival in the very old. *Geriatrics Aging* 2007;**10**(9):572-577.
- [24](#) Kalesnykas G, Niittykoski M, Rantala J, Miettinen R, Salminen A, Kaarniranta K, Uusitalo H. The expression of heat shock protein 27 in retinal ganglion and glial cells in a rat glaucoma model. *Neuroscience* 2007;**150**:692-704.
- [25](#) Karhunen H. *Long-Term Studies of Epileptogenesis After Focal Cerebral Ischemia in Rats*. Doctoral dissertation. 2007. University of Kuopio. Department of Neurology. Series of Reports

89. 74 p., append.

- [26](#) Karhunen H, Bezvenyuk Z, Nissinen J, Sivenius J, Jolkkonen J, Pitkänen A. Epileptogenesis after cortical photothrombotic brain lesion in rats. *Neuroscience* 2007;**148**(1):314-324.
- [27](#) Keck CA, Thompson HJ, Pitkänen A, LeBold DG, Morales DM, Plevy JB, Puri R, Zhao B, Dichter M, McIntosh TK. The novel antiepileptic agent RWJ-333369-A, but not its analog RWJ-333369, reduces regional cerebral edema without affecting neurobehavioral outcome or cell death following experimental traumatic brain injury. *Restor Neurol Neurosci* 2007;**25**(2):77-90.
- [28](#) Kharatishvili I, Immonen R, Gröhn O, Pitkänen A. Quantitative diffusion MRI of hippocampus as a surrogate marker for post-traumatic epileptogenesis. *Brain* 2007;**130**(12):3155-3168.
- [29](#) Kiviranta PH, Leppänen J, Rinne VM, Suuronen T, Kyrylenko O, Kyrylenko S, Kuusisto E, Tervo AJ, Järvinen T, Salminen A, Poso A, Wallén EAA. N-(3-(4-hydroxyphenyl)-propenoyl)-amino acid tryptamides as SIRT2 inhibitors. *Bioorg Med Chem Lett* 2007;**17**:2448-2451.
- [30](#) Koponen A, Seppälä U, Eriksson K, Nieminen P, Uutela A, Sillanpää M, Hyvärinen L, Kälviäinen R. Social functioning and psychological well-being of 347 young adults with epilepsy only-population-based, controlled study from Finland. *Epilepsia (NY)* 2007;**48**(5):907-912.
- [31](#) Korolainen MA, Nyman TA, Nyyssönen P, Hartikainen ES, Pirttilä T. Multiplexed proteomic analysis of oxidation and concentrations of cerebrospinal fluid proteins in Alzheimer disease. *Clin Chem* 2007;**53**(4):657-665.
- [32](#) Kumlin T, Iivonen H, Miettinen P, Juvonen A, van Groen T, Puranen L, Pitkäaho R, Juutilainen J, Tanila H. Mobile phone radiation and the developing brain: behavioral and morphological effects in juvenile rats. *Radiat Res* 2007;**168**:471-479.
- [33](#) Kälviäinen R. Status epilepticus treatment guidelines. *Epilepsia Suppl* 2007;**48**(8):99-102.
- [34](#) Kälviäinen R, Eriksson K, Losekoot M, Sorri I, Harvima I, Santavuori P, Järvelä I, Autti T, Vanninen R, Salmenperä T, van Diggelen OP. Juvenile-onset neuronal ceroid lipofuscinosis with infantile CNL1 mutation and palmitoyl-protein thioesterase deficiency. *Eur J Neurol* 2007;**14**:369-372.
- [35](#) Lamusuo S, Paloviita K, Kälviäinen R. Nainen ja epilepsia. *Suomen Lääkärilehti* 2007;**62**:3631-3636.
- [36](#) Lämsä R, Helisalmi S, Herukka S-K, Tapiola T, Pirttilä T, Vepsäläinen S, Hiltunen M, Soininen H. Study on the association between SOAT1 polymorphisms, Alzheimer's disease risk and the level of CSF biomarkers. *Dement Geriatr Cogn Disord* 2007;**24**:146-150.
- [37](#) Lämsä R, Helisalmi S, Hiltunen M, Herukka S-K, Tapiola T, Pirttilä T, Vepsäläinen S, Soininen H. The association study between DHCR24 polymorphisms and Alzheimer's disease. *Am J Med Genet B Neuropsychiatr Genet* 2007;**144B**:906-910.
- [38](#) Majak K, Pitkänen A. Mechanisms of emotional learning in normal and epileptic brain. In: Natsume K, Hanazawa A, Miki T, eds. *Brain-Inspired IT III*, p. 22-27. Amsterdam: Elsevier, 2007. International Congress Series 1301.
- [39](#) Malm TM, Iivonen H, Goldsteins G, Keksa-Goldsteine V, Ahtoniemi T, Kanninen K, Salminen A, Auriola S, van Groen T, Tanila H, Koistinaho J. Pyrrolidine dithiocarbamate activates akt and improves spatial learning in APP/PS1 mice without affecting beta-amyloid burden. *J Neurosci* 2007;**27**(14):3712-3721.

- [40](#) Myöhänen TT, Venäläinen JI, Tupala E, Garcia-Horsman JA, Miettinen R, Männistö PT. Distribution of immunoreactive prolyl oligopeptidase in human and rat brain. *Neurochem Res* 2007;**32**:1365-1374.
- [41](#) Mönkkönen KS, Hakumäki JM, Hirst RA, Miettinen RA, O'Callaghan C, Männistö PT, Laitinen JT. Intracerebroventricular antisense knockdown of G-alpha-i2 results in ciliary stasis and ventricular dilatation in the rat. *BMC Neurosci [Online]* 2007;**8**(26).
- [42](#) Narkilahti S, Jutila L, Alafuzoff I, Karkola K, Paljärvi L, Immonen A, Vapalahti M, Mervaala E, Kälviäinen R, Pitkänen A. Increased expression of caspase 2 in experimental and human temporal lobe epilepsy. *Neuromolecular Med* 2007;**9**(2):129-144.
- [43](#) Ngandu T, Helkala E-L, Soininen H, Winblad B, Tuomilehto J, Nissinen A, Kivipelto M. Alcohol drinking and cognitive functions: findings from the cardiovascular risk factors aging and dementia (CAIDE) study. *Dement Geriatr Cogn Disord* 2007;**23**(3):140-149.
- [44](#) Ngandu T, von Strauss E, Helkala E-L, Winblad B, Nissinen A, Tuomilehto J, Soininen H, Kivipelto M. Education and dementia: What lies behind the association? *Neurology* 2007;**69**:1442-1450.
- [45](#) Niskanen EI, Tarvainen MP, Könönen M, Soininen H, Karjalainen PA. Subspace approaches for fMRI time series estimation. In: *Proceedings of the 29th Annual International Conference of the IEEE EMBS*, Lyon, France, August 23-26, 2007, p. 5485-5488. IOP Publishing, 2007. Engineering in Medicine and Biology Society Proceedings.
- [46](#) Nissinen J, Pitkänen A. Effect of antiepileptic drugs on spontaneous seizures in epileptic rats. *Epilepsy Res* 2007;**73**(2):181-191.
- [47](#) Noe' F, Nissinen J, Pitkänen A, Gobbi M, Sperk G, Doring M, Vezzani A. Gene therapy in epilepsy: The focus on NPY. *Peptides* 2007;**28**(2):377-383.
- [48](#) Nuutinen T, Huuskonen J, Suuronen T, Ojala J, Miettinen R, Salminen A. Amyloid-beta 1-42 induced endocytosis and clusterin/apoJ protein accumulation in cultured human astrocytes. *Neurochem Int* 2007;**50**:540-547.
- [49](#) Paimela T, Ryhänen T, Mannermaa E, Ojala J, Kalesnykas G, Salminen A, Kaarniranta K. The effect of 17beta-estradiol on IL-6 secretion and NF-kappaB DNA-binding activity in human retinal pigment epithelial cells. *Immunol Lett* 2007;**110**:139-144.
- [50](#) Parviainen I, Kälviäinen R, Ruokonen E. Propofol and barbiturates for the anesthesia of refractory convulsive status epilepticus: pros and cons. *Neurol Res* 2007;**29**(7):667-671.
- [51](#) Peurala SH, Airaksinen O, Jäkälä P, Tarkka IM, Sivenius J. Effects of intensive gait-oriented physiotherapy during early acute phase of stroke. *J Rehabil Res Dev* 2007;**44**:637-648.
- [52](#) Peurala SH, Könönen P, Pitkänen K, Sivenius J, Tarkka IM. Postural instability in patients with chronic stroke. *Restor Neurol Neurosci* 2007;**25**:101-108.
- [53](#) Pirttilä T, Heimonen S, Granö S. Kuntoutuksella keskeinen rooli dementoivaa sairautta sairastavan hoidossa. *Gerontologia* 2007(4):1-6.
- [54](#) Pitkänen A. Neuroprotection with anti-epileptic drugs: state of the evidence. In: Trimble MR, ed. *Seizure Freedom: Clinical, Research and Quality of Life Perspectives*, p. 9-27. Guildford: Clarius Press, 2007.
- [55](#) Pitkänen A, Kharatisvili I, Karhunen H, Lukasiuk K, Immonen R, Nairismägi J, Gröhn O, Nissinen J. Epileptogenesis in experimental models. *Epilepsia Suppl* 2007;**48**(2):13-20.

- [56](#) Pitkänen A, Mathiesen C, Rønn LCB, Møller A, Nissinen J. Effect of novel AMPA antagonist, NS1209, on status epilepticus. An experimental study in rat. *Epilepsy Res* 2007;**74**(1):45-54.
- [57](#) Rastas S, Verkkoniemi A, Polvikoski T, Juva K, Niinistö L, Mattila K, Länsimies E, Pirttilä T, Sulkava R. Atrial fibrillation, stroke, and cognition: a longitudinal population-based study of people aged 85 and older. *Stroke* 2007;**38**(5):1454-1460.
- [58](#) Rovio S, Kåreholt I, Viitanen M, Winblad B, Tuomilehto J, Soininen H, Nissinen A, Kivipelto M. Work-related physical activity and the risk of dementia and Alzheimer's disease. *Int J Geriatr Psychiatry* 2007;**22**:874-882.
- [59](#) Sakka P, Tsolaki M, Hort J, Hager K, Soininen H, Pousa SL, Li C, Schwam E. Effectiveness of open-label donepezil treatment in patients with Alzheimer's disease discontinuing memantine monotherapy. *Curr Med Res Opin* 2007;**23**:3153-3165.
- [60](#) Siiskonen H, Oikari S, Korhonen V-P, Pitkänen A, Voikar V, Kettunen M, Hakumäki J, Wahlfors T, Pussinen R, Penttonen M, Kiehne K, Kaasinen SK, Alhonen L, Jänne J, Herzig K-H. Diazepam binding inhibitor overexpression in mice causes hydrocephalus, decreases plasticity in excitatory synapses and impairs hippocampus-depend learning. *Mol Cell Neurosci* 2007;**34**(2):199-208.
- [61](#) Sillanpää M, Kälviäinen R, Klaukka T, Helenius H, Shinnar S. Onko epilepsian ilmaantuvuus pienentynyt? *Suomen Lääkärilehti* 2007;**62**:3625-3629.
- [62](#) Sisodiya S, Cross JH, Blümcke I, Chadwick D, Craig J, Crino PB, Debenham P, Delanty N, Elmslie F, Gardiner M, Golden J, Goldstein D, Greenberg DA, Guerrini R, Hanna M, Harris J, Harrison P, Johnson MR, Kirov G, Kullman DM, Makoff A, Marini C, Nabbout R, Nashef L, Noebels JL, Ottman R, Pirmohamed M, Pitkänen A, Scheffer I, Shorvon S, Sills G, Wood N, Zuberi S. Genetics of epilepsy: epilepsy research foundation workshop report. *Epileptic Dis* 2007;**9**(2):194-236.
- [63](#) Soininen H, West C, Robbins J, Niculescu L. Long-term efficacy and safety of celecoxib in Alzheimer's disease. *Dement Geriatr Cogn Disord* 2007;**23**:8-21.
- [64](#) Solomon A, Kåreholt I, Ngandu T, Winblad B, Nissinen A, Tuomilehto J, Soininen H, Kivipelto M. Serum cholesterol changes after midlife and late-life cognition. Twenty-one-year follow-up study. *Neurology* 2007;**68**:751-756.
- [65](#) Suuronen T, Nuutinen T, Ryhänen T, Kaarniranta K, Salminen A. Epigenetic regulation of clusterin/apolipoprotein J expression in retinal pigment epithelial cells. *Biochem Biophys Res Commun* 2007;**357**:397-401.
- [66](#) Tolonen H, Salomaa V, Torppa J, Sivenius J, Immonen-Räihä P, Lehtonen A, for the FINSTROKE register. The validation of the Finnish hospital Discharge register an causes of death register data on stroke diagnoses. *Eur J Cardiovasc Prev Rehabil* 2007;**14**:380-385.
- [67](#) Vepsäläinen S. *A Molecular Genetic Study and Expression-Based Analysis of Risk Factors of Alzheimer's Disease. Emphasis on AB-degrading Enzymes, IDE and NEP*. Doctoral dissertation. 2007. University of Kuopio. Department of Neurology. Series of Reports 90. 119 p., append.
- [68](#) Vepsäläinen S, Helisalmi S, Koivisto AM, Tapaninen T, Hiltunen M, Soininen H. Somatostatin genetic variants modify the risk for Alzheimer's disease among finnish patients. *J Neurol* 2007;**254**:1504-1508.
- [69](#) Vepsäläinen S, Parkinson M, Helisalmi S, Mannermaa A, Soininen H, Tanzi RE, Bertram L, Hiltunen M. Insulin-degrading enzyme is genetically associated with Alzheimer's disease in the finnish population. *J Med Genet* 2007;**44**:606-608.

- [70](#) Viinikainen K. *Epilepsy, Female Reproductive Health and Neurodevelopment of the Offspring*. Doctoral dissertation. 2007. University of Kuopio. Department of Neurology. Series of Reports 87. 85 p., append.
- [71](#) Viinikainen K, Heinonen S, Eriksson K, Kälviäinen R. Fertility in women with active epilepsy. *Neurology* 2007;**69**:2107-2108.
- [72](#) Yavich L, Tanila H. Mechanics of self-stimulation and dopamine release in the nucleus accumbens. *Neuroreport* 2007;**18**(12):1271-1274.
-

[Neurologian klinikka *](#)

[Julkaisutietokanta](#) 24.1.2013

Department of Neurology

[Publications Data Base](#) 24.1.2013