

---

# Neurologian klinikka \*

## Department of Neurology

### Julkaisut 2008-2008

### Publications 2008-2008

Lisätietoja julkaisusta saa klikkaamalla sen numeroa.  
For full details, please click the number in front of the publication.

---

- [1](#) Aho L, Parkkinen L, Pirttilä T, Alafuzoff I. Systematic appraisal using immunohistochemistry of brain pathology in aged and demented subjects. *Dement Geriatr Cogn Disord* 2008;**25**:423-432.
- [2](#) Bertram L, Schjeide BMM, Hooli B, Mullin K, Hiltunen M, Soininen H, Ingelsson M, Lannfelt L, Blacker D, Tanzi RE. No association between CALHM1 and Alzheimer's disease risk. *Cell* 2008;**135**:993-994.
- [3](#) Bhalla A, Grieve R, Rudd AG, Wolfe CDA, Sivenius J. Stroke in the young: access to care and outcome; a Western versus eastern European perspective. *J Stroke Cerebrovasc Dis* 2008;**17**(6):360-365.
- [4](#) Blom ES, Viswanathan J, Kilander L, Helisalmi S, Soininen H, Lannfelt L, Ingelsson M, Glaser A, Hiltunen M. Low prevalence of APP duplications in Swedish and Finnish patients with early-onset Alzheimer's disease. *Eur J Hum Genet* 2008;**16**:171-175.
- [5](#) Elovaara I, Pirttilä T, Färkkilä M, Erälinna J-P. Immunologinen lääkehoito MS-taudin eri vaiheissa. *Duodecim* 2008;**124**:1615-1622.
- [6](#) Eskelinen MH, Ngandu T, Helkala EL, Tuomilehto J, Nissinen A, Soininen H, Kivipelto M. Fat intake at midlife and cognitive impairment later in life: a population-based CAIDE study. *Int J Geriatr Psychiatry* 2008;**23**(7):741-747.
- [7](#) Goldstein LB, Amarenco P, LaMonte M, Gillbert S, Messig M, Callahan A, Hennerici M, Sillesen H, Welch KMA, on behalf of the SPARCL Investigators. Relative effects of statin therapy on stroke and cardiovascular events in men and women. Secondary analysis of the Stroke Prevention by Aggressive Reduction in Cholesterol Levels (SPARCL) study. *Stroke* 2008;**39**:2444-2448.
- [8](#) Hacke W, Kaste M, Bluhmki E, Bronzman M, Davalos A, Guidetti D, Larrue V, Lees KR, Medeghri Z, Maching T, Schneider D, von KUMMER R, Wahlgren N, Toni D, Ecass, Sivenius J. Thrombolysis with alteplase 3 to 4.5 hours after acute ischemic stroke. *N Engl J Med* 2008;**359**(13):1317-1329.
- [9](#) Helisalmi S, Tarvainen T, Vepsäläinen S, Koivisto AM, Hiltunen M, Soininen H. Lack of genetic association between PPARG gene polymorphisms and Finnish late-onset Alzheimer's disease. *Neurosci Lett* 2008;**441**(2):233-236.
- [10](#) Helisalmi S, Vepsäläinen S, Hiltunen M, Koivisto AM, Salminen A, Laakso M, Soininen H. Genetic study between SIRT1, PPARD, PGC-1 $\alpha$  genes and Alzheimer's disease. *J Neurol* 2008;**255**:668-673.

- [11](#) Herukka S-K, Pennanen C, Soininen H, Pirttilä T. CSF Aβ<sub>42</sub>, tau and phosphorylated tau correlate with medial temporal lobe atrophy. *J Alzheimer Dis* 2008;**14**:51-57.
- [12](#) Huhtiniemi T, Suuronen T, Rinne VM, Wittekindt C, Lahtela-Kakkonen M, Jarho E, Wallén EAA, Salminen A, Poso A, Leppänen J. Oxadiazole-carbonylaminothioureas as SIRT1 and SIRT2 inhibitors. *J Med Chem* 2008;**51**:4377-4380.
- [13](#) Hämäläinen A, Grau-Olivares M, Tervo S, Niskanen E, Pennanen C, Huuskonen J, Kivipelto M, Hänninen T, Tapiola M, Vanhanen M, Hallikainen M, Helkala E-L, Nissinen A, Vanninen RL, Soininen H. Apolipoprotein E ε<sub>4</sub> allele is associated with increased atrophy in progressive mild cognitive impairment: a voxel-based morphometric study. *Neurodegenerative Dis* 2008;**5**:186-189.
- [14](#) Immonen A, Kälviäinen R, Gaily E, Blomstedt G. Kuka hyötyy epilepsiakirurgiasta? *Duodecim* 2008;**124**:2383-2391.
- [15](#) Immonen RJ, Kharatishvili I, Sierra A, Einula C, Pitkänen A, Gröhn OH. Manganese enhanced MRI detects mossy fiber sprouting rather than neurodegeneration, gliosis or seizure-activity in the epileptic rat hippocampus. *Neuroimage* 2008;**40**:1718-1730.
- [16](#) Jauhiainen AM, Kangasmaa T, Rusanen M, Niskanen E, Tervo S, Kivipelto M, Vanninen RL, Kuikka JT, Soininen H. Differential hypometabolism patterns according to mild cognitive impairment subtypes. *Dement Geriatr Cogn Disord* 2008;**26**:490-498.
- [17](#) Jukarainen NM, Korhonen S-P, Laakso MP, Korolainen MA, Niemitz M, Soininen PP, Tuppurainen K, Vepsäläinen J, Pirttilä T, Laatikainen R. Quantification of <sup>1</sup>H NMR spectra of human cerebrospinal fluid: a protocol based on constrained total-line-shape analysis. *Metabolomics* 2008;**4**:150-160.
- [18](#) Julkunen P, Jauhiainen AM, Westerén-Punnonen S, Pirinen E, Soininen H, Könönen M, Pääkkönen A, Määttä S, Karhu J. Navigated TMS combined with EEG in mild cognitive impairment and Alzheimer's disease: a pilot study. *J Neurosci Methods* 2008;**172**:270-276.
- [19](#) Kanninen K, Malm TM, Jyrkkänen HK, Goldsteins G, Keksa-Goldsteine V, Tanila H, Yamamoto M, Ylä-Herttua S, Levonen AL, Koistinaho J. Nuclear factor erythroid 2-related factor 2 protects against beta amyloid. *Mol Cell Neurosci* 2008;**39**(3):302-313.
- [20](#) Kivipelto M, Rovio S, Ngandu T, Kåreholt I, Eskelinen M, Wiblad B, Hachinski V, Cedazo-Minguez A, Soininen H, Tuomilehto J, Nissinen A. Apolipoprotein E ε<sub>4</sub> magnifies lifestyle risks for dementia: a population-based study. *J Cell Mol Med* 2008;**12**:2762-2771.
- [21](#) Kiviranta PH, Salo HS, Leppänen J, Rinne VM, Kyrylenko S, Kuusisto E, Suuronen T, Salminen A, Poso A, Lahtela-Kakkonen M, Wallén EAA. Characterization of the binding properties of SIRT2 inhibitors with a N-(3-phenylpropenoyl)-glycine tryptamide backbone. *Bioorg Med Chem* 2008;**16**:8054-8062.
- [22](#) Koivunen J, Pirttilä T, Kempainen N, Aalto S, Herukka S-K, Jauhiainen AM, Hänninen T, Hallikainen M, Nägren K, Rinne JO, Soininen H. PET amyloid ligand (11C)PIB uptake and cerebrospinal fluid beta-amyloid in mild cognitive impairment. *Dement Geriatr Cogn Disord* 2008;**26**:378-383.
- [23](#) Kovacs GG, Alafuzoff I, Al-Sarraj S, Arzberger T, Bogdanovic N, Capellari S, Ferrer I, Gelpi E, Kövari V, Kretschmar H, Nagy Z, Parchi P, Seilhean D, Soininen H, Troakes C, Budka H. Mixed brain pathologies in dementia: the BrainNet Europe consortium experience. *Dement Geriatr Cogn Disord* 2008;**26**:343-350.
- [24](#) Lane R, Feldman HH, Meyer J, He Y, Ferris SH, Nordberg A, Darreh-Shori T, Soininen H, Pirttilä T, Farlow MR, Sfikas N, Ballard C, Greig NG. Synergistic effect of apolipoprotein E

epsilon4 and butyrylcholinesterase K-variant on progression from mild cognitive impairment to Alzheimer's disease. *Pharmacogenet Genomics* 2008;**18**(4):289-298.

- [25](#) Leinonen V, Alafuzoff I, Aalto S, Suotunen T, Savolainen S, Nägren K, Tapiola T, Pirttilä T, Rinne J, Jääskeläinen JE, Soininen H, Rinne J. Assessment of beta-amyloid in a frontal cortical brain biopsy specimen and by positron emission tomography with carbon 11- labeled Pittsburgh compound B. *Arch Neurol* 2008;**65**(10):1304-1309.
- [26](#) Liu R, Zhou XW, Tanila H, Bjorkdahl C, Wang JZ, Guan ZZ, Cao Y, Gustafsson JÅ, Winblad B, Pei JJ. Phosphorylated PP2A (tyrosine 307) is associated with Alzheimer neurofibrillary pathology. *J Cell Mol Med* 2008;**12**(1):241-257.
- [27](#) Lämsä R, Helisalmi S, Herukka S-K, Tapiola T, Pirttilä T, Vepsäläinen S, Hiltunen M, Soininen H. Genetic study evaluating LDLR polymorphisms and Alzheimer's disease. *Neurobiol Aging* 2008;**29**:848-855.
- [28](#) Machová E, Jakubík J, Michal P, Oksman M, Iivonen H, Tanila H, Dolezal V. Impairment of muscarinic transmission in transgenic APP<sup>swE</sup>/PS1<sup>dE9</sup> mice. *Neurobiol Aging* 2008;**29**(3):368-378.
- [29](#) Mayer SA, Brun NC, Bagtrup K, Broderick J, Davis S, Diringer MN, Skolnick BE, Steiner T, Fast TRIAL Investigators, Sivenius J. Efficacy and safety of recombinant activated factor VII for acute intracerebral hemorrhage. *N Engl J Med* 2008;**20**:2127-2137.
- [30](#) Minkeviciene R, Banerjee P, Tanila H. Cognition-enhancing and anxiolytic effects of memantine. *Neuropharmacology* 2008;**54**:1079-1085.
- [31](#) Minkeviciene R, Ihalainen J, Malm T, Matilainen O, Keksa-Goldsteine V, Goldsteins G, Iivonen H, Leguit N, Glennon J, Koistinaho J, Banerjee P, Tanila H. Age-related decrease in stimulated glutamate release and vesicular glutamate transporters in APP/PS1 transgenic and wild-type mice. *J Neurochem* 2008;**105**:584-594.
- [32](#) Myllymaa S, Myllymaa K, Korhonen H, Gureviciene I, Djupsund K, Tanila H, Lappalainen R. Development of flexible microelectrode arrays for recording cortical surface field potentials. In: *30th Annual International IEEE EMBS Conference, Vancouver, British Columbia, Canada, 20-24 August, 2008*, p. 3200-3203. 2008. Engineering in Medicine and Biology Society Proceedings.
- [33](#) Mäkinen S, van Groen T, Clarke J, Thornell A, Corbett D, Hiltunen M, Soininen H, Jolkkonen J. Coaccumulation of calcium and b-amyloid in the thalamus after transient middle cerebral artery occlusion in rats. *J Cereb Blood Flow Metab* 2008;**28**:263-268.
- [34](#) Noè F, Pool AH, Nissinen J, Gobbi M, Bland R, Rizzi M, Balducci C, Ferraguti F, Sperk G, During MJ, Pitkänen A, Vezzani A. Neuropeptide Y gene therapy decreases chronic spontaneous seizures in a rat model of temporal lobe epilepsy. *Brain* 2008;**131**(6):1506-1515.
- [35](#) O'Dushlaine CT, Dolan C, Weale ME, Stanton A, Croke DT, Kalviainen R, Eriksson K, Kantanen AM, Gibson RA, Hosford D, Sisodiya SM, Gill M, Corvin AP, Morris DW, Delanty N, Cavalleri GL. An assessment of the Irish population for large-scale genetic mapping studies involving epilepsy and other complex diseases. *Eur J Hum Genet* 2008;**16**:176-183.
- [36](#) Ojala JO, Sutinen EM, Salminen A, Pirttilä T. Interleukin-18 increases expression of kinases involved in tau phosphorylation in SH-SY5Y neuroblastoma cells. *J Neuroimmunol* 2008;**205**(1-2):86-93.
- [37](#) Parkkinen L, Pirttilä T, Alafuzoff I. Applicability of current staging/categorization of alpha-synuclein pathology and their clinical relevance. *Acta Neuropathol* 2008;**115**:399-407.

- [38](#) Peurala SH, Tarkka IM, Juhakoski M, Könönen M, Karhu J, Jäkälä P, Vanninen R, Sivenius J. Restoration of normal cortical excitability and gait ability in acute stroke after intensive rehabilitation. *Cerebrovasc Dis* 2008;**26**:208-209.
- [39](#) Pikkarainen M, Hartikainen P, Alafuzoff I. Neuropathologic features of frontotemporal lobar degeneration with ubiquitin-positive inclusions visualized with ubiquitin-binding protein p62 immunohistochemistry. *J Neuropathol Exp Neurol* 2008;**67**(4):280-298.
- [40](#) Pirttilä T. Lievä kognitiivinen heikentyminen -ennusteeltaan heterogeeninen oireyhtymä. *Duodecim* 2008;**124**:159-66.
- [41](#) Ryhänen T, Mannermaa E, Oksala N, Viiri J, Paimela T, Salminen A, Atalay M, Kaarniranta K. Radicicol but not geldanamycin evokes oxidative stress response and efflux protein inhibition in ARPE-19 human retinal pigment epithelial cells. *Eur J Pharmacol* 2008;**584**:229-236.
- [42](#) Salminen A, Huuskonen J, Ojala J, Kauppinen A, Kaarniranta K, Suuronen T. Activation of innate immunity system during aging: NF- $\kappa$ B signaling is the molecular culprit of inflamm-aging. *Ageing Res Rev* 2008;**7**:83-105.
- [43](#) Salminen A, Kauppinen A, Suuronen T, Kaarniranta K. SIRT1 longevity factor suppresses NF- $\kappa$ B -driven immune responses: regulation of aging via NF- $\kappa$ B acetylation? *Bioessays* 2008;**30**:939-942.
- [44](#) Salminen A, Lehtonen M, Suuronen T, Kaarniranta K, Huuskonen J. Terpenoids: natural inhibitors of NF- $\kappa$ B signaling with anti-inflammatory and anticancer potential. *Cell Mol Life Sci* 2008;**65**:2979-2999.
- [45](#) Salminen A, Ojala J, Huuskonen J, Kauppinen A, Suuronen T, Kaarniranta K. Interaction of aging-associated signaling cascades: Inhibition of NF- $\kappa$ B signaling by longevity factors FoxOs and SIRT1. *Cell Mol Life Sci* 2008;**65**:1049-1058.
- [46](#) Salminen A, Ojala J, Suuronen T, Kaarniranta K, Kauppinen A. Amyloid-beta oligomers set fire to inflammasomes and induce Alzheimer's pathology. *J Cell Mol Med* 2008;**12**(6A):2255-2262.
- [47](#) Salminen A, Paimela T, Suuronen T, Kaarniranta K. Innate immunity meets with cellular stress at the IKK complex: Regulation of the IKK complex by HSP70 and HSP90. *Immunol Lett* 2008;**117**:9-15.
- [48](#) Salminen A, Suuronen T, Huuskonen J, Kaarniranta K. NEMO shuttle: a link between DNA damage and NF- $\kappa$ B activation in progeroid syndromes? *Biochem Biophys Res Commun* 2008;**367**:715-718.
- [49](#) Salminen A, Suuronen T, Kaarniranta K. ROCK, PAK, and Toll of synapses in Alzheimer's disease. *Biochem Biophys Res Commun* 2008;**371**:587-590.
- [50](#) Sivenius J. TIA- ja aivoinfarktipotilaan antitromboottinen lääkehoito. *Suomen Lääkärilehti* 2008;**63**(47):4087-4093.
- [51](#) Soinin H, Hänninen T. Dementoivat sairaudet ja kognitiivinen prosessointi. Kirjassa: Juntunen J et al, toim. *Aivot ja ajattelu. Kliininen kognitiivinen neurotiede*, s. 102-118. Klaukkala: Recallmed, 2008.
- [52](#) Suhonen J, Alhainen K, Eloniemi-Sulkava U, Juhela P, Juva K, Löppönen M, Makkonen M, Mäkelä M, Pirttilä T, Pitkälä K, Remes A, Sulkava R, Viramo P, Erkinjuntti T. Hyvät hoitokäytännöt etenevien muistisairauksien kaikissa vaiheissa. *Suomen Lääkärilehti* 2008;**63**(10):9-22.

- [53](#) Suomalaisen Lääkäriseuran Duodecimin ja , Suomen Neurologinen Yhdistys ry:n asettama työryhmä, Vapalahti M. Aikuisten epilepsiat. *Duodecim* 2008;**24**:2874-2888.
- [54](#) Suuronen T, Ojala J, Hyttinen JMT, Kaarniranta K, Thornell A, Kyrylenko S, Salminen A. Regulation of ERalpha signaling pathway in neuronal HN10 cells: role of protein acetylation and Hsp90. *Neurochem Res* 2008;**33**:1768-1775.
- [55](#) Tapiola T, Pennanen C, Tapiola M, Tervo S, Kivipelto M, Hänninen T, Pihlajamäki M, Laakso MP, Hallikainen M, Hämäläinen A, Vanhanen M, Helkala E-L, Vanninen R, Nissinen A, Rossi R, Frisoni GB, Soininen H, Pennanen C. MRI of hippocampus and entorhinal cortex in mild cognitive impairment: a follow-up study. *Neurobiol Aging* 2008;**29**:31-38.
- [56](#) Tarkka IM, Könönen M, Pitkänen K, Sivenius J, Mervaala E, Sivenius J. Alterations in cortical excitability in chronic stroke after constraint-induced movement therapy. *Neurol Res* 2008;**30**(5):504-510.
- [57](#) The European Stroke Organisation (ESO), Executive Committee and the ESO Writing Committee. Guidelines for management of ischaemic stroke and transient ischaemic attack 2008. *Cerebrovasc Dis* 2008;**25**:457-507.
- [58](#) The Optimising Analysis of Stroke Trials Collaboration. Calculation of sample size for stroke trials assessing functional outcome: comparison of binary and ordinal approaches. *Int J Stroke* 2008;**2**:78-84.
- [59](#) Tiihonen J, Rossi R, Laakso MP, Hodgins S, Testa C, Perez J, Repo-Tiihonen E, Vaurio O, Soininen H, Aronen HJ, Könönen M, Thompson PM, Frisoni G, Soininen H. Brain anatomy of persistent violent offenders: more rather than less. *Psychiatry Res Neuroimaging* 2008;**163**:201-212.
- [60](#) Tukiainen T, Tynkkynen T, Mäkinen V-P, Jylänki P, Kangas A, Hokkanen J, Vehtari A, Gröhn O, Hallikainen M, Soininen H, Kivipelto M, Groop P-H, Kaski K, Laatikainen R, Soininen P, Pirttilä T, Ala-Korpela M, Soininen H, Pirttilä. A multi-metabolite analysis of serum by 1H NMR spectroscopy: Early systemic signs of Alzheimer's disease. *Biochem Biophys Res Commun* 2008;**375**:356-361.
- [61](#) Vepsäläinen S, Hiltunen M, Helisalmi S, Wang J, van Groen T, Tanila H, Soininen H, Hiltunen M, Helisalmi S, Soininen H. Increased expression of Abeta degrading enzyme IDE in the cortex of transgenic mice with Alzheimer's disease-like neuropathology. *Neurosci Lett* 2008;**438**:216-220.
- [62](#) Visser PJ, Verhey FRJ, Boada M, Bullock R, De Deyn PP, Frisoni GB, Frölich L, Hampel H, Jolles J, Jones R, Minthon L, Nobili F, Olde Rikkert M, Ousset P-J, Rigaud A-S, Scheltens P, Soininen H, Spira L ... Development of screening guidelines and clinical criteria for predementia Alzheimer's disease. *Neuroepidemiology* 2008;**30**:254-265.
- [63](#) Zhao CS, Hartikainen S, Schallert T, Sivenius J, Jolkkonen J. CNS-active drugs in aging population at high risk of cerebrovascular events: Evidence from preclinical and clinical studies. *Neurosci Biobehav Rev* 2008;**32**:56-71.
- [64](#) Zhou XW , Tanila H , Pei JJ. Parallel increase in p70 kinase activation and tau phosphorylation (S262) with Aβ overproduction. *FEBS Lett* 2008;**582**(2):159-164.
- [65](#) Zhou XW, Gustafsson JA, Tanila H, Bjorkdahl C, Liu R, Winblad B, Pei JJ. Tau hyperphosphorylation correlates with reduced methylation of protein phosphatase 2A. *Neurobiol Dis* 2008;**31**(3):386-394.
-

[Neurologian klinikka \\*](#)

[Julkaisutietokanta](#) 24.1.2013

Department of Neurology

[Publications Data Base](#) 24.1.2013