
Neurologian klinikka

Department of Neurology

Julkaisut 2010-2010

Publications 2010-2010

Lisätietoja julkaisusta saa klikkaamalla sen numeroa.
For full details, please click the number in front of the publication.

- [1](#) Aho L. *Amyloid-beta Deposition in the Brains of Subjects with Cerebrovascular of Subjects with Cerebrovascular Disease, Diabetes, Synucleinopathy and Alcohol Abuse: a Human Post-mortem Study*. Doctoral dissertation. 2010. Publications of the University of Eastern Finland. Dissertations in Health Sciences 17. 93 p., append.
- [2](#) Aho L, Pikkarainen M, Hiltunen M, Leinonen V, Alafuzoff I. Immunohistochemical visualization of amyloid-beta protein precursor and amyloid-beta in extra- and intracellular compartments in the human brain. *J Alzheimer Dis* 2010;**20**(4):1015-28.
- [3](#) Ahtiluoto S, Polvikoski T, Peltonen M, Solomon A, Tuomilehto J, Winblad B, Sulkava R, Kivipelto M. Diabetes, Alzheimer disease, and vascular dementia: a population-based neuropathologic study. *Neurology* 2010;**75**(13):1195-1202.
- [4](#) Airaksinen AM, Niskanen J-P, Chamberlain R, Huttunen JK, Nissinen J, Garwood M, Pitkänen A, Gröhn O. Simultaneous fMRI and local field potential measurements during epileptic seizures in medetomidine-sedated rats using RASER pulse sequence. *Magn Reson Med* 2010;**64**:1191-1199.
- [5](#) Airas L, Jalkanen A, Alanen A, Pirttilä T, Marttila RJ. Breast-feeding, postpartum and prepregnancy disease activity in multiple sclerosis. *Neurology* 2010;**75**(5):474-476.
- [6](#) Alley GM, Bailey JA, Chen D, Ray B, Puli LK, Tanila H, Banerjee PK, Lahiri DK. Memantine lowers amyloid-beta peptide levels in neuronal cultures and in APP/PS1 transgenic mice. *J Neurosci Res* 2010;**88**:143-154.
- [7](#) Bendel P, Koivisto T, Äikiä M, Niskanen E, Könönen M, Hänninen T, Vanninen R. Atrophic enlargement of CSF volume after subarachnoid hemorrhage: Correlation with neuropsychological outcome. *AJNR Am J Neuroradiol* 2010;**31**:370-376.
- [8](#) Booth DR, Heard RB, Stewart GJ, Cox M, Scott RJ, Lechner-Scott J, Goris A, Dobosi R, Dubois B, Saarela J, Leppä V, Peltonen L, Pirttilä T, Cournu-Rebeix I... Lack of support for association between the KIF1B rs10492972(C) variant and multiple sclerosis. *Nat Genet* 2010;**42**(6):469-470.
- [9](#) Bronzova J, Sampaio C, Hauser RA, Lang AE, Rascol O, Theeuwes A, van DER Witte Sy, van SCHARRENBURG G On the Behalf Ot the Bruegel Study Group, Soininen H. Double-blind study of pardoprinox, a new partial dopamine agonist, in early Parkinson's Disease. *Mov Disord* 2010;**25**(6):738-746.
- [10](#) Darreh-Shori T, Soininen H. Effects of cholinesterase inhibitors on the activities and protein levels of cholinesterases in the cerebrospinal fluid of patients with Alzheimer's disease: A review of recent clinical studies. *Curr Alzheimer Res* 2010;**7**:67-73.

- 11 EClipSE Collaborative Members, Brayne C, Ince PG, Keage HA, Mckeith IG, Matthews FE, Polvikoski T, Sulkava R. Education, the brain and dementia: neuroprotection or compensation? *Brain* 2010;**133**:2210-2216.
- 12 Eloniemi-Sulkava U, Rahkonen T, Erkinjuntti T, Karhu K, Pitkälä K, Pirttilä T, Vuori U, Suhonen J. Moniammatilliset tietotaidot ovat muistisairauksien hyvän hoidon edellytys. *Suomen Lääkärilehti* 2010;**39**:3144-3146.
- 13 Elovaara I, Atula S, Erälinna J-P, Färkkilä M, Pirttilä T, Remes A, Ruutiainen J, Varis T. MS-taudin diagnoosi, lääkehoito ja kuntoutus. *Duodecim* 2010;**126**:199-200.
- 14 Elovaara I, Erälinna JP, Kuusisto H, Pirttilä T, Reunanen M, Ruutiainen J, Suhonen J. Suomalainen neurologi ottaa huomioon Käypä hoito -suosituksen MS-potilaan hoidossa. *Suomen Lääkärilehti* 2010;**65**(35):2777-2783.
- 15 Eriksson K, Kälviäinen R. Long-term neurocognitive adverse effects of prenatal antiepileptic drug exposure. *Expert Rev Clin Pharmacol* 2010;**3**(1):131-137.
- 16 Erkinjuntti T, Rinne J, Soininen H. *Muistisairaudet*. Helsinki: Duodecim, 2010. 685 s.
- 17 Eskelinen MH, Kivipelto M. Caffeine as a protective factor in dementia and Alzheimer's Disease. *J Alzheimer Dis* 2010;**20**:167-174.
- 18 Furney SJ, Simmons A, Breen G, Pedroso I, Lunnon K, Proitsi P, Hodges A, Powell J, Wahlund L-O, Kloszewska I, Mecocci P, Soininen H ... Genome-wide association with MRI atrophy measures as a quantitative trait locus for Alzheimer's disease. *Mol Psychiatry* 2010:[**ONLINE**]:1-9.
- 19 Giedraitis V, Glaser A, Sarajärvi T, Brundin RM, Gunnarsson MD, Schjeide B-M, Tanzi RE, Helisalmi S, Pirttilä T, Kilander L, Lannfelt L, Soininen H, Bertram L, Ingelsson M, Hiltunen M. CALHM1 P86L polymorphism does not alter amyloid-beta or tau in cerebrospinal fluid. *Neurosci Lett* 2010;**469**:265-267.
- 20 Haapasalo AK, Viswanathan J, Bertram L, Soininen H, Tanzi RE, Hiltunen M. Emerging role of Alzheimer's disease-associated ubiquilin-1 in protein aggregation. *Biochem Soc Trans* 2010;**38**:150-155.
- 21 Hakonen AH, Isohanni P, Rantamäki M, Kälviäinen R, Nordin A, Uusimaa J, Paetau A, Udd B, Pihko H, Wartiovaara A. Mitokondriaalinen resessivinen ataksiasyndrooma ja valproaattihoidon toksisuus. *Duodecim* 2010;**126**:1552-1559.
- 22 Hanisch K, Soininen H, Alafuzoff I, Hoffmann R. Analysis of human tau in cerebrospinal fluid. *J Proteome Res* 2010;**9**(3):1476-1482.
- 23 Hayward NMEA, Immonen R, Tuunanen PI, Ndode-Ekane XE, Gröhn O, Pitkänen A. Association of chronic vascular changes with functional outcome after traumatic brain injury in rats. *J Neurotrauma* 2010;**27**:2203-2219.
- 24 Hayward NMEA, Ndode-Ekane XE, Kutchiashvili N, Gröhn O, Pitkänen A. Elevated cerebral blood flow and vascular density in the amygdala after status epilepticus in rats. *Neurosci Lett* 2010;**484**:39-42.
- 25 Heinzen EL, Radtke RA, Urban TJ, Cavalleri GL, Depondt C..., Kälviäinen R, Eriksson K, Kantanen A-M, Dorn T... Rare deletions at 16p13.11 predispose to a diverse spectrum of sporadic epilepsy syndromes. *Am J Hum Genet* 2010;**86**:707-718.
- 26 Hooshmand B, Solomon A, Kåreholt I, Leiviskä J, Rusanen M, Ahtiluoto S, Winblad B, Laatikainen T, Soininen H, Kivipelto M. Homocysteine and holotranscobalamin and the risk of Alzheimer disease: A longitudinal study. *Neurology* 2010;**75**:1408-1414.

- [27](#) Hort J, Bartos A, Pirttilä T, Scheltens P. Use of cerebrospinal fluid biomarkers in diagnosis of dementia across Europe. *Eur J Neurol* 2010;**17**:90-96.
- [28](#) Hort J, O'Brien JT, Gainotti G, Pirttilä T, Popescu BO, Rektorova I, Sorbi S, Scheltens P On the Behalf of the Efn Scientists Panel On Dementia. EFNS guidelines for the diagnosis and management of Alzheimer's disease. *Eur J Neurol* 2010;**17**:1236-1248.
- [29](#) Huhtiniemi T, Suuronen T, Lahtela-kakkonen M, Bruijn T, Jääskeläinen S, Poso A, Salminen A, Leppänen J, Jarho E. N(epsilon)-modified lysine containing inhibitors for SIRT1 and SIRT2. *Bioorg Med Chem* 2010;**18**:5616-5625.
- [30](#) Hurt CS, Banerjee S, Tunnard C, Whitehead DL, Tsolaki M, Mecocci P, Kloszewska I, Soininen H, Vellas B, Lovestone S, on behalf of the AddNeuroMed Consortium. Insight, cognition and quality of life in Alzheimer's disease. *J Neurol Neurosurg Psychiatry* 2010;**81**:331-336.
- [31](#) Hänninen T, Pulliainen V, Sotaniemi M, Hokkanen L, Salo J, Hietanen M, Pirttilä T, Pöyhönen M, Juva K, Remes A, Erkinjuntti T. Muistisairauksien tiedonkäsittelymuutosten varhainen toteaminen uudistetulla CERAD-tehtäväsarjalla. *Duodecim* 2010;**126**:2013-2021.
- [32](#) Ihalainen J, Sarajärvi T, Kemppainen S, Keski-Rahkonen P, Lehtonen M, Tanila H. A novel delayed non-match to sample object recognition task that allows simultaneous in vivo microdialysis. *J Neurosci Methods* 2010;**189**:210-215.
- [33](#) Ikäheimonen K, Vanninen R, Jäkälä P, Mäkinen K, Manninen H. Kaula- ja nikamavaltimoiden endovaskulaarinen hoito. *Duodecim* 2010;**126**(8):945-955.
- [34](#) Immonen A, Jutila L, Muraja-Murro A, Mervaala E, Äikiä M, Lamusuo S, Kuikka J, Vanninen E, Alafuzoff I, Ikonen A, Vanninen R, Vapalahti M, Kälviäinen R. Long-term epilepsy surgery outcomes in patients with MRI-negative temporal lobe epilepsy. *Epilepsia (NY)* 2010;**51**(11):2260-2269.
- [35](#) Isohanni P, Linnankivi T, Buzkova J, Lönnqvist T, Pihko H, Valanne L, Tienari PJ, Eloraava I, Pirttilä T, Reunanen M, Koivisto K, Marjavaara S, Suomalainen A. DARS2 mutations in mitochondrial leucoencephalopathy and multiple sclerosis. *J Med Genet* 2010;**47**:66-70.
- [36](#) Jakkula E, Leppä V, Sulonen A-M, Varilo T, Kallio S, Kemppinen A, Purcell S, Koivisto K, Tienari P, Sumelahti M-L, Elovaara I, Pirttilä T, Reunanen T... Genome-wide association study in a high-risk isolate for multiple sclerosis reveals associated variants in STAT3 gene. *Am J Hum Genet* 2010;**86**:285-291.
- [37](#) Jalkanen A, Alanen A, Airas A, and the Finnish Multiple Sclerosis And Pregnancy Study Group, Pirttilä T. Pregnancy outcome in women with multiple sclerosis: results from a prospective nationwide study in Finland. *Mult Scler* 2010;**16**(8):950-955.
- [38](#) Julkunen V, Niskanen E, Koikkalainen J, Herukka S-K, Pihlajamäki M, Hallikainen M, Kivipelto M, Muehlboeck S, Evans AC, Vanninen R, Soininen H. Differences in cortical thickness in healthy controls, subjects with mild cognitive impairment, and Alzheimer's Disease patients: A longitudinal study. *J Alzheimer Dis* 2010;**21**:1141-1151.
- [39](#) Kaarniranta K, Hyttinen J, Ryhanen T, Viiri J, Paimela E, Toropainen E, Sorri I, Salminen A. Mechanisms of protein aggregation in the retinal pigment epithelial cells. *Front Biosci* 2010;**E2**:1374-1384.
- [40](#) Karamanakos PN, Jaaskelainen JE, Alafuzoff I, Pirinen E, Vanninen R, Silvennoinen S, Sankilampi U, Immonen A. Malignant giant cell tumor in the posterior fossa of a neonate. *J Neurosurg Pediatr* 2010;**5**:277-282.

- [41](#) Karttunen K, Karppi P, Hiltunen A, Vanhanen M, Välimäki T, Martikainen J, Valtonen H, Sivenius J, Hartikainen S, Suhonen J, Pirttilä T, Soininen H. Neuropsychiatric symptoms and quality of life in patients with very mild and mild Alzheimer's disease. *Int J Geriatr Psychiatry* 2010;**28** Oct .
- [42](#) Kasperaviciute D, Catarino CB, Heinzen EL, Depondt C, Cavalleri GL..., Kantanen A-M, Gjerstad L..., Kälviäinen RK, Doherty CP... Common genetic variation and susceptibility to partial epilepsies: a genome-wide association study. *Brain* 2010;**133**:2136-2147.
- [43](#) Kerola T, Nieminen T, Hartikainen S, Sulkava R, Vuolteenaho O, Kettunen R. B-type natriuretic peptide as a predictor of declining cognitive function and dementia - a cohort study of an elderly general population with a 5-year follow-up. *Ann Med* 2010;**42**:207-215.
- [44](#) Kharatishvili I, Pitkänen A. Association of the severity of cortical damage with the occurrence of spontaneous seizures and hyperexcitability in an animal model of posttraumatic epilepsy. *Epilepsy Res* 2010;**90**:47-59.
- [45](#) Kharatishvili I, Pitkänen A. Posttraumatic epilepsy. *Curr Opin Neurol* 2010;**23**(2):183-188.
- [46](#) Korolainen MA, Nyman TA, Aittokoski T, Pirttilä T. An update on clinical proteomics in Alzheimer's research. *J Neurochem* 2010;**112**:1386-1414.
- [47](#) Koskenkorva P, Manninen O, Lehtimäki K, Kopra O, Lehesjoki A, Kälviäinen R, Gröhn O, Vanninen R. Diffusion tensor imaging with tract-based spatial statistics reveals widespread white matter degeneration in Unverricht-Lundborg disease: translational study in humans and Cstb-deficient mice. In: *2010 proceedings - ASNR 48th Annual Meeting & NER Foundation Symposium 2010*, Boston, Massachusetts, USA, May 15 - 20, 2010, p. 65. 2010.
- [48](#) Kälviäinen R, Mervaala E. Unverricht-Lundborg Disease (EPM1). In: Panayiotopoulos, C. P.; Benbadis, S.R.; Beran, R.G.; Berg, A.T.; Engel, Jr., J.; Galanopoulou, A.S.; Kaplan, P.W.; Koutroumanidis, M.; Moshe, S.L.; Nordli, Jr., D.R.; Serratosa, J.M.; Sisodiya, S.M.; Tatum, W.O.; Valeta, T.; Wilner, A. , eds. *Atlas of Epilepsies*, p. 1225-1229. Springer, 2010.
- [49](#) Kärjä V, Sandell P-J, Kauppinen T, Alafuzoff I. Does protein expression predict recurrence of benign World Health Organization grade I meningioma? *Hum Pathol* 2010;**41**:199-207.
- [50](#) Laaksovirta H, Peuralinna T, Schymick JC, Scholz SW, Lai S-L, Myllykangas L, Sulkava R, Jansson L, Hernandez DG, Gibbs JR, Nalls MA, Heckerman D, Tienari PJ, Traynort BJ. Chromosome 9p21 in amyotrophic lateral sclerosis in Finland: a genome-wide association study. *Lancet Neurol* 2010;**9**:978-985.
- [51](#) Lahtinen L, Nnode-Ekane XE, Barinka F, Akamine Y, Hossein Esmaceli M, Rantala J, Pitkänen A. Urokinase-type plasminogen activator regulates neurodegeneration and neurogenesis but not vascular changes in the mouse hippocampus after status epilepticus. *Neurobiol Dis* 2010;**37**:692-703.
- [52](#) Laitinen T, Sierra A, Pitkänen A, Gröhn O. Diffusion tensor MRI of axonal plasticity in the rat hippocampus. *Neuroimage* 2010;**51**:521-530.
- [53](#) Lambert J-C, Sleegers K, González-Perez A, Ingelsson M, Beecham GW, Hiltunen M, Combarros O ..., Helisalme S, Porcellini E ..., Vepsäläinen S, Alvarez V ..., Soininen H, Van Broeckhoven C ... The CALHM1 P86L polymorphism is a genetic modifier of age at onset in Alzheimer's disease: a meta-analysis. *J Alzheimer Dis* 2010;**22**:247-255.
- [54](#) Lampela P, Hartikainen S, Lavikainen P, Sulkava R, Huupponen R. Effects of medication assessment as part of a comprehensive geriatric assessment on drug use over a 1-year period. A population-based intervention study. *Drugs Aging* 2010;**27**(6):507-521.

- [55](#) Lees KR, Bluhmki E, von Kummer R, Brott TG..., for the ECASS ATLANTIS NINDS, and EPITHET rt-PA Study Group Investigators. Time to treatment with intravenous alteplase and outcome in stroke: an updated pooled analysis of ECASS, ATLANTIS, NINDS, and EPITHET trials. *Lancet* 2010;**375**:1695-1703.
- [56](#) Leinonen V, Koivisto AM, Savolainen S, Rummukainen J, Tamminen JN, Tillgren T, Vainikka S, Pyykkö OT, Mölsä J, Fraunberg M, Pirttilä T, Jääskeläinen JE, Soininen H, Rinne J, Alafuzoff I. Amyloid and tau proteins in cortical brain biopsy and Alzheimers disease. *Ann Neurol* 2010;**68**:446-453.
- [57](#) Leoni V, Solomon A, Kivipelto M. Links between ApoE, brain cholesterol metabolism, tau and amyloid beta-peptide in patients with cognitive impairment. *Biochem Soc Trans* 2010;**38**:1021-1025.
- [58](#) Liapis CD, Bell PF, Mikhailidis DP, Sivenius J, Nicolaidis A, Fernandes E Fernandes J, Biasi G, Norgren L, ESVS Guidelines Collaborators. ESVS guidelines: section A - prevention in patients with carotid artery stenosis. *Curr Vasc Pharmacol* 2010;**8**(5):673-681.
- [59](#) Liapis CD, Bell PF, Mikhailidis DP, Sivenius J, Nicolaidis A, Fernandes E Fernandes J, Biasi G, Norgren L, ESVS Guidelines Collaborators. ESVS Guidelines: section B - diagnosis and investigation of patients with carotid stenosis. *Curr Vasc Pharmacol* 2010;**8**(5):682-691.
- [60](#) Lihavainen K, Sipilä S, Rantanen T, Sihvonen S, Sulkava R, Hartikainen S. Contribution of musculoskeletal pain to postural balance in community-dwelling people aged 75 years and older. *J Gerontol A Biol Sci Med Sci* 2010;**65**(9):990-996.
- [61](#) Liu Y, Nuutinen J, Laakso MP, Karonen JO, Könönen M, Vanninen E, Kuikka JT, Vanninen RL. Cerebellar apparent diffusion coefficient changes in patients with supratentorial ischemic stroke. *Acta Neurol Scand* 2010;**122**(5):316-322.
- [62](#) Liu Y, Paajanen T, Westman E, Wahlund LO, Simmons A, Tunnard C..., Soininen H, for the AddNeuroMed Consortium. Effect of APOE epsilon4 allele on cortical thicknesses and volumes: The AddNeuroMed Study. *J Alzheimer Dis* 2010;**21**:947-966.
- [63](#) Liu Y, Paajanen T, Westman E, Zhang Y, Wahlund L-O, Simmons A, Tunnard C, Sobow T, Proitsi P, Powell J, Mecocci P, Tsolaki M, Vellas B, Muehlboeck S, Evans A, Spenger C, Lovestone S, Soininen H, for the AddNeuroMed Consortium. APOE e2 allele is associated with larger regional cortical thicknesses and volumes. *Dement Geriatr Cogn Disord* 2010;**30**:229-237.
- [64](#) Liu Y, Paajanen T, Zhang Y, Westman E, Wahlund L-O, Simmons A, Tunnard C, Sobow T, Mecocci P, Tsolaki M, Vellas B, Muehlboeck S, Evans A, Spenger C, Lovestone S, Soininen H, for the AddNeuroMed Consortium. Analysis of regional MRI volumes and thicknesses as predictors of conversion from mild cognitive impairment to Alzheimer's disease. *Neurobiol Aging* 2010;**31**:1375-1385.
- [65](#) Lötjönen JMP, Wolz R, Koikkalainen JR, Thurfjell L, Waldemar G, Soininen H, Rueckert D, and the Alzheimer's Disease Neuroimaging Initiative. Fast and robust multi-atlas segmentation of brain magnetic resonance images. *Neuroimage* 2010;**49**:2352-2365.
- [66](#) Machova E, Rudajev V, Smyckova H, Koivisto H, Tanila H, Dolezal V. Functional cholinergic damage develops with amyloid accumulation in young adult APP^{swe}/PS1^{dE9} transgenic mice. *Neurobiol Dis* 2010;**38**:27-35.
- [67](#) Mackenzie IRA, Neumann M, Bigio EH, Cairns NJ, Kril J, Kovacs GG, Ghetti B, Halliday G, Holm IE, Ince PG, Kamphorst W, Revesz T, Rozemuller AJM, Kumar-Singh S, Akiyama H, Baborie A, Spina S, Dickson DW, Trojanowski JQ, Mann DMA, Alafuzoff I. Nomenclature and nosology for neuropathologic subtypes of frontotemporal lobar degeneration: an update. *Acta*

Neuropathol 2010:**119**:1-4.

- [68](#) Magga J, Puli L, Pihlaja R, Kanninen K, Neulamaa S, Malm T, Härtig W, Grosche J, Goldsteins G, Tanila H, Koistinaho J, Koistinaho M. Human intravenous immunoglobulin provides protection against A-beta toxicity by multiple mechanisms in a mouse model of Alzheimer's disease. *J Neuroinflammation* [<http://www.jneuroinflammation.com/>] 2010;**7**(90):[15 pp].
- [69](#) Martikainen P, Pikkarainen M, Pöntynen K, Hiltunen M, Lehtovirta M, Tuisku S, Soininen H, Alafuzoff I. Brain pathology in three subjects from the same pedigree with presenilin-1 (PSEN1) P264L mutation. *Neuropathol Appl Neurobiol* 2010;**36**:41-54.
- [70](#) Meretoja A, Roine RO, Kaste M, Linna M, Juntunen M, Erilä T, Hillbom M, Marttila R, Rissanen A, Sivenius J, Häkkinen U. Stroke monitoring on a national level: PERFECT Stroke, a comprehensive, registry-linkage stroke database in Finland. *Stroke* 2010;**41**:2239-2246.
- [71](#) Meretoja A, Roine RO, Kaste M, Linna M, Roine S, Juntunen M, Erilä T, Hillbom M, Marttila R, Rissanen A, Sivenius J, Häkkinen U. Effectiveness of primary and comprehensive stroke centers: PERFECT Stroke: A nationwide observational study from Finland. *Stroke* 2010;**41**:1102-1107.
- [72](#) Musialowicz T, Mervaala E, Kälviäinen R, Uusaro A, Ruokonen E, Parviainen I. Can BIS monitoring be used to assess the depth of propofol anesthesia in the treatment of refractory status epilepticus? *Epilepsia (NY)* 2010;**51**(8):1580-1586.
- [73](#) Nnode-Ekane XE, Hayward N, Gröhn O, Pitkänen A. Vascular changes in epilepsy: functional consequences and association with network plasticity in pilocarpine-induced experimental epilepsy. *Neuroscience* 2010;**166**:312-332.
- [74](#) Nuutinen T, Suuronen T, Kauppinen A, Salminen A. Valproic acid stimulates clusterin expression in human astrocytes: Implications for Alzheimer's disease. *Neurosci Lett* 2010;**475**:64-68.
- [75](#) Oresic M, Lötjönen J, Soininen H. Systems medicine and the integration of bioinformatic tools for the diagnosis of Alzheimer's disease. *Genome Med* 2010;**2**([83]).
- [76](#) Paajanen T, Hänninen T, Tunnard C, Mecocci P, Sobow T, Tsolaki M, Vellas B, Lovestone S, Soininen H, For The Addneuromed Consortium. CERAD neuropsychological battery total score in multinational mild cognitive impairment and control populations: The AddNeuroMed Study. *J Alzheimer Dis* 2010;**22**(4):1089-1097.
- [77](#) Paimela T, Hyttinen JMT, Viiri J, Ryhänen T, Karvonen MK, Unkila M, Uusitalo H, Salminen A, Kaarniranta K. Influence of selective estrogen receptor modulators on interleukin-6 expression in human retinal pigment epithelial cells (ARPE-19). *Eur J Pharmacol* 2010;**640**:219-255.
- [78](#) Petzold A, Altintas A, Andreoni L, Bartos A, Berthele A, Blankenstein MA..., Herukka SK, Hintzen R..., Pirttilä T, Rajda C... Neurofilament ELISA validation. *J Immunol Methods* 2010;**352**:23-31.
- [79](#) Pikkarainen M, Hartikainen P, Alafuzoff I. Ubiquitinated p62-positive, TDP-43-negative inclusions in cerebellum in frontotemporal lobar degeneration with TAR DNA binding protein 43. *Neuropathology* 2010;**30**:197-199.
- [80](#) Pikkarainen M, Martikainen P, Alafuzoff I. The effect of prolonged fixation time on immunohistochemical staining of common neurodegenerative disease markers. *J Neuropathol Exp Neurol* 2010;**69**(1):40-52.

- [81](#) Pitkänen A. Therapeutic approaches to epileptogenesis - Hope on the horizon. *Epilepsia Suppl* 2010;**51**(3):2-17.
- [82](#) Pokela N, Bell JS, Lihavainen K, Sulkava R, Hartikainen S. Analgesic use among community-dwelling people aged 75 years and older: A population-based interview study. *Am J Geriatr Pharmacother* 2010;**8**(3):233-244.
- [83](#) Polvikoski TM, van Straaten EC, Barkhof F, Sulkava R, Aronen HJ, Niinistö L, Oinas M, Scheltens P, Erkinjuntti T, Kalaria RN. Frontal lobe white matter hyperintensities and neurofibrillary pathology in the oldest old. *Neurology* 2010;**75**:2071-2078.
- [84](#) Rahkonen T, Suhonen J, Karppi P, Pirttilä T. Vertailuanalyysi yhdenmukaisti muistipotilaiden ajoterveyden arviointia. *Suomen Lääkärilehti* 2010;**65**(47):3895-3899.
- [85](#) Rasi K, Hurskainen M, Kallio M, Staven S, Sormunen R, Heape AM, Avila RL, Kirschner D, Muona A, Tolonen U, Tanila H, Huhtala P, Soininen R, Pihlajaniemi T. Lack of collagen XV impairs peripheral nerve maturation and, when combined with laminin-411 deficiency, leads to basement membrane abnormalities and sensorimotor dysfunction. *J Neurosci* 2010;**30**(43):14490-14501.
- [86](#) Rastas S, Pirttilä T, Mattila K, Verkkoniemi A, Juva K, Niinistö L, Länsimies E, Sulkava R. Vascular risk factors and dementia in the general population aged >85 years. Prospective population-based study. *Neurobiol Aging* 2010;**31**:1-7.
- [87](#) Rikala M, Hartikainen S, Sulkava R, Korhonen MJ. Validity of the Finnish prescription register for measuring psychotropic drug exposures among elderly finns: a population-based intervention study. *Drugs Aging* 2010;**27**(4):337-349.
- [88](#) Rissanen SM, Kankaanpää M, Tarvainen MP, Meigal A, Nuutinen J, Jäkälä P, Airaksinen O, Karjalainen PA. Discrimination of EMG and acceleration measurements between patients with Parkinson's disease and healthy persons. In: *32nd Annual International Conference of the IEEE EMBS*, Buenos Aires, Argentina, August 31 - September 4, 2010, p. 4878 - 4881. 2010.
- [89](#) Rovio S, Spulber G, Nieminen LJ, Niskanen E, Winblad B, Tuomilehto J, Nissinen A, Soininen H, Kivipelto M. The effect of midlife physical activity on structural brain changes in the elderly. *Neurobiol Aging* 2010;**31**:1927-1936.
- [90](#) Rusanen M, Rovio S, Ngandu T, Nissinen A, Tuomilehto J, Soininen H, Kivipelto M. Midlife smoking, apolipoprotein E and risk of dementia and Alzheimer's disease: a population-based cardiovascular risk factors, aging and dementia study. *Dement Geriatr Cogn Disord* 2010;**30**:277-284.
- [91](#) Ryvlin P, Kälviäinen R, von Raison F, Giordano S, Emir B, Chatamra K. Pregabalin in partial seizures: a pragmatic 21-week, open-label study (PREPS). *Eur J Neurol* 2010;**17**:726-732.
- [92](#) Salminen A, Kaarniranta K. Insulin/IGF-1 paradox of aging: Regulation via AKT/IKK/NF-kappaB signaling. *Cell Signal* 2010;**22**:573-577.
- [93](#) Salminen A, Kaarniranta K. Glycolysis links p53 function with NF-kappaB signaling: impact on cancer and aging process. *J Cell Physiol* 2010;**224**:1-6.
- [94](#) Salminen A, Kaarniranta K. ER stress and hormetic regulation of the aging process. *Ageing Res Rev* 2010;**9**:211-217.
- [95](#) Salminen A, Kaarniranta K. Genetics vs. entropy: Longevity factors suppress the NF-kappaB-driven entropic aging process. *Ageing Res Rev* 2010;**9**:298-314.