

Neurologian klinikka

Department of Neurology

Julkaisut 2011-2011

Publications 2011-2011

Lisätietoja julkaisusta saa klikkaamalla sen numeroa.
For full details, please click the number in front of the publication.

- [1](#) Bell JS, Lönnroos E, Koivisto AM, Lavikainen P, Laitinen M-L, Soininen H, Hartikainen S. Use of antiepileptic drugs among community-dwelling persons with Alzheimer's Disease in Finland. *J Alzheimer Dis* 2011;**26**:231-237.
- [2](#) Boccardi M, Ganzola R, Bocchetta M, Pievani M, Redolfi A, Bartzokis G, Camicioli R, Csernansky JG, de Leon MJ, de Toledo-Morrell, Killiany RJ, Lehericy S, Pantel J, Pruessner JC, Soininen H, Watson C, Duchesne S, Jack JR Cr, Frisoni GB. Survey of protocols for the manual segmentation of the hippocampus: Preparatory steps towards a joint EADC-ADNI harmonized protocol. *J Alzheimer Dis* 2011;**26**:61-75.
- [3](#) Casarotto S, Määttä S, Herukka S-K, Pigorini A, Napolitani M, Gosseries O, Niskanen E, Könönen M, Mervaala E, Rosanova M, Soininen H, Massimini M, Mervaala E. Transcranial magnetic stimulation-evoked EEG/cortical potentials in physiological and pathological aging. *Neuroreport* 2011;**22**:592-597.
- [4](#) Chadchankar H, Ihalainen J, Tanila H, Yavich L. Decreased reuptake of dopamine in the dorsal striatum in the absence of alpha-synuclein. *Brain Res* 2011;**1382**:37-44.
- [5](#) Costafreda SG, Dinov ID, Tu Z, Yonggang S, Liu C-Y, Kloszewska I, Mecocci P, Soininen H, Tsolaki M, Vellas B, Wahlund L-O, Spenger C, Toga AW, Lovestone S, Simmons A. Automated hippocampal shape analysis predicts the onset of dementia in mild cognitive impairment. *Neuroimage* 2011;**56**:212-219.
- [6](#) Danner N, Julkunen P, Könönen M, Hyppönen J, Koskenkorva P, Vanninen R, Lehesjoki A-E, Kälviäinen R, Mervaala E. Primary motor cortex alterations in a compound heterozygous form of Unverricht-Lundborg disease (EPM1). *Seizure* 2011;**20**(1):65-71.
- [7](#) Danner N, Säisänen L, Määttä S, Julkunen P, Hukkanen T, Könönen M, Hyppönen J, Kälviäinen R, Mervaala E. Motor cortical plasticity is impaired in Unverricht-Lundborg Disease. *Mov Disord* 2011;**26**:2095-2100.
- [8](#) Desplenter F, Caenen C, Meelberghs J, Hartikainen S, Sulkava R, Bell JS. Change in psychotropic drug use among community-dwelling people aged 75 years and older in Finland: repeated cross-sectional population studies. *Int Psychogeriatr* 2011;**23**(8):1278-1284.
- [9](#) Eskelinen MH, Ngandu T, Tuomilehto J, Soininen H, Kivipelto M. Midlife healthy-diet index and late-life dementia and Alzheimer's disease. *Dement Geriatr Cogn Disord* 2011;**1**:103-112.
- [10](#) Furney SJ, Kronenberg D, Simmons A, Guntert A, Dobson RJ, Proitsi P, Wahlund LO, Kloszewska I, Mecocci P, Soininen H, Tsolaki M, Vellas B, Spenger C, Lovestone S. Combinatorial markers of mild cognitive impairment conversion to Alzheimer's Disease - cytokines and MRI measures together predict disease progression. *J Alzheimer Dis*

2011:26:395-405.

- 11 Genin E, Hannequin D, Wallon D, Sleegers K, Hiltunen M, Combarros O, Bullido MJ, Engelborghs S..., Licastro F, Soininen H ... APOE and Alzheimer disease: a major gene with semi-dominant inheritance. *Mol Psychiatry* 2011:16:903-907.
- 12 Gröhn O, Sierra A, Immonen R, Laitinen T, Lehtimäki K, Airaksinen A, Hayward N, Nairismagi J, Lehto L, Pitkänen A. Multimodal MRI assessment of damage and plasticity caused by status epilepticus in the rat brain. *Epilepsia Suppl* 2011:52(8):57-60.
- 13 Haapasalo A, Viswanathan J, Kurkinen KMA, Bertram L, Soininen H, Dantuma NP, Tanzi RE, Hiltunen M. Involvement of ubiquilin-1 transcript variants in protein degradation and accumulation. *Commun Integr Biol (electronic)* 2011:4(4):428-432.
- 14 Halleskog C, Mulder J, Dahlström J, Mackie K, Hortobagyi T, Tanila H, Puli L K, Färber K, Harkany T, Schulte G. WNT signaling in activated microglia is proinflammatory. *Glia* 2011:59:119-131.
- 15 Hallikainen M, Suhonen J, Pirttilä T, Erkinjuntti T. Alzheimerin taudin kliinisen tutkimuksen uudistetut kriteerit. *Suomen Lääkärilehti* 2011:66(3):161-165.
- 16 Hayward NMEA, Tuunanen PI, Immonen R, Ndobe-Ekane XE, Pitkänen A, Gröhn O. Magnetic resonance imaging of regional hemodynamic and cerebrovascular recovery after lateral fluid-percussion brain injury in rats. *J Cereb Blood Flow Metab* 2011:31:166-177.
- 17 Hollingworth P, Harold D, Sims R, Gerrish A, Lambert J-C, Carrasquillo MM, Abraham R, Hamshere ML..., Hiltunen M, Soininen H, Combarros O ... Common variants at ABCA7, MS4A6A/MS4A4E, EPHA1, CD33 and CD2AP are associated with Alzheimer's disease. *Nat Genet* 2011:43(5):429-435.
- 18 Huhtiniemi T, Salo HS, Suuronen T, Poso A, Salminen A, Leppänen J, Jarho E, Lahtela-Kakkonen M. Structure-based design of pseudopeptidic inhibitors for SIRT1 and SIRT2. *J Med Chem* 2011:54:6456-6458.
- 19 Ihalainen J, Sarajärvi T, Rasmusson D, Kemppainen S, Keski-Rahkonen P, Lehtonen M, Banerjee PK, Semba K, Tanila H. Effects of memantine and donepezil on cortical and hippocampal acetylcholine levels and object recognition memory in rats. *Neuropharmacology* 2011:61:891-899.
- 20 Jauhonen H-M, Kauppinen A, Paimela T, Laihia JK, Leino L, Salminen A, Kaarniranta K. Cis-urocanic acid inhibits SAPK/JNK signaling pathway in UV-B exposed human corneal epithelial cells in vitro. *Mol Vis [Online]* 2011:17:2311-2317.
- 21 Julkunen P, Jauhiainen AM, Könönen M, Pääkkönen A, Karhu J, Soininen H. Combining transcranial magnetic stimulation and electroencephalography may contribute to assess the severity of Alzheimer's disease. *Int J Alzheimers Dis* 2011:2011:Article 654794.
- 22 Jyrkkä J, Enlund H, Lavikainen P, Sulkava R, Hartikainen S. Association of polypharmacy with nutritional status, functional ability and cognitive capacity over a three-year period in an elderly population. *Pharmacoepidemiol Drug Saf* 2011:20:514-522.
- 23 Kaarniranta K, Salminen A, Haapasalo A, Soininen H, Hiltunen M. Age-related macular degeneration (AMD): Alzheimer's Disease in the Eye? *J Alzheimer Dis* 2011:24:615-631.
- 24 Kerola T, Hiltunen M, Kettunen R, Hartikainen S, Sulkava, Vuolteenaho O, Nieminen T. Minimal state examination score and B-type natriuretic peptide as predictors of cardiovascular and total mortality in an elderly general population. *Ann Med* 2011:43:650-659.

- [25](#) Koikkalainen J, Lötjönen J, Thurfjell L, Rueckert D, Waldemar G, Soininen H, the Alzheimer's Disease Neuroimaging Initiative. Multi-template tensor-based morphometry: Application to analysis of Alzheimer's disease. *Neuroimage* 2011;**56**:1134-1144.
- [26](#) Korhonen P, van Groen T, Thornell A, Kyrilenko S, Soininen M-L, Ojala J, Peltomaa E, Tanila H, Salminen A, Mandelkow EM, Soininen H. Characterization of a novel transgenic rat carrying human tau with mutation P301L. *Neurobiol Aging* 2011;**32**:2314-2315.
- [27](#) Koskenkorva P, Hyppönen J, Äikiä M, Mervaala E, Kiviranta T, Eriksson K, Lehesjoki A-E, Vanninen R, Kälviäinen R. Severer phenotype in Unverricht-Lundborg Disease (EPM1) patients compound heterozygous for the dodecamer repeat expansion and the c.202C>T mutation in the CSTB gene. *Neurodegenerative Dis* 2011;**8**:515-522.
- [28](#) Kronholm E, Sallinen M, Era P, Suutama T, Sulkava R, Partonen T. Psychomotor slowness is associated with self-reported sleep duration among the general population. *J Sleep Res* 2011;**20**:288-297.
- [29](#) Kupila L, Jutila L, Immonen A, Vanninen R, Mervaala E, Pateau A, Luostarinen L, Kälviäinen R. Late-onset Rasmussen's encephalitis and long-term remission. *Epileptic Dis* 2011;**13**(1):88-91.
- [30](#) Kwan P, Brodie MJ, Kälviäinen R, Yurkewicz L, Weaver J, Knapp LE. Efficacy and safety of pregabalin versus lamotrigine in patients with newly diagnosed partial seizures: a phase 3, double-blind, randomised, parallel-group trial. *Lancet Neurol* 2011;**10**:881-890.
- [31](#) Kälviäinen R, Pesonen T, Äikiä M. Epilepsia. Kirjassa: Juva K, Hublin C, Kalska H, Korkeila J, Sainio M, Tani P, Vataja R, toim. *Kliininen neuropsykiaatria*, s. 160-165. Keuruu: Kustannus Oy Duodecim, 2011.
- [32](#) Laitinen M-L, Bell SJ, Lavikainen P, Lönnroos E, Sulkava R, Hartikainen S. Nationwide study of antipsychotic use among community-dwelling persons with Alzheimer's disease in Finland. *Int Psychogeriatr* 2011;**23**(10):1623-1631.
- [33](#) Lambert J-C, Zelenika D, Hiltunen M, Chouraki V, Combarros O, Bullido MJ, Tognoni G, Fievet N, Boland A, Arosio B, Coto E, Del Zombo M, Mateo I, Frank-Garcia A, Helisalmi S..., Soininen H, Amouyel P. Evidence of the association of BIN1 and PICALM with the AD risk in contrasting European populations. *Neurobiol Aging* 2011;**32**:756.e11-756.e15.
- [34](#) Lihavainen K, Sipilä S, Rantanen T, Kauppinen M, Sulkava R, Hartikainen S. Effects of comprehensive geriatric assessment and targeted intervention on mobility in persons aged 75 years and over: a randomized controlled trial. *Clin Rehabil* 2011:2011:17 Oct.
- [35](#) Liu Y, Paajanen T, Zhang Y, Westman E, Wahlund L-O, Simmons A, Tunnard C, Sobow T, Mecocci P, Tsolaki M, Vellas B, Muehlboeck S, Evans A, Spenger C, Lovestone S, Soininen H, for the AddNeuroMed Consortium. Combination analysis of neuropsychological tests and structural MRI measures in differentiating AD, MCI and control groups - The AddNeuroMed study. *Neurobiol Aging* 2011;**32**:1198-1206.
- [36](#) Liu Y, Spulber G, Lehtimäki KK, Könönen M, Hallikainen I, Gröhn H, Kivipelto M, Hallikainen M, Vanninen R, Soininen H. Diffusion tensor imaging and Tract-Based Spatial Statistics in Alzheimer's disease and mild cognitive impairment. *Neurobiol Aging* 2011;**32**:1558-1571.
- [37](#) Lupton MK, Petroula P, Danillidou M, Tsolaki M, Hamilton G, Wroe R, Pritchard M, Lord K, Martin BM, Kloszewska I, Soininen H, Mecocci P, Vellas B, Harold D, Hollingworth P, Lovestone S, Powell JF. Deep sequencing of the nicastrin gene in pooled DNA, the identification of genetic variants that affect risk of Alzheimer's disease. *PLoS ONE [Online]* 2011;**6**(2):e17298.

- [38](#) Luukkainen-Markkula R, Tarkka IM, Pitkänen K, Sivenius J, Hämäläinen H. Comparison of the behavioural inattention test and the Catherine Bergego Scale in assessment of hemispatial neglect. *Neuropsychol Rehabil* 2011;**21**(1):103-116.
- [39](#) Luukkainen-markkula R, Tarkka IM, Pitkänen K, Sivenius J, Hämäläinen H. Hemispatial neglect reflected on visual memory. *Restor Neurol Neurosci* 2011;**29**:321-330.
- [40](#) Lötjönen J, Wolz R, Koikkalainen J, Julkunen V, Thurfjell L, Lundqvist R, Waldemar G, Soininen H, Rueckert D, the Alzheimer's Disease Neuroimaging Initiative. Fast and robust extraction of hippocampus from MR images for diagnostics of Alzheimer's disease. *Neuroimage* 2011;**56**:185-196.
- [41](#) Mattila J, Koikkalainen J, Virkki A, Simonsen A, van Gils M, Waldemar G, Soininen H, Lötjönen J, For THE Alzheimer's Disease Neuroimaging Initiative. A disease state fingerprint for evaluation of Alzheimer's Disease. *J Alzheimer Dis* 2011;**27**:163-176.
- [42](#) Mattson N, Andreasson U, Persson S, Arai H..., Herukka S-K, Holtzman DM..., Soininen H, Schröder J... The Alzheimer's association external quality control program for cerebrospinal fluid biomarkers. *Alzheimers Dement* 2011;**7**:386-395.
- [43](#) Meretoja A, Kaste M, Roine RO, Juntunen M, Linna M, Hillbom M, Marttila R, Eirilä T, Rissanen A, Sivenius J, Häkkinen U. Direct costs of patients with stroke can be continuously monitored on a national level: performance, effectiveness, and costs of treatment episodes in stroke (PERFECT Stroke) database in Finland. *Stroke* 2011;**42**:2007-2012.
- [44](#) Meretoja A, Kaste M, Roine RO, Juntunen M, Linna M, Hillbom M, Marttila R, Eirilä T, Rissanen A, Sivenius J, Häkkinen U. Trends in treatment and outcome of stroke patients in Finland from 1999 to 2007. PERFECT Stroke, a nationwide register study. *Ann Med* 2011;**43**(1):S22-S30.
- [45](#) Miettinen PS, Pihlajamäki M, Jauhiainen AM, Niskanen E, Hänninen T, Vanninen R, Soininen H. Structure and function of medial temporal and posteromedial cortices in early Alzheimer's disease. *Eur J Neurosci* 2011;**34**:320-330.
- [46](#) Miettinen PS, Pihlajamäki M, Jauhiainen AM, Tarkka IM, Gröhn H, Niskanen E, Hänninen T, Vanninen R, Soininen H. Effect of cholinergic stimulation in Early Alzheimer's Disease - Functional imaging during a recognition memory task. *Curr Alzheimer Res* 2011;**8**:753-764.
- [47](#) Niskanen E, Könönen M, Määttä S, Hallikainen M, Kivipelto M, Casarotto S, Massimini M, Vanninen R, Mervaala E, Karhu J, Soininen H. New insights into Alzheimer's Disease progression: A combined TMS and structural MRI study. *PLoS ONE [Online]* 2011;**6**(10):e26113.
- [48](#) Niskanen E, Könönen M, Määttä S, Hallikainen M, Kivipelto M, Casarotto S, Massimini M, Vanninen R, Soininen H. New insight in the Alzheimer's disease progression revealed by a combination of functional and structural information. *PROC INTL SOC MAG RESON MED* 2011;**19**(2011).
- [49](#) Norberg J, Graff C, Almkvist O, Ewers M, Frisoni GB, Frölich L, Hampel H, Jones RW..., Scheltens P, Soininen H... Regional differences in effects of APOE epsilon 4 on cognitive impairment in non-demented subjects. *Dement Geriatr Cogn Disord* 2011;**32**:135-142.
- [50](#) Oresic M, Hyötyläinen T, Herukka S-K, Sysi-Aho M, Mattila I, Seppänen-laakso T, Julkunen V, Gopalacharyulu PV, Hallikainen M, Koikkalainen J, Kivipelto M, Helisalmi S, Lötjönen J, Soininen H. Metabolome in progression to Alzheimer's disease. *Translational Psychiatry* 2011;**1**:e57.

- [51](#) Paimela T, Hyttinen JMT, Viiri J, Ryhänen T, Karjalainen RO, Salminen A, Kaarniranta K. Celestrol regulates innate immunity response via NF- κ B and Hsp70 in human retinal pigment epithelial cells. *Pharmacol Res* 2011;**64**(5):501-508.
- [52](#) Pavlov I, Huusko N, Drexel M, Kirchmair E, Sperk G, Pitkänen A, Walker MC. Progressive loss of phasic, but not tonic, GABA_A receptor-mediated inhibition in dentate granule cells in a model of post-traumatic epilepsy in rats. *Neuroscience* 2011;**194**:208-219.
- [53](#) Peuralinna T, Tanskanen M, Mäkelä M, Polvikoski T, Paetau A, Kalimo H, Sulkava R, Hardy J, Lai S-L, Arepalli S, Hernandez D, Traynor BJ, Singleton A, Tienari PJ, Myllykangas L. APOE and A β PP gene variation in cortical and cerebrovascular amyloid- β pathology and Alzheimer's disease: a population-based analysis. *J Alzheimer Dis* 2011;**26**:377-385.
- [54](#) Pihlajamäki M, O'Keefe K, O'Brien J, Blacker D, Sperling RA. Failure of repetition suppression and memory encoding in aging and Alzheimer's disease. *Brain Imaging Behav* 2011;**5**:36-44.
- [55](#) Pikkarainen M, Hartikainen P, Soininen H, Alafuzoff I. Distribution and pattern of pathology in subjects with familial or sporadic late-onset cerebellar ataxia as assessed by p62/sequestosome immunohistochemistry. *Cerebellum* 2011;**10**:720-731.
- [56](#) Pitkänen A, Bolkvadze T, Immonen R. Anti-epileptogenesis in rodent post-traumatic epilepsy models. *Neurosci Lett* 2011;**497**:163-171.
- [57](#) Pitkänen A, Lukasiuk K. Mechanisms of epileptogenesis and potential treatment targets. *Lancet Neurol* 2011;**10**:173-186.
- [58](#) Rikala M, Korhonen MJ, Sulkava R, Hartikainen S. The effects of medication assessment on psychotropic drug use in the community-dwelling elderly. *Int Psychogeriatr* 2011;**23**(3):473-484.
- [59](#) Rikala M, Korhonen MJ, Sulkava R, Hartikainen S. Psychotropic drug use in community-dwelling elderly people - characteristics of persistent and incident users. *Eur J Clin Pharmacol* 2011;**67**:731-739.
- [60](#) Rusanen M, Kivipelto M, Quesenberry Jr CP, Zhou J, Whitmer RA. Heavy smoking in midlife and long-term risk of Alzheimer Disease and vascular dementia. *Arch Intern Med* 2011;**171**(4):333-339.
- [61](#) Salminen A, Hyttinen JMT, Kaarniranta K. AMP-activated protein kinase inhibits NF-kappaB signaling and inflammation: impact on healthspan and lifespan. *J Mol Med* 2011;**89**:667-676.
- [62](#) Salminen A, Kaarniranta K. Control of p53 and NF-kappaB signaling by WIP1 and MIF: Role in cellular senescence and organismal aging. *Cell Signal* 2011;**23**:747-752.
- [63](#) Salminen A, Kaarniranta K, Haapasalo A, Soininen H, Hiltunen M. AMP-activated protein kinase: a potential player in Alzheimer's disease. *J Neurochem* 2011;**118**:460-474.
- [64](#) Salminen A, Ojala J, Kaarniranta K. Apoptosis and aging: increased resistance to apoptosis enhances the aging process. *Cell Mol Life Sci* 2011;**68**:1021-1031.
- [65](#) Salminen A, Ojala J, Kaarniranta K, Haapasalo A, Hiltunen M, Soininen H. Astrocytes in the aging brain express characteristics of senescence-associated secretory phenotype. *Eur J Neurosci* 2011;**34**:3-11.
- [66](#) Sarajärvi T. *Alzheimer's Disease-Related Genes and Pathways. Special emphasis on Seladin-1, delta-opioid receptor and BACE1*. Doctoral dissertation. 2011. Publications of the University of Eastern Finland. Dissertations in Health Sciences 86. 121 p.

- [67](#) Sarajärvi T, Tuusa JT, Haapasalo A, Lackman JJ, Sormunen R, Helisalmi S, Roehr JT, Parrado AR, Mäkinen P, Bertram L, Soininen H, Tanzi RE, Petäjä-repo UE, Hiltunen M. Cysteine 27 variant of the delta-opioid receptor affects amyloid precursor protein processing through altered endocytic trafficking. *Mol Cell Biol* 2011;**31**(11):2326-2340.
- [68](#) Seppälä TT, Koivisto AM, Hartikainen P, Helisalmi S, Soininen H, Herukka S-K. Longitudinal changes of CSF biomarkers in Alzheimer's Disease. *J Alzheimer Dis* 2011;**25**:583-594.
- [69](#) Sierra A, Laitinen T, Lehtimäki K, Rieppo L, Pitkänen A, Gröhn O. Diffusion tensor MRI with tract-based spatial statistics and histology reveals undiscovered lesioned areas in kainate model of epilepsy in rat. *Brain Struct Funct* 2011;**216**:123-135.
- [70](#) Sikkes SAM, Visser PJ, Knol DL, de Lange-de Klerk ESM... , Soininen H, Touchon J... Do instrumental activities of daily living predict dementia at 1- and 2-year follow-up? Findings from the development of screening guidelines and diagnostic criteria for predementia Alzheimer's disease study. *J Am Geriatr Soc* 2011;**59**:2273-2281.
- [71](#) Simmons A, Westman E, Muehlboeck S, Mecocci P, Vellas B, Tsolaki M, Kloszewska I, Wahlund L-O, Soininen H, Lovestone S, Evans A, Spenger C, For the Addneuromed Consortium. The AddNeuroMed framework for multi-centre MRI assessment of Alzheimer's disease: experience from the first 24 months. *Int J Geriatr Psychiatry* 2011;**26**:75-82.
- [72](#) Sipola P, Hedman M, Jäkälä P, Karjalainen A-M, Peuhkurinen K, Manninen H, Vanninen R. Prevalence of pulmonary embolism in patients with suspected cardioembolic ischemic stroke. *J Thorac Imaging* 2011;**26**:32-35.
- [73](#) Soininen H. Uusia Alzheimerin taudin lääkkeitä etsimässä. Pääkirjoitus. *Duodecim* 2011;**127**:2345-2347.
- [74](#) Soininen H, Mattila J, Koikkalainen J, van GILS M, Hviid SIMONSEN a, Waldemar G, Rueckert D, Thurfjell L, Lötjönen J, For THE Alzheimer's Disease Neuroimaging Initiative. Software tool for improved prediction of Alzheimer's Disease. *Neurodegenerative Dis* 2011.
- [75](#) Spitzer P, Schieb H, Kamrowski-Kruck H, Otto M, Chiasserini D, Parnetti L, Herukka S-K, Schuchhardt J, Wilfang J, Klafki H-W. Evidence for elevated cerebrospinal fluid ERK1/2 levels in Alzheimer dementia. *Int J Alzheimers Dis* 2011:1-9.
- [76](#) Syrjälä A-MH, Raatikainen L, Komulainen K, Knuuttila M, Ruoppi P, Hartikainen S, Sulkava R, Ylöstalo P. Salivary flow rate and periodontal infection - a study among subjects aged 75 years or older. *Oral Dis* 2011;**17**:387-392.
- [77](#) Taipale H, Bell JS, Uusi-kokko M, Lönnroos E, Sulkava R, Hartikainen S. Sedative load among community-dwelling people aged 75 years and older: A population-based study. *Drugs Aging* 2011;**28**(11):913-925.
- [78](#) Taipale HT, Bell JS, Gnjdjic D, Sulkava R, Hartikainen S. Muscle strength and sedative load in community-dwelling people aged 75 years and older: a population-based study. *J Gerontol A Biol Sci Med Sci* 2011;**66**(12):1384-1392.
- [79](#) Thambisetty M, Simmons A, Hye A, Campbell J, Westman E, Zhang Y, Wahlund L-O, Kinsey A, Causevic M, Killick R, Kloszewska I, Mecocci P, Soininen H, Tsolaki M ... Plasma biomarkers of brain atrophy in Alzheimer's disease. *PLoS ONE [Online]* 2011;**6**(12):e28527.
- [80](#) Tolppanen AM, Helisalmi S, Hiltunen M, Kolehmainen M, Schwab U, Pirttilä T, Pulkkinen L, Uusitupa M, Soininen H. Tenomodulin variants, APOE and Alzheimer's disease in a Finnish case-control cohort. Negative results. *Neurobiol Aging* 2011;**32**:546.e7-546.e9.

- [81](#) Tunnard C, Whitehead D, Hurt C, Wahlund LO, Mecocci P, Tsolaki M, Vellas B, Spenger C, Kloszewska I, Soininen H, Lovestone S, Simmons A, on behalf of the AddNeuroMed Consortium. Apathy and cortical atrophy in Alzheimer's disease. *Int J Geriatr Psychiatry* 2011;**26**:741-748.
- [82](#) Turunen M, Vepsäläinen S, Mäkinen P, Helisalml S, Haapasalo A, Soininen H, Hiltunen M. No association between high temperature requirement 1 (HTRA1) gene polymorphisms and Alzheimer's disease. *Neurobiol Aging* 2011;**32**:547.e7-547.e9.
- [83](#) Viswanathan J. *Genetic and Functional Characterisation of Alzheimer's Disease-Associated Genes*. Doctoral dissertation. 2011. Publications of the University of Eastern Finland. Dissertations in Health Sciences 62. 99 p., append.
- [84](#) Viswanathan J, Haapasalo A, Böttcher C, Miettinen R, Kurkinen KMA, Lu A, Thomas A, Maynard CJ, Romano D, Hyman BT, Berezovska O, Bertram L, Soininen H, Dantuma NP, Tanzi RE, Hiltunen M. Alzheimer's disease-associated ubiquilin-1 regulates presenilin-1 accumulation and aggresome formation. *Traffic* 2011;**12**:330-348.
- [85](#) Vuorinen M, Solomon A, Rovio S, Nieminen L, Kåreholt I, Tuomilehto J, Soininen H, Kivipelto M. Changes in vascular risk factors from midlife to late life and white matter lesions: A 20-year follow-up study. *Dement Geriatr Cogn Disord* 2011;**31**:119-125.
- [86](#) Walker SD, Kälviäinen R. Non-vision adverse events with vigabatrin therapy. *Acta Neurol Scand Suppl* 2011;**124**(192):72-82.
- [87](#) Westman E, Cavallin L, Muehlboeck J-S, Zhang Y, Mecocci P, Vellas B, Tsolaki M, Kloszewska I, Soininen H, Spenger C... Sensitivity and specificity of medial temporal lobe visual ratings and multivariate regional MRI classification in Alzheimer's Disease. *PLoS ONE [Online]* 2011;**6**(7):e22506.
- [88](#) Westman E, Simmons A, Muehlboeck J-S, Mecocci P, Vellas B, Tsolaki M, Kloszewska I, Soininen H, Weiner MW, Lovestone S, Spenger C, Wahlund L-O, For the Addneuromed Consortium, and the Alzheimer's Disease Neuroimaging Initiative. AddNeuroMed and ADNI: Similar patterns of Alzheimer's atrophy and automated MRI classification accuracy in Europe and North America. *Neuroimage* 2011;**58**:818-828.
- [89](#) Westman E, Simmons A, Zhang Y, Muehlboeck J-S, Tunnard C, Liu Y, Collins L, Evans A, Mecocci P, Vellas B, Tsolaki M, Kloszewska I, Soininen H, Lovestone S, Spenger C, Wahlund L-O, For the Addneuromed Consortium. Multivariate analysis of MRI data for Alzheimer's disease, mild cognitive impairment and healthy controls. *Neuroimage* 2011;**54**:1178-1187.
- [90](#) Wolz R, Julkunen V, Koikkalainen J, Niskanen E, Zhang DP, Rueckert D, Soininen H, Lötjönen J, the Alzheimer's Disease Neuroimaging Initiative. Multi-method analysis of MRI images in early diagnostics of Alzheimer's Disease. *PLoS ONE [Online]* 2011;**6**(10):e25446.
- [91](#) Yang H, Lyutvinskiy Y, Soininen H, Zubarev RA. Alzheimer's disease and mild cognitive impairment are associated with elevated levels of isoaspartyl residues in blood plasma proteins. *J Alzheimer Dis* 2011;**27**:113-118.
- [92](#) Ziyatdinova S, Gurevicius K, Kutchiashvili N, Bolkvadze T, Nissinen J, Tanila H, Pitkänen A. Spontaneous epileptiform discharges in a mouse model of Alzheimer's disease are suppressed by antiepileptic drugs that block sodium channels. *Epilepsy Res* 2011;**94**:75-85.